

Chemical Analysis Report

CEN-DIST-2019-11-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lk Jane / Wildmere + LVI**
Request ID: **RQ-2019-10-28-59**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 20-NOV-2019 14:56



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Wildmere Lake @ Center

Collection Date/Time: 10/31/2019 11:15

Field ID: G2CE0226

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2133022	EPA 180.1 Rev. 2.0	Turbidity	0.75		NTU	P373602	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P374076	
		Sulfate	7.1		mg SO4/L	P374081	
	SM 2120 B	Color (true)	14		PCU	P373614	
	SM 2320 B-97	Total Alkalinity	45		mg CaCO3/L	P374097	
	SM 2540 C-97	TDS	86		mg/L	P374056	
	SM 2540 D-97	TSS	2	U	mg/L	P374027	
	SM 4500 F-C-97	Fluoride	0.051	I	mg F/L	P374099	
2133024	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P373780	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.36		mg N/L	P373852	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P373629	
	EPA 365.1 Rev. 2.0	Total-P	0.012		mg P/L	P373792	
	SM 5310 B-00	Organic Carbon	5.4		mg C/L	P373992	
2133026	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P373623	

Sample Location: Lake Jane @ 20m West of Fountain

Collection Date/Time: 10/31/2019 12:33

Field ID: G2CE0225

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2133023	EPA 180.1 Rev. 2.0	Turbidity	2.9		NTU	P373602	
	EPA 300.0 Rev. 2.1	Chloride	20	A	mg Cl/L	P374253	
		Sulfate	12	A	mg SO4/L	P374256	
	SM 2120 B	Color (true)	17		PCU	P373614	
	SM 2320 B-97	Total Alkalinity	32		mg CaCO3/L	P374097	
	SM 2540 C-97	TDS	102	A	mg/L	P374037	
	SM 2540 D-97	TSS	5	IA	mg/L	P374043	
	SM 4500 F-C-97	Fluoride	0.039	I	mg F/L	P374099	
2133025	EPA 350.1 Rev. 2.0	Ammonia-N	0.01		mg N/L	P373780	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.79		mg N/L	P373852	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P373629	
	EPA 365.1 Rev. 2.0	Total-P	0.039		mg P/L	P373790	
	SM 5310 B-00	Organic Carbon	5.9		mg C/L	P373992	
2133027	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P373623	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P373602

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374076

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374081

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374253

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374256

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373780

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373852

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P373629

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373790

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373792

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P373623

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P373614

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P374097

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P374037

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P374056

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P374027

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P374043

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P374099

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-00
Batch ID: P373992

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374076

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374081

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374253

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374256

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373780

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373852

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.3		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P373629

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373790

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373792

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.0		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P373623

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.7		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P373614

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.1		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P374097

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	98 - 106

Reference Method: SM 4500 F-C-97
Batch ID: P374099

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.1		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P373992

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	103		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374076

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2132954	Chloride	97.8		P	90 - 110
2133077	Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374081

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2132954	Sulfate	99.2		P	90 - 110
2133077	Sulfate	99.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374253

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133023	Chloride	98.1		P	90 - 110
2133461	Chloride	95.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374256

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133023	Sulfate	97.1		P	90 - 110
2133461	Sulfate	96.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373780

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133024	Ammonia-N	99.5	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373852

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133004	Kjeldahl Nitrogen	94.4	98.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P373629

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2132959	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373790

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133025	Total-P	103	97.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373792

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373792

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133024	Total-P	102	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P373623

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133006	O-Phosphate-P	95.4	96.2	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P374099

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2133214	Fluoride	100	100	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P373992

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2132924	Organic Carbon	101	103	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P373602

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132954	Turbidity	7.26	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374076

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132954	Chloride	0.398	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374081

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132954	Sulfate	0.461	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374253

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133023	Chloride	1.02	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374256

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133023	Sulfate	1.26	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373780

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133024	Ammonia-N	0.653	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373852

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133004	Kjeldahl Nitrogen	2.66	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P373629

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132959	NO2NO3-N	0.499	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373790

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133025	Total-P	4.77	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P373792

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133024	Total-P	0.191	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P373623

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133006	O-Phosphate-P	0.780	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P373614

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133002	Color (true)	0.274	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P374097

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133214	Total Alkalinity	0.0892	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P374037

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133023	TDS	2.96	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P374056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132946	TDS	3.28	Sample	P	0 - 10

Reference Method: SM 2540 D-97
Batch ID: P374027

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132946	TSS	7.41	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P374099

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2133214	Fluoride	0.0	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P373992

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132924	Organic Carbon	1.46	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A95414

Included Lab Sample IDs: 2133022, 2133023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	97.5	99.5	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A95426

Included Lab Sample IDs: 2133022, 2133023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	102	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A95427

Included Lab Sample IDs: 2133026, 2133027

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.2	99.0	P/P	90 - 110
O-Phosphate-P	99.6	99.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A95429

Included Lab Sample IDs: 2133024, 2133025

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A95511

Included Lab Sample IDs: 2133022

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	102	P/P	90 - 110
Sulfate	101	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A95516

Included Lab Sample IDs: 2133024, 2133025

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	101	P/P	90 - 110
Ammonia-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A95555

Included Lab Sample IDs: 2133024, 2133025

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110
Total-P	99.8	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A95591

Included Lab Sample IDs: 2133024, 2133025

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	92.3	98.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A95618

Included Lab Sample IDs: 2133024, 2133025

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	93.0	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A95676

Included Lab Sample IDs: 2133022, 2133023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.5	99.5	P/P	90 - 110
Total Alkalinity	99.5	99.5	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A95676

Included Lab Sample IDs: 2133022, 2133023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	103	P/P	90 - 110
Fluoride	103	104	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A95765

Included Lab Sample IDs: 2133023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.8	98.4	P/P	90 - 110
Sulfate	100	98.4	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				7.26	
EPA 300.0 Rev. 2.1	Chloride	100	97.8	100	0.398	
	Chloride	100	98.1	95.6	1.02	
	Sulfate	100	99.2	99.7	0.461	
	Sulfate	99.6	97.1	96.6	1.26	
EPA 350.1 Rev. 2.0	Ammonia-N	101	99.5	100		0.653
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	94.3	94.4	98.1		2.66
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	100	100		0.499
EPA 365.1 Rev. 2.0	Total-P	100	103	97.6		4.77
	Total-P	99.0	102	101		0.191
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.7	95.4	96.2		0.780
SM 2120 B	Color (true)	99.1			0.274	
SM 2320 B-97	Total Alkalinity	101			0.0892	
SM 2540 C-97	TDS				2.96	
	TDS				3.28	
SM 2540 D-97	TSS				7.41	
SM 4500 F-C-97	Fluoride	98.1	100	100		0.0
SM 5310 B-00	Organic Carbon	103	101	103		1.46

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2133022, 2133023
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2133022, 2133023
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2133022, 2133023
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2133024, 2133025
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2133024, 2133025
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2133024, 2133025
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2133024, 2133025
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2133026, 2133027
SM 2120 B / E31780	True Color measured at 450 nm	2133022, 2133023
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2133022, 2133023
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2133022, 2133023
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2133022, 2133023
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2133022, 2133023
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2133024, 2133025

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/01/2019			11/01/2019 17:05	Rosalyn Ballman	2133022, 2133023
EPA 300.0 Rev. 2.1	11/01/2019			11/07/2019 11:47	Jhamieka S. Greenwood	2133022
	11/01/2019			11/14/2019 14:43	Lipi Saha	2133023
EPA 350.1 Rev. 2.0	11/01/2019			11/04/2019 12:52	Ping Hua	2133024
	11/01/2019			11/04/2019 13:10	Ping Hua	2133025
EPA 351.2 Rev. 2.0	11/01/2019	11/07/2019 12:07	Sima Feizi	11/08/2019 12:49	Virginia P. Brown	2133024
	11/01/2019	11/07/2019 12:07	Sima Feizi	11/08/2019 12:51	Virginia P. Brown	2133025
EPA 353.2 Rev. 2.0	11/01/2019			11/04/2019 09:49	Beverly Y. Sanders	2133024
	11/01/2019			11/04/2019 09:50	Beverly Y. Sanders	2133025
EPA 365.1 Rev. 2.0	11/01/2019	11/06/2019 15:02	Yen Ta	11/07/2019 14:15	Benjamin T. Nordmann	2133025
	11/01/2019	11/06/2019 15:02	Yen Ta	11/07/2019 14:41	Benjamin T. Nordmann	2133024
EPA 365.1 Rev. 2.0 dissolved	11/01/2019			11/01/2019 16:54	Samantha Davila	2133026
	11/01/2019			11/01/2019 16:59	Samantha Davila	2133027
SM 2120 B	11/01/2019			11/01/2019 17:24	Madeline Funaro	2133022
	11/01/2019			11/01/2019 17:25	Madeline Funaro	2133023
SM 2320 B-97	11/01/2019			11/13/2019 00:54	Dale L. Simmons	2133022
	11/01/2019			11/13/2019 01:34	Dale L. Simmons	2133023
SM 2540 C-97	11/01/2019			11/06/2019 14:36	Yijie Li	2133022
	11/01/2019			11/07/2019 09:31	Yijie Li	2133023
SM 2540 D-97	11/01/2019			11/06/2019 14:36	Yijie Li	2133022
	11/01/2019			11/07/2019 09:31	Yijie Li	2133023
SM 4500 F-C-97	11/01/2019			11/13/2019 00:54	Dale L. Simmons	2133022
	11/01/2019			11/13/2019 01:34	Dale L. Simmons	2133023
SM 5310 B-00	11/01/2019			11/08/2019 01:25	Madeline Funaro	2133024
	11/01/2019			11/08/2019 01:42	Madeline Funaro	2133025