



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Shell Cr. @ Hathaway Park

Date: 01/28/2019

(mm/dd/yyyy)

WIN/ Field ID: G3SD0120

WBID: 2041

Latitude: 26.97474

(Decimal Degrees)

County: Hendry

ORG ID: 21FLFTM

Longitude: -81.88984

(Decimal Degrees)

Receiving Body of Water: Peace River

RQ-2019-01-28-52

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Nicole Reistad					☒	☒	☒	☒	☒
Maryann Dugan					☒	☒	☒	☒	☒

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☒ Pole
☐ Carboy	☒ Syringe	☒ NR
☐ Dipper	☐ Other	
Depth Measured with <u>Secchi disk</u>		
Equipment ID <u>33128</u>		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☒ Other <u>Dock</u>	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / (Normal) / High / Flooded
Meter ID# SNPK Matrix: (Fresh) Marine / DI
Photos: Yes / No Flow: No Flow / Interstitial / (Flowing) / NA Tide: Rising/ Falling/ Slack/ (NA) Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (µmhos/cm)	Temp. (C°)
EST	0945	3.7	0.3	1.3	7.26	72.8	7.36	0.48	961	15.5
CEN	0947		3.2		7.09	71.2	7.49	0.48	960	15.4

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA8274050	10/01/19	☒ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO3	NA8099110	04/09/19	☒ <2
Filtered Nutrients	☒ W-P04-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-S04-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ M-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-E8321-DI ☒ W-PCL-SQ-R ☒ W-E8321-MS ☒ W-CARB-AA	☒ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:

Field IDWIN ID: G3SD0120

Location: Shell Cr. @HathawayPark

Signature: Nicole Reistad Date: 01/28/2019

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets 01/29/19 (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Prairie Creek @ Washington LoopDate: 01/28/2019

(mm/dd/yyyy)

WIN/ Field ID: G3SD0067WBID: 1962Latitude: 26.99063

(Decimal Degrees)

County: DeSotoORG ID: 21FLFTMLongitude: -81.89462

(Decimal Degrees)

Receiving Body of Water: Peace RiverRQ-2019- 01-28-52

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
Nicole Reistad Maryann Dugan				☒	☒	☒	☒	☒	☒ Sample Container ☐ Van Dorn ☒ Pole ☐ Carboy ☒ Syringe ☐ Dipper ☐ Other Depth Measured with <u>wochi disk</u> Equipment ID <u>3312B</u>			
									Collection Method ☐ Wading ☐ Canoe/Kayak ☒ From Shore ☐ Electric Motor ☒ Other <u>Bridge</u> ☐ Gasoline Motor			
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded				Meter ID# <u>SNEX</u>				Matrix: <u>Fresh</u> / Marine / DI				
Photos: <u>Yes</u> / No		Flow: No Flow / Interstitial / <u>Flowing</u> / NA		Tide: Rising/ Falling/ Slack/ <u>NA</u>		Tide Times: High Low						
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTth)	Sp COND (umhos/cm)	Temp. (C°)		
EST	1015	4.2	0.3	0.5	8.49	82.5	7.41	0.33	676	13.9		
CEN	1017		3.7									
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:												
SBIO ID Numbers:		SBIO-ID:		HA-ID:		RPS-ID:		Macrophyte-ID:		LIMS#:		
Parameter Suite	Parameter Methods				Preservation	Lot#	Expiration	pH Check				
Preserved Nutrients	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP				☒ Ice ☒ H2SO4	<u>SA8274050</u>	<u>10/01/19</u>	<u><2</u>				
Metals	☒ W-ICPMS ☒ W-ICP				☒ Ice ☒ HNO3	<u>NA8099110</u>	<u>04/09/19</u>	<u><2</u>				
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter				☒ Ice							
Chlorophyll	☒ CHLSUITE-W				☒ Ice							
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice							
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice							
Macroinvertebrates	☐ MI-FW-QLDC				☐ Formalin							
Periphyton	☐ ALGAE-ID				☐ Ice							
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice							
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD				☐ Ice							
Tracers	☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice							
Pesticides	☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-E8321-DI ☒ W-PCL-SQ-R ☒ W-E8321-MS ☒ W-CARB-AA				☒ Ice							
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				☐ Ice							
Notes: <u>construction - pictures</u> <u>too deep for sonde cable -</u> <u>could not take bottom reading</u>						Field ID/WIN ID <u>G3SD0067</u>						
Signature: <u>Nicole Reistad</u>						Location <u>PrairieCreek@WshgtnLoop</u>						
						Date: <u>01/28/2019</u>						

LIMS EVENT ID:

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:

(Initials/Date)

(Initials/Date)

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Runoff to Peace River Site 3

Date: 01/28/2019
(mm/dd/yyyy)

WIN/ Field ID: G3SD0132

WBID: 2028

Latitude: 27.07585

(Decimal Degrees)

County: DeSoto

ORG ID: 21FLFTM

Longitude: -82.016483

(Decimal Degrees)

Receiving Body of Water: Peace River

RQ-2019-01-28-52

Sampling Team Members						Sampling Equipment									
Nicole Reistad Maryann Dugan						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	☒ Sample Container ☐ Van Dorn ☒ Pole				
											☐ Carboy ☒ Syringe				
											☐ Dipper ☐ Other				
											Depth Measured with <u>Secchi disk</u>				
						Equipment ID <u>331213</u>					Collection Method				
											☐ Wading ☐ Canoe/Kayak				
											☒ From Shore ☐ Electric Motor				
											☐ Other ☐ Gasoline Motor				
Water Level: Dry/ Pooled/ Low / Normal / <u>High</u> / Flooded						Meter ID# <u>SNEK</u>					Matrix: <u>Fresh</u> / Marine / DI				
Photos: Yes ☒ No ☐ Flow: No Flow / Interstitial / <u>Flowing</u> / NA						Tide: Rising/ Falling/ Slack/ <u>NA</u>					Tide Times: High Low				
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (µmhos/cm)	Temp. (C°)					
EST	1115	0.6	0.3	0.3	9.01	83.7	5.81	0.10	215	12.1					
CEN															
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:															
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:															
Parameter Suite		Parameter Methods					Preservation		Lot#		Expiration		pH Check		
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					☒ Ice ☒ H2SO4		SAB274050		10/01/19		☒ <2		
Metals		☐ W-ICPMS ☐ W-ICP					☐ Ice ☐ HNO3						☐ <2		
Filtered Nutrients		☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter					☒ Ice								
Chlorophyll		☒ CHL-SUITE-W					☒ Ice								
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS					☒ Ice								
Physical/Aggregate (Marine)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY					☐ Ice								
Macroinvertebrates		☐ MI-FW-QLDC					☐ Formalin								
Periphyton		☐ ALGAE-ID					☐ Ice								
Microbiology		☒ E Coli ☐ F Coli ☐ Enterococci					☒ Ice								
Molecular		☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2					☐ Ice								
		☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD													
Tracers		☐ W-E8321-DI ☐ W-E8321-MS					☐ Ice								
Pesticides		☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI					☐ Ice								
		☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA													
Phytoplankton		☐ DTY-QN-C ☐ PKD-QN-C					☐ Ice								
Notes:						Field ID/WIN ID					G3SD0132				
						Location					Runoff to Peace River Site 3				
Signature: <u>Nicole Reistad</u>						Date: 01/28/2019									

LIMS EVENT ID:

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

01/29/19
(Initials/Date)

Migrate Data to WIN:

(Initials/Date)

Verify Data in WIN:

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Bobcat Creek in Preserve East

Date: 01/28/2019
(mm/dd/yyyy)

WIN/ Field ID: G3SD0131

WBID: 2033

Latitude: 27.05967

(Decimal Degrees)

County: DeSoto

ORG ID: 21FLFTM

Longitude: -82.00745

(Decimal Degrees)

Receiving Body of Water: Peace River

RQ-2019-01-28-52

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Nicole Beistack									
Maryann Dugan									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with Secchi disk		
Equipment ID 33128		

Collection Method	
☐ Wading	☐ Canoe/Kayak
☒ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# SNEK

Matrix: Fresh/ Marine/ DI

Photos: Yes/ No

Flow: No Flow / Interstitial / Flowing / NA

Tide: Rising/ Falling/ Slack/ NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
EST	1200	0.7	0.3	0.4	8.55	81.6	6.74	0.14	290	13.2
CEN										

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA8274050	10/01/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:

Field ID/WIN ID: G3SD0131

Location: BobcatCreekPreserveEast

Signature: [Signature] Date: 01/28/2019

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets: 01/29/19 Migrate Data to WIN: Verify Data In WIN:

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave, Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2018-01-28-52
Project Run/Location: P. Cuckas Pt. 1

Laboratory Submission #: 519010475

Station ID	Surface Water Sample Matrix ² (Fresh / Marine)	Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL				
G3SD0120 - Shell Creek	(F) M / Grab	E.coli / Enterococci	01/28/2019 0945	1
G3SD0067 - Prairie Creek	(F) M / Grab	E.coli / Enterococci	01/28/2019 1015	2
G3SD0132 - Runoff to Peace River	(F) M / Grab	E.coli / Enterococci	01/28/2019 1115	3
G3SD0131 - Bobcat Creek	(F) M / Grab	E.coli / Enterococci	01/28/2019 1200	4
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		
	F / M / Grab	E.coli / Enterococci		

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (42°F). Under "Preservative," list any preservatives that were added to the sample container.

Provide the label identifying sample ID, preservative, and date/time of collection in the bottle. Sample type, client ID, and parameters for analysis.

The laboratory information should be provided on the label, back of the bottle, and on the collection slip. Sample ID, date and time of collection, sample's name or initials, and any field number or ID.

All bottles not containing preservative may be stored with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note specific sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 8 BEAS Temperature: 3.8 °C

Collector: <i>[Signature]</i>	Date: 01/28/19	Time: 1250	Received By: <i>[Signature]</i>	Date: 01/28/19	Time: 1250
Relinquished by: <i>[Signature]</i>	Date: 01/28/19	Time: 1250	Received By: <i>[Signature]</i>	Date: 01/28/19	Time: 1250
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: SNER RQ: 2019-01-28-52 Project: P CRICKS 1

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400 Date of Last Temperature Verification 12/26/2018

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	%DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	M. DUGAN	01/28/19	0728	25.2	761.5	8.23	8.23	100.2		1.01278	(P) F	(L) F
ICV	"	"	0729	25.1	761.5	8.25	8.28	100.4			(P) F	(L) F
CCV	N. Reistad	01/28/19	1413	26.3	761.5	8.07	8.12	100.6			(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L. Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.
 Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	M. DUGAN	01/28/19	0722	2810027	10/20	1000	1000	(P) F	(L) F
ICV	"	"	0725	280884	07/20	100	100	(P) F	(L) F
CCV	N. Reistad	01/28/19	1409	280884	07/20	100	100	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	M. DUGAN	01/28/19	0731	185764	08/20	6.997	24.8	7.00	-2.5	(P) F	(L) F
Calibr.	"	"	0734	185488	08/20	4.010	25.4	4.010	170.5	(P) F	(L) F
Calibr.	"	"	0736	185490	09/20	10.003	25.5	10.00	-185.4	(P) F	(L) F
ICV	"	"	0738	185488	08/20	4.010	25.8	4.01		(P) F	(L) F
CCV	N. Reistad	01/28/19	1411	185490	09/20	10.003	25.8	9.99		(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;
 If mV are recorded: slope from 7 to 10 182.9, slope from 4 to 7 173.0 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES (NO) / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: 3312B; Date of last verification: 12/26/18

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air						P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: