



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Cypress Creek @ N River Rd

Date: 08/08/2019

(mm/dd/yyyy)

WIN/Field ID: G3SD0084

WBID: 3235C

Latitude: 26.725993

(Decimal Degrees)

County: Lee

ORG ID:

Longitude: -81.62705

(Decimal Degrees)

Receiving Body of Water: Caloosahatchee

RQ- 2019-08-05-96

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Chase Conley		☒	☒	☒	☒	☒
Maryann Dugan		☒	☒	☒	☒	☒

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with <u>SECCM</u>		
Equipment ID <u>DEEP BLUE</u>		

Collection Method		
☒ Wading	☒ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded		Meter ID# <u>Pro Notes</u>		Matrix: <u>Fresh</u> / Marine / DI						
Photos: Yes / <u>No</u>		Flow: No Flow / Intestinal / <u>Flowing</u> / NA		Tide: Rising/ Falling/ Slack/ <u>NA</u>						
Tide Times: High <u>NA</u> Low <u>NA</u>										
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (umhos/cm)	Temp. (C°)
EST	<u>1005</u>	<u>1.4</u>	<u>0.3</u>	<u>0.2</u>	<u>4.79</u>	<u>58.8</u>	<u>7.08</u>	<u>0.10</u>	<u>208.0</u>	<u>25.7</u>
CEN										

Biological Samples Collected: None <u>HA</u> SCI <u>RPS</u> Algae ID <u>LVS</u> LVI Other:					
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	<u>SA8344070</u>		☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHESUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GPD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes: <u>Maryann fell in the water</u>	Field ID/WIN ID	
	Location	<u>G3SD0084</u>
	<u>Cypress Creek @NRiverRd</u>	
Signature:	Date: <u>8/8/19</u>	

LIMS EVENT ID:	WIN Import ID:
Enter Field Parameters, Verify Station ID in LIMS DMT:	QC Station ID, Field Parameters in LIMS DMT:
Scan/Save Field Sheets	Migrate Data to WIN:
Verify Data in WIN:	

3 Physical/Chemical Characterization Field Sheet

Field ID/WIN ID



G3SD0084

Location



Cypress Creek @NRiverRd

LATITUDE 26.725993

LONGITUDE -81.62705

SAMPLING AGENCY SRA

FIELD ID/NAME G3SD0084

RECEIVING BODY OF WATER CALOAHATCHEE

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☒ 40 Silviculture ☐ Field/Pasture ☐ Agricultural ☒ 50 Residential ☒ 10 Commercial ☐ Industry ☐ Other (Specify) ☐							Landscape Development Intensity Index (LDI)
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect 5 m wide			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: 12 Right Bank: 18				Hydrologic Modification Score (per FT 3101)			
High Water Mark: 0.1 + 1.0 = 1.1 (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No			
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☐ Heavily Shaded ☒ Moderate Shaded (46-80%)			

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse		Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):		Smothering of Substrates Sand Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐	
SUBSTRATE TYPE Assessment Tool: ☐ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon		WATER QUALITY			
Woody Debris (Snags) 2.3 0.46 Undercut Banks / Roots 2.1 0.42 Leaf Packs or Mat 0 0 Aquatic Vegetation 2.3 0.46 Rock or Shell Rubble 0 0 Sand Mud / Muck / Silt Other Other		Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: 0.3 25.7 7.08 4.79 58.8 208 0.10 0.2 Mid: Bottom: Meter ID: PRO-MOVE TOTAL DEPTH: 1.4			
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☒ ☐ ☐ ☐ Fish: ☐ ☐ ☒ ☐ Aquatic Plants: ☐ ☐ ☒ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐		Water Odors Normal ☐ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐ Water Surface Oils Normal ☐ Sheen ☐ Globbs ☐ Slick ☐ Other ☐ Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: Exp: Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☒ No Lot Number: SA8344070 Exp: System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify) ☐ AMBIENT FIELD CONDITIONS / NOTES: ☒ The antecedent hydrologic conditions have been met to my best knowledge.			
SAMPLING TEAM MARIANN DUGAN, CHASE CONLEY		SIGNATURE: 		DATE: 10/09/2019	

Location

Cypress Creek @NRiverRd

STORET STATION NUMBER:

DATE (MM/DD/YY):

RECEIVING BODY OF WATER:

G3SD0084

08/08/2019

CAWASA HATCHES

REMARKS:

COUNTY:

LOCATION:

FIELD ID/NAME:

LEE

CYPRESS CREEK

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>11</u>	20 19 18 17 16	15 14 13 12 <u>11</u>	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>2</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 <u>2</u> 1
Water Velocity <u>13</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 <u>13</u> 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>11</u> ----- Primary Score <u>37</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. <u>11</u> 15 14 13 12 <u>11</u>	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>18</u>	20 19 <u>18</u> 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability Right Bank <u>8</u> Left Bank <u>7</u>	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. <u>8</u> <u>7</u> 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank <u>10</u> Left Bank <u>6</u>	Width of vegetation greater than 18 m <u>10</u> 9	Width of vegetation >12 to 18m 8 7 <u>6</u>	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 1
Riparian Zone Vegetation Quality Right Bank <u>3</u> Left Bank <u>2</u> ----- Secondary Score <u>54</u>	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). <u>3</u> <u>2</u> 1

91 TOTAL SCORE


Date:

Analyst:

Signature:

08/08/2019

MARYANN DUGAN, CHASE CONLEY



DEP-SOP-001/01 Form FD 9000-4
Stream/River Habitat Sketch Sheet

Field ID/WIN ID



G3SD0084

Location



Cypress Creek @NRiverRd

Date: 08/08/2019

Sampler: MARYANN DALAN, CHASE WILLEY

100 m: Latitude 26.726592
Longitude -81.626053

0 m: Latitude 26.726108
Longitude -81.626878

Substrates: Code key, draw proportionate habitat abundance.

	Snags	<u>0.46</u>	<u>2.3</u>
	Roots/undercut banks	<u>0.42</u>	<u>2.1</u>
	Leaf Packs (or mats)	<u>0</u>	<u>0</u>
	Aquatic Macrophytes	<u>0.46</u>	<u>2.3</u>
	ROCKS	<u>0</u>	<u>0</u>
	Pools	total # observed = <u>1</u> # range expected = <u>1-20</u>	<u>0</u>

Average width 5.0 m
Average depth 1.0 m

Velocity measured at 40 meter mark.

WQ & chemistry taken at 40 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.


Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

1 pool = 0.1 m²

1.34%

AVAILABLE HABITAT



-low visibility
-DEEP, low seccchi
-sampled from canoe

Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

Revision Date: June 2, 2011

Storet Number: ^ put sticker here

Date: 8/18/2011

County: LEE

Waterbody: CYPRESS CREEK

Analyst: CHASE CONLEY, MARYANN DUGAN

Signature: Maryann Dugan

Comments:

 Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names. **bold is exotic invasive**

HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)	HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100			0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	
<i>Alternanthera philoxeroides</i>	X	X	X	X	X	X	X	X	X	X		<i>Micranthemum glomeratum</i>											
<i>Bacopa caroliniana</i>												<i>Micranthemum umbrosum</i>											
<i>Bacopa monnieri</i>												<i>Myriophyllum aquaticum</i>											
<i>Bidens mitis</i>												<i>Najas guadelupensis</i>											
<i>Boehmeria cylindrica</i>												<i>Nuphar luteum</i>											
<i>Centella asiatica</i>												<i>Orontium aquaticum</i>											
<i>Ceratophyllum demersum</i>												<i>Panicum hemitomon</i>											
<i>Chara</i> sp.												<i>Panicum repens</i>											
<i>Cicuta maculata</i>												<i>Panicum rigidulum</i>											
<i>Cladium jamaicense</i>												<i>Pistia stratioides</i>											
<i>Colocasia esculenta</i>	X	X	X	X	X	X	X	X	X	X		<i>Polygonum glabra</i>											
<i>Commelina diffusa</i>												<i>Polygonum hydropiperoides</i>											
<i>Commelina virginica</i>												<i>Polygonum punctatum</i>											
<i>Crinum americanum</i>												<i>Pontederia cordata</i>											
<i>Cyperus</i>												<i>Potamogeton illinoensis</i>											
<i>Diodia virginiana</i>												<i>Ruellia simplex</i>											
<i>Eichhornia crassipes</i>												<i>Sacciolepis striata</i>											
<i>Eleocharis (wispy viviparous)</i>												<i>Sagittaria kurziana</i>											
<i>Hydrilla verticillata</i>												<i>Sagittaria lancifolia</i>											
<i>Hydrocotyle</i> sp.												<i>Sagittaria latifolia</i>											
<i>Hygrophila polysperma</i>												<i>Salvinia minima</i>											
<i>Hymenachne amplexicaulis</i>												<i>Samolus parviflorus</i>											
<i>Hymenocallis</i>												<i>Saururus cernuus</i>											
<i>Lachnanthes caroliniana</i>												<i>Sparganium americanum</i>											
<i>Landoltia punctata</i>												<i>Sphagnetocola trilobata (Wedelia)</i>											
<i>Lemna</i> sp.												<i>Typha</i> sp.											
<i>Limnophila sessiflora</i>												<i>Urochloa mutica (Brachiaria)</i>											
<i>Ludwigia leptocarpa</i>												<i>Vallisneria americana</i>											
<i>Ludwigia palustris</i>												<i>Zizania aquatica</i>											
<i>Ludwigia peruviana</i>												SCHINUS TEREBINTHIFOLIUS	X	X	X	X	X	X	X	X	X		
<i>Ludwigia repens</i>												PANICUM MAXIMUM	X	X	X	X	X	X	X	X	X		
<i>Luziola fluitans</i>												TAXODIUM DISTICHUM											
												SAI BAL PALMETTO											
												OSMUNDA STRUM LINNAMOMSTRUM											
												SAIUX CAROLINIANA											
If no Dominant or Co-Dominant were selected, indicate with "X"																							
Indicate % cover macrophytes per section																							
0-5% Macrophyte Coverage																							
>5 and ≤10% Macrophyte Coverage																							
>10 and ≤25% Macrophyte Coverage																							
>25 and ≤50% Macrophyte Coverage																							
> 50% Macrophyte Coverage																							

Field ID/WIN ID



G3SD0084

Revision Date: March 1, 2014

62-160.600, F.A.C.

Location



Cypress Creek @NRiverRd



G3SD0084

Location



Cypress Creek @NRiverRd

00-25 Rapid Periphyton Survey Field Sheet

County:

LEE

Date:

08/28/2019

Investigators: MARYANN DUGAN

CHASE CONLEY

STORET Station Number:

G3SD0084

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	
0	1	N	Y		60	1	N	Y		
	2					2				
	3					3				
	4					4				
	5			14		5				88
	6					6				
	7					7				
	8					8				
	9					9				
10	1	N	Y		70	1	N	Y		
	2					2				
	3					3				
	4					4				
	5			26		5				74
	6					6				
	7					7				
	8					8				
	9					9				
20	1	N	Y		80	1	N	Y		
	2					2				
	3					3				
	4					4				
	5			42		5				24
	6					6				
	7					7				
	8					8				
	9					9				
30	1	N	Y		90	1	N	Y		
	2					2				
	3					3				
	4					4				
	5			46		5				30
	6					6				
	7					7				
	8					8				
	9					9				
40	1	N	Y		100	1	N	Y		
	2					2				
	3					3				
	4					4				
	5			54		5				52
	6					6				
	7					7				
	8					8				
	9					9				
50	1	N	Y		Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached. Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank. Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6. Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.					
	2									
	3									
	4									
	5			62						
	6									
	7									
	8									
	9									

Secchi depth 0.2
Estimated?

points ranked 4-6 0
total points assessed
% points ranked 4-6 0

Check accompanying data collected at same site/date.

Algal mat sample	
Linear Veg Survey	✓
Habitat Assessment	✓
SCI/Biorecon	
Water sample	✓

RQ-2019-08-05-96

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

Pro Moves

RQ:

2019-07-15-22

Project:

Small Streams

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

6/18/19

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Chase Corley	8/8/19	0815	24.7	755.7	8.3	8.3	99.5			P/F	L/F
ICV	Chase Corley	8/8/19	0817	24.5	755.7	8.3	8.31	99.6			P/F	L/F
CCV	M. DUGAN	"	1401	24.4	755.9	8.3	8.36	100.0			P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Chase Corley	8/8/19	0820	2904E34	04/21	1000	985	P/F	L/F
ICV	Chase Corley	8/8/19	0822	2810C41	10/20	500	502	P/F	L/F
CCV	M. DUGAN	"	1403	2904E32	04/21	100	102	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Chase Corley	8/18/19	0825	191304	3/21	7.0	25.0	7.00	-40.9	P/F	L/F
Calibr.	M. DUGAN	"	0827	191303	03/21	4.	25.1	4.01	113.8	P/F	L/F
Calibr.	"	"	0829	191240	03/21	10.	25.2	10.01	-23.9	P/F	L/F
ICV	"	"	0831	191040	03/21	10.	25.2	10.02		P/F	L/F
CCV	"	"	1405	191304	03/21	7.0	23.8	7.03		P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: DEEP SUNE Date of last verification: 8/18/2019

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air						P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: