FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified? Yes / No

WIN Station Name: Popash Creek @ Pritchett Pkwy **Date:** 03/28/2019 (mm/dd/yyyy)

WIN/ Field ID: G3SD0079 **WBID:** 3240Q **Latitude:** 26.715808 (Decimal Degrees)

County: Lee **ORG ID:** 21FLFTM **Longitude:** -81.808628 (Decimal Degrees)

Receiving Body of Water: Caloosahatchee River **RQ-** 2019-03-25-62

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Nicole Reistad	X		X		
Gary Snorek				X	X
~~Chase Conley~~ Kirby Wolfe		X			

Sampling Equipment
- [X] Sample Container [ ] Van Dorn [ ] Pole
- [ ] Carboy [X] Syringe
- [ ] Dipper [ ] Other
- Depth Measured with Secchi disk
- Equipment ID Deep Blue

Collection Method
- [ ] Wading [ ] Canoe/Kayak
- [X] From Shore [ ] Electric Motor
- [ ] Other [ ] Gasoline Motor

Water Level: Dry/ Pooled/ Low / (Normal) / High / Flooded **Meter ID#** PRO MOVE **Matrix:** (Fresh) / Marine / DI

Photos: (Yes) / No **Flow:** No Flow / Intestital / (Flowing) / NA **Tide:** Rising/ Falling/ Slack/ (NA) **Tide Times:** High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTh)	Sp COND (µmhos/cm)	Temp. (C°)
(EST)	0904	0.3	0.15	0.3 S	4.78	52.2	7.35	0.33	670	19.6
CEN										

Biological Samples Collected: NF (None) HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: 79295 HA-ID: 15708 RPS-ID: 9280 Macrophyte-ID: <2m² veg. LIMS#: 2073547

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	[X] W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	[X] Ice [X] H_2SO_4	SA8274050	10/01/19	[X] <2
Metals	[X] W-ICPMS [X] W-ICP	[X] Ice [X] HNO_3	NA8344050	12/10/19	[X] <2
Filtered Nutrients	[X] W-PO4-F [X] Field Filtered 0.45 µm Filter	[X] Ice			
Chlorophyll	[X] CHLSUITE-W	[X] Ice			
Physical/Aggregate (Fresh)	[X] Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	[X] Ice			
Physical/Aggregate (Marine)	[ ] Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	[ ] Ice			
Macroinvertebrates	[X] MI-FW-QLDC	[X] Formalin			
Periphyton	[X] ALGAE-ID	[X] Ice			
Microbiology	[X] E Coli [ ] F Coli [ ] Enterococci	[X] Ice			
Molecular	[ ] PCR-FILTER [ ] PCR-BacR [ ] PCR-GULL2 [ ] PCR-HF183 [ ] PCR-DG3 [ ] PCR-GFD	[ ] Ice			
Tracers	[ ] W-E8321-DI [ ] W-E8321-MS	[ ] Ice			
Pesticides	[X] W-PSNP-TQ [ ] W-CT-CL-R [X] W-E8321-DI [ ] W-PCL-SQ-R [X] WE8321-MS [ ] W-CARB-AA	[X] Ice			
Phytoplankton	[ ] DTY-QN-C [ ] PKD-QN-C	[ ] Ice			



Notes:

Field ID/WIN ID G3SD0079

Location Popash @ Pritchett Pkwy

Signature: [signature] **Date:** 03/28/2019

LIMS EVENT ID: SO-DIST-2019-03-29-01 WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets [initials] 04/01/19 (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY:	STORET STATION NUMBER:	DATE (MM/DD/YY):	RECEIVING BODY OF WATER:
FDEP-SOROC	G33D0079	03/28/19	Caloosahatchee
REMARKS:	**COUNTY:**	**LOCATION:**	**FIELD ID/NAME:**
	Lee	Popash Creek	Popash Creek @ Pritchett Pkwy

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components **Substrate Diversity** 10	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock] 20 19 18 17 16	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags) 15 14 13 12 11	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed (10) 9 8 7 6	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered 5 4 3 2 1
Substrate Availability 7	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 (7) 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity 8	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 (8) 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering 13 Primary Score 38	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 (13) 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components **Artificial Channelization** 20	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks. (20) 19 18 17 16	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered. 15 14 13 12 11	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area. 10 9 8 7 6	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks. 5 4 3 2 1
Bank Stability Right Bank 8 7 Left Bank 6 NR	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankful to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. NR R L (8) (7) 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank 3 Left Bank 9	Width of vegetation greater than 18 m 10 (9)	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system (5) 4	Less than 6 m of buffer zone due to intensive human activities (3) 2 1 NR
Riparian Zone Vegetation Quality Right Bank 4 5 Left Bank NR 5 NR Secondary Score NR 10 56	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. L R (8) 7 (6) NR NR	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. R R (5) (4)	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 1

NR 100 94 **TOTAL SCORE**

Date:	Analyst:	Signature:
03/28/19	Nicole Reistad	

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



6.0 R
2.0 R
0.5 AM
0.4 R
0.1 S
0.4 S
1.4 R
1.4 S
0.1 L
2.5 R
0.1 AM
0.1 AM
1.1 R
0.2 R
0.1 L
1.5 R
0.4 A
0.3 S
1.2 R

Location: Popash Creek

Date: 03/28/2019

Sampler: Nicole Reistad

100 m: Latitude 26.727733
Longitude -81.8089454

0 m: Latitude 26.726384 23
Longitude -81.809 ~~23344~~

Substrates: Code key, draw proportionate habitat abundance.		%
	Snags	0.73
	Roots/undercut banks	6.27
	Leaf Packs (or mats)	0.067
	Aquatic Macrophytes	0.23
	Rocks	0.13
P	Pools	total # observed = 4 # range expected = 3-6

Average width 3.0 m
Average depth 0.3 m

Velocity measured at 30 meter mark.

WQ & chemistry taken at 30 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes: O = 15s

TOTAL
18.8 R
2.0 S
0.4 A
0.7 AM
0.2 L

Downstream

Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).



62-160.800, F.A.C

Revision Date: January 2017

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID _____ ORG ID 21FLFTM LATITUDE 26.715808
COUNTY Lee STORET # G3SD0079 LONGITUDE -81.808628
DATE 03/28/2019 TIME 0904 SAMPLING AGENCY FDEP-SCROC
SITE NAME Popash Creek @ Pritchett Pkwy
FIELD ID/NAME _____ RECEIVING BODY OF WATER Caloosahatchee River

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category) :

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industry	Other (Specify)
5		25		70			

☒ **Landscape Development Intensity Index (LDI)**: _____

Local Watershed Erosion (select one) : ☐ None ☒ Slight ☐ Moderate ☐ Heavy

Local Watershed NPS Pollution : ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side
Left Bank : 25 Right Bank : 7

Hydrologic Modification Score (per FT 3101) ☒: _____

Typical Width (m) Depth (m)/Velocity (m/sec) Transect
3.0 m wide

_____ m/s	0.07 m/s	_____ m/s
0.2 ~~0.3~~ NP m deep	0.3 m deep	0.1 m deep

High Water Mark: _____ (m) + 0.3 (above present water level) = _____ (present depth) (above bed)

Artificially Impounded ☐ Yes ☒ No

Artificially Channelized : ☒ No ☐ Some recovery ☐ Mostly recovered, more sinuous ☐ Recent, severe

Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☐ Heavily Shaded ☒ Moderate Shaded (46-80%)

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse

Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify) :

Smothering of Substrates

	None	Slight	Moderate	Severe
Sand Smothering:	☐	☒	☐	☐
Silt Smothering:	☐	☐	☒	☐
Algae Smothering:	☒	☐	☐	☐

SUBSTRATE TYPE ☒

Assessment Tool: ☐ SCI ☐ RPS ☐ LVS ☐ LCI ☐ BioRecon

	% Coverage	INVERT # Times Sampled	PERI # Times Sampled
Woody Debris (Snags)			
Undercut Banks / Roots			
Leaf Packs or Mat			
Aquatic Vegetation			
Rock or Shell Rubble..			
Sand.....			
Mud / Muck / Silt			
Other			
Other			

WATER QUALITY

	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)
Top :	0.15	19.6	7.35	4.78	52.2	670	0.33	0.3
Mid:								☒ VOB
Bottom								TOTAL DEPTH
								0.3

Meter ID: PRO MOVE

Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐

Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐

Water Sample Taken? ☒ Yes ☐ No
Sample Preserved? ☒ Yes ☐ No
Lot Number: SA8274050 Exp: 10/01/19
NA8344050 12/10/19

Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify) ☐ _____

Algae Sample Taken? ☒ Yes ☐ No
Sample Preserved? ☒ Yes ☐ No
Lot Number: _____ Exp: _____

Clarity Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque ☐

ABUNDANCE

	Not Obs.	Rare	Common	Abundant
Periphyton:	☐	☒	☐	☐
Fish:	☐	☐	☒	☐
Aquatic Plants:	☐	☒	☐	☐
Iron/Sulfur Bacteria:	☒	☐	☐	☐

System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐ _____

AMBIENT FIELD CONDITIONS / NOTES:

☒ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM Nicole Reistad, Kirby Wolfe, Gary Snorek

SIGNATURE: _____

DATE: 03/28/2019

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: Popash Creek @ Pritchett Pkwy | County: Lee | Date: 03/28/2019 | Investigators: Kirby Wolfe

STORET Station Number: G3SD0079

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N		
	2	N		
	3	N		
	4	N		
	5	N		37
	6	N		
	7	N		
	8	N		
	9	N		
10	1	N		
	2	N		
	3	N		
	4	N		
	5	N		93
	6	N		
	7	N		
	8	N		
	9	N		
20	1	N		
	2	N		
	3	N		
	4	N		
	5	N		89
	6	N		
	7	N		
	8	N		
	9	N		
30	1	N		
	2	N		
	3	N		
	4	N		
	5	N		69
	6	N		
	7	N		
	8	N		
	9	N		
40	1	5		
	2	5		
	3	5		
	4	5		
	5	5		34
	6	5		
	7	5		
	8	5		
	9	5		
50	1	5		
	2	5		
	3	5		
	4	5	✓	
	5	5	✓	91
	6	5	✓	
	7	5	✓	
	8	5	✓	
	9	5	✓	

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
60	1	3		
	2	N		
	3	N		
	4	N		
	5	N		85
	6	N	✓	
	7	N	✓	
	8	N	✓	
	9	N	✓	
70	1	N		
	2	N		
	3	N		
	4	N		
	5	N	✓	84
	6	N	✓	
	7	N		
	8	N		
	9	N		
80	1	N		
	2	N		
	3	N	✓	
	4	N	✓	
	5	N		89
	6	N		
	7	N		
	8	N		
	9	N		
90	1	N		
	2	N		
	3	N		
	4	N		
	5	N		92
	6	N		
	7	N		
	8	N		
	9	N		
100	1	N		
	2	N		
	3	N		
	4	N		
	5	N		64
	6	N		
	7	N		
	8	N		
	9	N		

Secchi depth	0.3
Estimated?	N

# points ranked 4-6	5
total points assessed	99
% points ranked 4-6	5.05

Check accompanying data collected at same site/date.	
Algal mat sample	✓
Linear Veg Survey	✓
Habitat Assessment	✓
SCI/Biorecon	✓
Water sample	✓

RQ-2019-03-25-62

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody: Popash Creek @ Pritchett Pkwy Date: 03/28/19 County: Lee Storet Number: G351D0079

Analyst: Nicole Reistad Signature:

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if $1m^2$ of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Alternanthera philoxeroides				D							
Bacopa caroliniana											
Bacopa monneri											
Bidens mitis											
Boehmeria cylindrica											
Centella asiatica											
Ceratophyllum demersum											
Chara											
Cicuta maculata											
Cladium jamaicense											
Colocasia esculenta											
Commelina diffusa											
Commelina virginica											
Crinum americanum											
Diodia virginiana											
Eichhornia crassipes											
Eleocharis (wispy viviparous)											
Hydrilla verticillata											
Hydrocotle				X	X		X		X	X	
Hygrophila polysperma					X			X		X	
Hymenocallis											
Lachnanthes caroliniana											
Landoltia punctata											
Lemna											
Limnophila sessiflora											
Ludwigia leptocarpa											
Ludwigia palustris											
Ludwigia peruviana											
Ludwigia repens									X		
Luziola fluitans											
If no Dominant or Co-Dominant were selected, indicate with "X"											
Indicate % cover macrophytes per section											
0-5% Macrophyte Coverage	X	X	X	X	X	X	X	X	X	X	
>5 and ≤10% Macrophyte Coverage											
>10 and ≤25% Macrophyte Coverage											
>25 and ≤50% Macrophyte Coverage											
> 50% Macrophyte Coverage											

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Micranthemum glomeratum											
Micranthemum umbrosum											
Myriophyllum aquaticum											
Najas guadelupensis											
Nuphar luteum			D				D	X			
Orontium aquaticum											
Panicum hemitomon											
Panicum repens											
Panicum rigidulum											
Pistia stratioides											
Polygonum glabra											
Polygonum hydropiperoides											
Polygonum punctatum											
Pontedaria cordata											
Potamogeton illinoensis											
Ruellia simplex											
Sacciolepis striata											
Sagittaria kurziana											
Sagittaria lancifolia											
Sagittaria latifolia											
Salvinia minima											
Samolus parviflora											
Saururus cernuus											
Sparganium americanum											
Typha											
Vallisneria americana											
Zizania aquatica											
~~Nymphaea~~ Nymphoides sp. ?			X	D							
dog fennel				X						X	
barnyard grass				X				X	X		
Eleocharis sp.									X		