

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Laboratory Submission #:

Project	Kum/Location:	JVC ID	Station ID	Surface Water Sample Matrix ² (Fresh / Marine) Sample Type	E.coli (SM9223B Quantitray)	Enterococci	Laboratory Sample #
G3SD0083	Brandy Branch @ S-70			F / M / Grab (F) M / Grab	Entero / F.coli Date & Time: 02/16/2019 0935		1
G3SD0083-DUP				F / M / Grab (F) M / Grab	Entero / F.coli Date & Time: 02/18/2019 0940		2
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		
				F / M / Grab	Entero / F.coli Date & Time:		

"Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

"Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soft sediment (SSMNT), or sludge (SLDG).

"Container Type" is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The minimum temperature during storage should be 4°C (41°F). Under "Preservative," list any preservatives that were added to the sample container.

Note: Each bottle has a label identifying sample ID, preservative type, date and time of collection, sample's name or initials, and any field number or ID.

Following information must be provided on each sample label: sample ID, date and time of collection, sample's name or initials, and any field number or ID.

All bottles not containing preservative may be dried with appropriate sample prior to collection.

1. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

Collector: Steven Colone

Relinquished by: [Signature]

Relinquished by:

Relinquished by:

Relinquished by:

Date: 02/16/19

Date: 12:36

Date:

Date:

Date:

Received By: Mahmuda Mohamed

Received By:

Received By:

Received By:

Received By:

Date: 2/18/19

Date: 12:36

Date:

Date:

Date:

Laboratory Sample Acceptability:
pH < 2 : D BEAS Temperature: 3rd