

RQ- 2019-02-25-50

Log-in Checklist

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 02/28/2019 @ 12:10

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
4.8°C			12		x			4751 8775 2537
4.6°C			16		x			4751 8775 7448
5.1°C			16		x			4751 8775 7415
3.7°C			12		x			4385 5034 0027

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Date 02/28/19

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: MR

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: MR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: MR

Coolers Unpacked/Checked by: Tyler Reynolds Date: 02/28/2019 NCRs (Y/N)? N

Keys
Event ID: SO-DIST-2019-02-28-01 (SMP) NCR #

Date Received: 28-FEB-2019 12:10

Federal Express REF-4-2-2

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	222516EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Keys

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By: MARYANN DUGAN

Project ID: SMP

Collected By: MARYANN DUGAN, CHASE CONLEY

Sampling Agency: S ROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0820	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G5SD0096	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 3.29 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG1 Dredgers#2		Temp (C) 26.07	pH 7.95	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 55896		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 37.08	Comments ENTERO @ FLOWERS LAB			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0830	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0066	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 3.39 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG1 DredgersKey		Temp (C) 26.19	pH 8.08	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 55754		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.97	Comments ENTERO @ FLOWERS LAB			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0855	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0082	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 3.64 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG2 Bayside #2		Temp (C) 25.40	pH 7.95	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 54865		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.33	Comments ENTERO @ FLOWERS LAB			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0900	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0065	Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 3.65 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG2 Bayside #1		Temp (C) 25.32	pH 7.95	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 55116		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.52	Comments ENTERO @ FLOWERS LAB			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Maryann Dugan	02/27/2019	FEDEX	4	Tyler Reynolds	02/28/19 @ 10:10

Group: A	Bottle Type:	P-1L	# of Bottles: 15	Preservative:	ICE	Enter Number of Bottles Sent to Lab	14
	ALKALINITY						
	TURBIDITY						
	W-BR-IC						
	W-F						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 15	Preservative:	ICE	Enter Number of Bottles Sent to Lab	14
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 15	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0 (14 @ FLOWERS LAB)
	SD-FLR-ENQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 15	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	14
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 15	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	14
	W-PO4-F						

H2SO4
LOT# SA8274050
EXP: 10/01/2019

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By: MD

Project ID: SMP

Collected By: MD, CC

Sampling Agency: S ROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0935	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G5SD0095	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 3.29 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A		
WIN/STORET	8073#2 S of FtZachENRG3	SALT	Temp (C) 26.52	pH 8.08	Sample Depth 0.3 ☐ ft ☒ m			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.57	Comments ENTERO @ FLOWERS			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 0945	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0062	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 2.95 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A		
WIN/STORET	8073#1 S of Ft. Zach	SALT	Temp (C) 26.41	pH 8.03	Sample Depth 0.3 ☐ ft ☒ m			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.34	Comments ENTERO @ FLOWERS			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 1000	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0084	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 2.62 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A		
WIN/STORET	8079 @ENRG3 Nearshore#2	SALT	Temp (C) 26.52	pH 8.10	Sample Depth 0.3 ☐ ft ☒ m			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.57	Comments ENTERO @ FLOWERS			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 1010	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0067	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 1.89 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A		
WIN/STORET	8079 @ENRG3 StockIsland	SALT	Temp (C) 26.61	pH 8.05	Sample Depth 0.3 ☐ ft ☒ m			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.52	Comments ENTERO @ FLOWERS			

Relinquished By: MD	Date/Time 02/27/2019	Shipping Method FEDEX	Number of Coolers Shipped: 4	Received By: Tyler Reynolds	Date/Time 02/28/19 @ 12:10
------------------------	-------------------------	--------------------------	---------------------------------	--------------------------------	-------------------------------

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Keys

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By: MD

Project ID: SMP

Collected By: MD, CC

Sampling Agency: J ROL

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G5SD0085		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	1.67	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8079 @ENRG6 Out@Reef#2		Temp (C)	pH	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	54986	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	36.40	Comments ENTERO @ FLOWERS				
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0068		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	1.42	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8079 @ENRG6 Out@Reef#1		Temp (C)	pH	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	54949	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	36.38	Comments ENTERO @ FLOWERS				
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0064		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	2.01	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG6 Out@Reef #1		Temp (C)	pH	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	54996	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	36.40	Comments ENTERO @ FLOWER				
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab)	Date	Time	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G5SD0083		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	1.77	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORET #	8073 @ENRG6 Out@Reef #2		Temp (C)	pH	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	54977	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	36.39	Comments ENTERO @ FLOWERS				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MD	02/27/2019	FEDEx	4	Tyler Reynolds	02/28/19 @ 12:10

Group: A	Bottle Type: P-1L	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ALKALINITY TURBIDITY W-BR-IC W-F W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
CHLSUITE-W				
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 15	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
SD-FLR-ENQ				
Group: A	Bottle Type: P-500ML	# of Bottles: 15	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC			H2SO4 LOT# SA6274050 EXP: 10/01/2019	
Group: A	Bottle Type: P-125ML	# of Bottles: 15	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab _____
W-PO4-F				

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Keys

Customer: SO-DIST

Requester: Maryann Dugan

Field Report Prepared By: MD

Project ID: SMP

Collected By: MD, CC

Sampling Agency: S ROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 1130	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 1.90	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET #	8073@ENRG4 WofKeywest#1		Temp (C) 26.40	pH 8.14	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 55019	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.42	Comments Entered @ FLOWERS			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/27/2019 Time 1140	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location		Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 1.97	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET #	8073@ENRG4 WofKeywest#2		Temp (C) 26.42	pH 8.09	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 54988	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.39	Comments Entered @ FLOWERS			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By: MD	Date/Time 02/27/2019	Shipping Method FEDEX	Number of Coolers Shipped: 4	Received By: Tyler Reynolds	Date/Time 02/28/19 @ 12:00
------------------------	-------------------------	--------------------------	---------------------------------	--------------------------------	-------------------------------

Date of Request: 11-FEB-2019
 Created By: DUGAN_M On: 11-FEB-2019
 Modified By: AYRES_J On: 22-FEB-2019
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Keys

Send Coolers To:

Phone: 239-344-5610
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 22-FEB-2019
 Biology Request Reviewed By: AYRES_J On: 22-FEB-2019
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 12-FEB-2019
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 25-FEB-2019
 Received By: SHAIK_A On: 27-FEB-2019

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Marine Freshwater, Entero x 15
 (including 1 Blank)

Group:B: Used only for site returning to FLDEP Labs with ENT-24QT.

1 - case of sulfuric acid
 2 - sets of sulfuric acid labels

Bottle Group A (Water) With 15 Samples:

Bottle Type: P-1L	Number of Bottles: 15	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 15	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 15	Preserved With: ICE
SD-FLR-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by Flowers Chemical Laboratory in Marathon
Bottle Type: P-500ML	Number of Bottles: 15	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 15	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 4 Samples:

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: FILTER-ICE

Bottle Group B (Water) With 4 Samples:

Bottle Type: P-125ML		Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	
Bottle Type: P-1L		Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices	
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: BP-1L		Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: P-250ML-WO-THI		Number of Bottles: 4	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems	
Bottle Type: P-500ML		Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	