

Benchmark EnviroAnalytical, Inc.  
1001 Corporate Ave, Suite 102  
North Port, FL 34289  
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP  
2600 Blair Stone Rd.  
Tallahassee, FL, 32399  
Address: (850) 245-8085  
Phone: dep-overflowmicro@dep.state.fl.us  
Email: Bill to: Frances Moore  
P.O. #: Lab B16970

Project Name: RQ-2019-03-04-70  
Project Run/Location: MYAKKA + PM111PPT

Laboratory Submission #: S19036334

| Station ID | Sample Matrix: (Fresh / Marine) | Sample Type          | Enterococci    | E.coli (SM9223B Quantitray) | Laboratory Sample # |
|------------|---------------------------------|----------------------|----------------|-----------------------------|---------------------|
| G350068    | F / M / Grab                    | E.coli / Enterococci | 3/13/19 - 1420 |                             | 1                   |
| G350070    | F / M / Grab                    | E.coli / Enterococci | 3/13/19 - 1445 |                             | 2                   |
| G350069    | F / M / Grab                    | E.coli / Enterococci | 3/13/19 - 1110 |                             | 3                   |
| G3500691   | F / M / Grab                    | E.coli / Enterococci | 3/13/19 - 1310 |                             | 4                   |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |
|            | F / M / Grab                    | E.coli / Enterococci |                |                             |                     |

1. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT) or sludge (SLDG).  
2. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).  
3. Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (42°F). Under "Preservative," list any preservatives that were added to the sample container.  
4. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.  
5. The following information should be added to each bottle label after collection with personnel name or initials, sample ID, and any field number or ID.  
6. All bottles not containing preservative may be mixed with appropriate sample prior to collection.  
7. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:  
pH < 10 BEAS Temperature: 3.9°C

|   |                              |               |            |                          |               |            |
|---|------------------------------|---------------|------------|--------------------------|---------------|------------|
| 1 | Collector: Steve Colton      | Date: 3/13/19 | Time: 1400 | Received By:             | Date: 3/13/19 | Time: 1400 |
| 2 | Relinquished by: [Signature] | Date: 3/13/19 | Time: 1400 | Received By: [Signature] | Date: 3/13/19 | Time: 1400 |
| 3 | Relinquished by:             | Date:         | Time:      | Received By:             | Date:         | Time:      |
| 4 | Relinquished by:             | Date:         | Time:      | Received By:             | Date:         | Time:      |
| 5 | Relinquished by:             | Date:         | Time:      | Received By:             | Date:         | Time:      |