

RQ-2019-04-01-53

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4-2-19 / 10:04

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
0.4			12		✓			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☒ Date

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☒ No ☒ If yes, is it intact? Yes ☒ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☐ No ☐ Init:

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX			W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			
W-PFAS-MS						

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR Date: 4-2-19 NCRs (Y/N)? N

Event ID: 2019 SMP : Okee Canals
SO-DIST-2019-04-02-01 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018EXP:4/27/19
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	8261 EXP: 07/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No 1

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

2019 SMP : Okee Canals

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By: STEVE CUFORT

Project ID: SMP

Collected By: GARY SNOZOK

Sampling Agency: SOROL

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 1230	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G4SD0173	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 9.75	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/S	 Harney Pond Canal@SR 70		Temp (C) 24.1	pH 8.25	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 225	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.11	Comments NO ECOLI / SPRAYING AGRICIDE AT SITE			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 1300	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G4SD0174	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 3.78	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/ST	 Prairie Canal@ SR 70		Temp (C) 21.85	pH 6.37	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 249	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.12	Comments NO ECOLI			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/1/19 Time 1330	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G4SD0175	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 10.48	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/S	 C-41 A @ SR 70		Temp (C) 24.79	pH 8.40	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 312	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.15	Comments NO ECOLI			
Location	Field ID/WIN ID		☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
8052/cofopz fm SOROL	4/1/19 1500	Fed Ex	1	[Signature]	4-2-19 / 10:04

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY				
	TURBIDITY				
	W-CL-IC				
	W-COLOR				
	W-F				
	W-SO4-IC				
	W-TDS				
	W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W				
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
	SD-SND-ECQ				
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F				

Date of Request: 19-MAR-2019
 Created By: REISTAD_N On: 19-MAR-2019
 Modified By: SAVAGE_J On: 19-MAR-2019
 Customer: SO-DIST
 Project: SMP
 Division:
 District: South District
 Sampling Event: 2019 SMP : Okee Canals

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 19-MAR-2019
 Biology Request Reviewed By: SAVAGE_J On: 19-MAR-2019
 Sampling Kit Required: YES Ship on: 22-MAR-2019
 Sampling Kit Shipped: YES On: 20-MAR-2019
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 01-APR-2019
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (3204,3206,3198) Freshwater Nutrients, E.coli x3

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(Colilert-18) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories in Fort Myers
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H₂SO₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

FedEx

Do Not Lift Using This Tag

ORIGIN ID: TLHA (239) 344-5718
NICOLE REISTAD
FL DEP SOUTH DISTRICT OFFICE
2295 VICTORIA AVE SUITE 364

SHIP DATE: 20MAR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

FORT MYERS, FL 33901
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(860) 245-8077

INU:
PO:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK# 4751 8778 0022
0221

TUE - 02 APR 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399

FL-US TLH



565J1/D7E5/23AD