

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave, Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2019-04-08-33

Project Run/Location:

Laboratory Submission #:

S19040365

Station ID	Surface Water Sample Matrix* (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
E. coli = 250 ml.; Enteroc = 120 ml.; Fecal Coliform = 120 ml.			
G3SD0073 Myakka Cutoff	F / M / Grab	E.coli / Enteroc / F.coli 4/17/19 1000	
G3SD0072 Trailer park canal	F / M / Grab	E.coli / Enteroc / F.coli Date & Time: 4/17/19 1025	
G3SD0072-DUP Trailer park	F / M / Grab	E.coli / Enteroc / F.coli Date & Time: 4/17/19 1030	
G2SD0019 Whidden Creek	F / M / Grab	E.coli / Enteroc / F.coli Date & Time: 4/17/19 1220	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	
	F / M / Grab	E.coli / Enteroc / F.coli Date & Time:	

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 4°C (41°F). Under "Preservative," list any preservatives that were added to the sample container.

Notes:

1. Each bottle has a label identifying sample ID, preservative present with a container in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any Acid number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

Collector:	Gray Snavle	Date:	4/17/19	Time:	1220	Received By:		Date:		Time:	
Relinquished by:	Gray Snavle	Date:	4/17/19	Time:	1400	Received By:	Mary Lee	Date:	4/17/19	Time:	1400
Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
Relinquished by:		Date:		Time:		Received By:		Date:		Time:	

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature: 4.2°C