

RQ-2019-07-08-40

Log-in Checklist

Login Station ID: #4

Shipping Method: FedEx UPS | HD | Greyhound

Date/Time of Receipt: 08/01/19 @ 10:05

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only	
		YES	HNO ₃		Formalin	Present?		*Intact?		
						Yes	No	Yes		No
2.7°C				TR 2016 08/01/19		X			4751 8781 7711	

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.**

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X**Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No **Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No **Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes No X Init: Jyliff

Chlorine detected? (One container checked per Field ID)

Yes No Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: JyliffW-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: JyliffCoolers Unpacked/Checked by: Jyliff Date: 08/01/19 NCRs (Y/N)? NEvent ID: Keys NCR #

SO-DIST-2019-08-01-01 (SMP)

Date Received: 01-AUG-2019 10:05

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018 EXP:04/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Keys

Customer: SO-DIST

Project ID: SMP

Requester: Maryann Dugan

Field Report Prepared By:

John Barrington

Collected By:

John Barrington, Gary Swore

Sampling Agency:

FDEP Swore

Lc	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/31/19 Time 1020	Eastern Central	Composite end Date — Time —	Bottle Group(s) (See pg 2)
Fi	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
W	8079 @ENRG3 Nearshore#2	Temp (C) 30.9	pH 7.99	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 54610	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 35.97	Comments		
Lc	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/31/19 Time 1030	Eastern Central	Composite end Date — Time —	Bottle Group(s)
F	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
V	84 Resample	Temp (C) 30.8	pH 7.97	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 54527	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 35.91	Comments		
Lc	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/31/19 Time 11:55	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Fi	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
W	85 Resample	Temp (C) 30.0	pH 8.04	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 54518	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 35.93	Comments		
Lc	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/31/19 Time 11:45	Eastern Central	Composite end Date — Time —	Bottle Group(s)
F	Location		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
V	8079 @ENRG6 Out@Reef#2	Temp (C) 30.1	pH 8.00	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 54609	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 36.00	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
John Barrington	7/31/19 1630	FedEx	1	Tyler	08/01/19 @ 10:05

* Sample collection time recorded on sample container. 08/01/19

Group: A	Bottle Type:	P-1L	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY						
	TURBIDITY						
	W-BR-IC						
	W-F						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 20	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	ENT-24-QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 20	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 20	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						

Date of Request: 17-JUN-2019
 Created By: DUGAN_M On: 17-JUN-2019
 Modified By: WATTS_J On: 18-JUN-2019
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Keys

Send Coolers To:

Phone: 239-344-5610
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Maryann Dugan

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-JUN-2019
 Biology Request Reviewed By: JASROTIA_P On: 18-JUN-2019
 Sampling Kit Required: YES Ship on: 28-JUN-2019
 Sampling Kit Shipped: YES On: 27-JUN-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: YES
 Date to Receive Samples: 08-JUL-2019
 Received By: KLUG_K On: 31-JUL-2019

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Marine Freshwater, Entero x 15
 (including 1 Blank+1 Duplicate)

1 - case of sulfuric/2 sets of labels

Bottle Group A (Water) With 20 Samples:

Bottle Type: P-1L	Number of Bottles: 20	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 20	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI	Number of Bottles: 20	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 20	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 20	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L