

Log-in Checklist

RQ-2019-08-05-40

Login Station ID: #4

Shipping Method: FedEx UPS | HD | Greyhound

Date/Time of Receipt: 08/07/19 @ 9:50

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.7°C				12		X			4751 8776 8683
2.1°C				12		X			4751 8782 1552
3.9°C				12		X			4751 8782 1563

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: TR

Chlorine detected? (One container checked per Field ID) Yes No Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: TR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: TR

Coolers Unpacked/Checked by: Tyler Reynolds Date: 08/07/19 NCRs (Y/N)? N

Event ID: 2019 SMP : Gulf of Mexico NCR #

SO-DIST-2019-08-07-02 (SMP)

Date Received: 07-AUG-2019 09:50

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018 EXP:04/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By: Nicole Reistad

Project ID: SMP

Collected By: Maryann Dugan, Nicole Reistad, Carly Mandeville

Sampling Agency: FDER- SOROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1020	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G1SD0054		Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 4.00	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORE	ENRE 8 Off Tripod Key			Temp (C) 29.0	pH 7.70	Sample Depth 0.3	Sp. Conductance (umho/cm) 43833	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 28.16	Comments			
Location	Field ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1025	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0054_DUP		Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 5.53	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORE	ENRE 8 Off Tripod Key			Temp (C) 29.0	pH 7.64	Sample Depth 0.3	Sp. Conductance (umho/cm) 42321	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 27.08	Comments			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1040	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0081		Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 3.53	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORE	ENRE 8 Off Shell Key			Temp (C) 29.0	pH 7.64	Sample Depth 0.3	Sp. Conductance (umho/cm) 42321	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 27.08	Comments			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1055	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0077		Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 4.64	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
WIN/STORE	ENRE 6 Site 2			Temp (C) 29.4	pH 7.81	Sample Depth 0.3	Sp. Conductance (umho/cm) 45553	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 29.38	Comments 4. coli & Entero @ Benchmark			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Nicole Reistad	08/06/19 1530	FedEx	3	Jylu Reynolds	08/07/19 @ 9:50

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-BR-IC					
	W-F					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative: FILTER-ICE		Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-BR-IC					
	W-F					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-SND-ENT					
	SD-SND-FC					
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					

Request Number: RQ-2019-08-05-40

2019 SMP : Gulf of Mexico

Florida Department of Environmental Protection Central Laboratory Submittal Form

25
Page 1 of 3

last revised Jan 25, 2018

Customer: SO-DIST

Project ID: SMP

Requester: Nicole Reistad

Field Report Prepared By: Nicole Reistad

Collected By: Maryann Dugan, Nicole Reistad, Carly Mandeville

Sampling Agency: FDEP-SOROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1105	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G1SD0065	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
WIN/STORE		ENRE 6	Temp (C) 30.3	pH 7.85	Sample Depth 0.3	Sp. Conductance (umho/cm) 45849		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 29.57	Comments 7. coli & Entero @ Benchmark Sanders			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1220	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0078	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORE		ENRE 2 Big Marco Pass	Temp (C) 29.8	pH 7.78	Sample Depth 0.3	Sp. Conductance (umho/cm) 46569		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 30.10	Comments			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1235	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0079	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STOR		ENRE 2 North Site	Temp (C) 30.1	pH 7.93	Sample Depth 0.3	Sp. Conductance (umho/cm) 47867		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 31.03	Comments			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 1245	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G1SD0066	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
WIN/STORE		ENRE 2	Temp (C) 30.1	pH 8.04	Sample Depth 0.3	Sp. Conductance (umho/cm) 50686		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 33.10	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Nicole Reistad	08/06/19 1530	FedEx	3	Jylu Pymold	08/07/19 @ 9:50

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-BR-IC					
	W-F					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative: FILTER-ICE		Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-BR-IC					
	W-F					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-SND-ENT					
	SD-SND-FC					
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					

Customer: SO-DIST

Project ID: SMP

Requester: Nicole Reistad

Field Report Prepared By: Nicole Reistad

Collected By: Maryann Dugan, Nicole Reistad, Carly Mandeville

Sampling Agency: FDEP-SOROC

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 08/06/19 Time 12:50	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G1SD0080	Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 6.48	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET	ENRE 2 Site 2	Temp (C) 30.2	pH 8.03	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 51327		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 33.57	Comments					
Location	Field ID	WIN/STORET #	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
			Comments					
Location	Field ID	WIN/STORET #	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
			Comments					
Location	Field ID	WIN/STORET #	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
			Comments					

Relinquished By: Nicole Reistad	Date/Time 08/06/19 1530	Shipping Method FedEx	Number of Coolers Shipped: 3	Received By: Tyler Reynolds	Date/Time 08/07/19 @ 9:50
------------------------------------	----------------------------	--------------------------	---------------------------------	--------------------------------	------------------------------

* Collection time recorded on sample container. TR 08/07/19

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative: ICE	Enter Number of Bottles Sent to Lab	7
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative: ICE	Enter Number of Bottles Sent to Lab	7
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	7
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
SA7163030 *RECERTIFIED* exp. 06/12/18						
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	7
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	0; 4 @ Sanders
	SD-SND-ENT SD-SND-FC					
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
SA7163030 *RECERTIFIED* exp. 06/12/18						

Group: B

Bottle Type:

P-125ML

of Bottles: 2

Preservative: FILTER-ICE

Enter Number of Bottles Sent to Lab 2

W-PO4-F

Date of Request: 10-JUL-2019
 Created By: REISTAD_N On: 10-JUL-2019
 Modified By: JASROTIA_P On: 18-JUL-2019
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: 2019 SMP : Gulf of Mexico

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 18-JUL-2019
 Biology Request Reviewed By: JASROTIA_P On: 18-JUL-2019
 Sampling Kit Required: YES Ship on: 26-JUL-2019
 Sampling Kit Shipped: YES On: 25-JUL-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 05-AUG-2019
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Nicole Reistad

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (3259M,8064,8063) Marine Nutrients x7 (6+DUPLICATE)
 Group B: (8065) Marine Nutrients, Entero, Fecal x2

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 7	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 4	Preserved With: ICE
SD-SND-ENT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by Sanders in Fort Myers
SD-SND-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by Sanders in Fort Myers
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L