

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2019-08-05-41

Project Run/Location:

Laboratory Submission #:

Station ID	Surface Water Sample Matrix ¹ (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
E.Coli = 250 ml. ; Entero = 120 ml. ; Fecal Coliform = 120 ml.			
G35D0083 - Brandy Branch	F / M / Grab	E.coli / Entero / F.coli 8/6/2019 1414 1245 MD	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	

¹Sample Type¹ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

²Sample Matrix² is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), salt water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³Container Type³ is used to indicate whether the container is plastic (P) or glass (G).

⁴Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 6°C (43°F). Under "Preservation," list any preservatives that were added to the sample container.

1/2018/223

1. Each bottle has a label identifying sample ID, preservation instructions contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be stored with appropriate sample pour to collection.

4. The client is responsible for documentation of the sampling event. Please use general sampling events on this sample copy form.

1	Collection: Miranda Carroll	Date: 8/6/19	Time: 1414	Received By: Lexi Grant	Date: 8/6/19	Time: 1414
2	Relinquished by: [Signature]	Date: 8/6/19	Time: 1414	Received By: [Signature]	Date: 8/6/19	Time: 1414
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature: