

Biological Analysis Report

SO-DIST-2019-09-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnviroAnalytical, Inc. - North Port
1001 Corporate Avenue, Suite 102
North Port, FL 34289
DOH Accreditation E85086

Event Description: **2019 SMP : MyBB**

Request ID: **RQ-2019-09-16-30**

Customer: **SO-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Nicole Reistad

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 18-OCT-2019 15:38



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Brandy Branch @SR70

Collection Date/Time: 09/16/2019 09:00

Field ID: G3SD0083

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119689	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.2	I	ug/L	P371512	
		Phaeophytin-a	1.4	I	ug/L	P371512	
		Chlorophyll-a, Uncorrected	2.0		ug/L	P371512	
2119692	SOP-PCR-1.0	HF183-qPCR**	280	U	GEU/100 mL	P370630	LCS, RPD
	SOP-PCR-1.4	BacR-qPCR**	6.77E+05		TSC/100 mL	P370630	LCS
2119693	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1019		MPN/100 mL		

Ref. Method and Comment:
 SOP-PCR-1.4: Precision data unavailable for Analysis Batch A94943.

Sample Location: LakeMyakka(Upper)

Collection Date/Time: 09/16/2019 09:55

Field ID: G3SD0133

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2119690	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.8		ug/L	P371512	
		Phaeophytin-a	2.3		ug/L	P371512	
		Chlorophyll-a, Uncorrected	5.4		ug/L	P371512	

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P371512

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.76	U	ug/L
Chlorophyll-a, Uncorrected	0.55	U	ug/L
Phaeophytin-a	0.82	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4

Batch ID: P370630

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P371512

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	103		P	84 - 116

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	112	179	P/F	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.1	217	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	HF183-qPCR	105		P	50 - 175
2119067	HF183-qPCR	79.6		P	50 - 175
2119068	HF183-qPCR	82.5		P	50 - 175
2119139	HF183-qPCR	92.7		P	50 - 175
2119140	HF183-qPCR	78.0	101	P/P	50 - 175
2119186	HF183-qPCR	96.1		P	50 - 175
2119692	HF183-qPCR	103		P	50 - 175
2119725	HF183-qPCR	68.8		P	50 - 175
2120183	HF183-qPCR	75.3		P	50 - 175
2120184	HF183-qPCR	77.0		P	50 - 175
2120185	HF183-qPCR	86.5		P	50 - 175
2120186	HF183-qPCR	85.2		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	BacR-qPCR	86.0		P	50 - 175
2119186	BacR-qPCR	92.7		P	50 - 175
2119692	BacR-qPCR	63.0		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P371512

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2119700	Chlorophyll-a, Corrected	1.38	Sample	P	0 - 25
2119700	Chlorophyll-a, Uncorrected	0.0499	Sample	P	0 - 25
2119700	Phaeophytin-a	13.7	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P370630

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2119140	HF183-qPCR	26.0	Spike	F	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2119692
 Field Sample ID: G3SD0083

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	92.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	93.6	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	103						1.38	
	Chlorophyll-a, Uncorrected							0.0499	
	Phaeophytin-a							13.7	
SOP-PCR-1.0	HF183-qPCR	179	112	105	79.6	82.5			26.0
				92.7					
SOP-PCR-1.4	BacR-qPCR	217	95.1	86.0	92.7	63.0			

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2119689, 2119690
SM 9223 Quanti-Tray / E85086	E. coli by Colilert/QT by BEA South in North Port	2119693
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2119692
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2119692

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	09/17/2019	09/17/2019 13:37	Yuliya Danyuk	09/23/2019 10:56	Peterson Janvier	2119689, 2119690
SM 9223 Quanti-Tray	09/16/2019	09/16/2019 14:28		09/17/2019 15:09	Benchmark EnviroAnalytical in North Port	2119693
SOP-PCR-1.0	09/17/2019	09/17/2019 14:30	Angela Smith	10/10/2019 12:48	Lauren Campbell	2119692
SOP-PCR-1.4	09/17/2019	09/17/2019 14:30	Angela Smith	10/11/2019 12:14	Lauren Campbell	2119692