


BENCHMARK EA SOUTH



ANALYTICAL TEST REPORT THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

Submission Number : S 19100170

Florida Dept Of Env Protection
2600 Blair Stone Rd
Tallahassee, FL 32399

Project Name : RQ-2019-10-07-74
Date Received : 10/08/2019
Time Received : 1215

Submission: S 19100170

Sample Number: 001 **Sample Description:** G3SD0091
Sample Date: 10/08/2019 **Sample Method:** Grab
Sample Time: 1000

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Time	Analysis Date	Time	Analyst
E- COLI BY IDEXX QUANTITRAY	504	#/100ML	10	10	SM9223B	10/08/2019	13:37	10/09/2019	14:40	MM

Submission: S 19100170

Sample Number: 002 **Sample Description:** G3SD0090
Sample Date: 10/08/2019 **Sample Method:** Grab
Sample Time: 1035

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Time	Analysis Date	Time	Analyst
E- COLI BY IDEXX QUANTITRAY	41	#/100ML	10	10	SM9223B	10/08/2019	13:37	10/09/2019	14:40	MM


Submission: S 19100170

Sample Number: 003 **Sample Description:** G3SD0064
Sample Date: 10/08/2019 **Sample Method:** Grab
Sample Time: 1105

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Time	Analysis Date	Time	Analyst
E- COLI BY IDEXX QUANTITRAY	359	#/100ML	10	10	SM9223B	10/08/2019	13:37	10/09/2019	14:40	MM

1001 Corporate Ave, Suite 102 North Port, FL 34289 Phone: (941) 625-3137 Fax: (941) 240-3071

BENCHMARK EA SOUTH



ANALYTICAL TEST REPORT THESE RESULTS MEET NELAC STANDARDS

NELAC Certification # E85086

Submission: S 19100170

Sample Number: 004

Sample Description: G3SD0089

Sample Date: 10/08/2019

Sample Method: Grab

Sample Time: 1125

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date Time	Analysis Date Time	Analyst
ENTEROCOCCI	6131	#/100ML	10	10	ENTEROLERT	10/08/2019 13:50	10/09/2019 14:48	MM

Melinda Merchant

10/11/2019

Dale D. Dixon / Laboratory Director

Date

Melinda Merchant / Laboratory Manager

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.

B = Results based upon colony counts outside the ideal range.

H = Value based on field kit determination. Results may not be accurate.

I = Reported value is between the laboratory MDL and the PQL.

J0 = All Quanti-Tray wells were positive. Result may be higher than reported.

J1 = Est. value surrogate recovery limits exceeded.

J2 = Est. value. No quality control criteria exists for component.

J3 = Est. value quality control criteria for precision or accuracy not met.

J4 = Est. value. Sample matrix interference suspected.

J5 = Est. value. Data questionable due to improper lab or field protocols

K = Off-scale low. Value is known to be < the value reported.

L = Off-scale high. Value is known to be > the value reported

N = Presumptive evidence of presence of material.

Q = Sample held beyond accepted hold time (15 minutes for pH).

T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.

U = Analyte analyzed but not detected at the value indicated.

V = Analyte detected in sample and method blank.

Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.

Z = Too many colonies were present (TNTC); the numeric value represents the filtration volume.

? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the Presence or absence of the analyte cannot be determined from the data.

! = Data deviate from historically established concentration ranges.

* = Not reported due to interference.

NOTES:

PQL = 4xMDL. Except for Micro PQL=MDL

X = Value exceed MCL.

1 dilution (10 mL) on each Enterococci and E.coli sample and 3 dilutions (1 mL, 10 mL, & 100 mL) on each Fecal Coliform sample.

For questions and comments regarding these results, please contact Melinda Merchant at (941) 625-3137

These results relate only to the samples included in this report.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Bill to: Frances Moore
P.O. #: Lab B16970

Project Run/Location: Savota Cricks

519100176

Station ID		Surface Water Sample Matrix ² (Fresh / Marine)		Enterococci E.coli (SM9223B Quantitray)		Laboratory Sample #
Sample Type		E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL				
G3SD00091	F / M / Grab	E. coli	Entero	F. coli	Date & Time: 10/08/19 1000	1
G3SD00090	F / M / Grab	E. coli	Entero	F. coli	Date & Time: 10/08/19 1035	2
G3SD00089	F / M / Grab	E. coli	Entero	F. coli	Date & Time: 10/08/19 1105	3
G3SD00089	F / M / Grab	E. coli	Entero	F. coli	Date & Time: 10/08/19 1125	4
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	
	F / M / Grab	E. coli	Entero	F. coli	Date & Time:	

Sample Mark¹ is used to indicate whether the sample is being discharged to drinking water (DW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).
Container Type is used to indicate whether the container is plastic (P) or glass (G).
 Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.
Notes:
 1. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
 2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
 3. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
 pH < 2 : 0 BEAS Temperature: 4.3°C