

Site Name Panther Creek upstream of R280
Field ID 63NW0061 Storet 63NW0061
Visit ID 79338
RPS ID 9297
Macro ID N/A
HA ID 15730

Date: 4/16/19
Project: SMP
RQ: 2019-03-04-39
LIMS ID: _____
WBID: 371

☒ SCI

☐ RPS/LVS Only

☒ Sample Site Created in SBIO

☒ Phys/Chem entered in SBIO

☒ HA entered in SBIO

Initial FB 4/22/2019

☐ Date and Initial QA: _____

☒ RPS entered in SBIO

Initial FB 4/22/2019

☐ Date and Initial QA: _____

☐ LVS entered in SBIO

Initial _____

☐ Date and Initial QA: _____

☒ < 2 m² vegetation

☐ Plants getting verified

Date submitted: _____

☐ Plants verified

Date returned: _____

☐ RPS authorized in SBIO

☐ Date and Initial: _____

☐ RPS score: _____

☐ Macro authorized in SBIO

☐ Date and Initial: _____

☐ LVS Score: _____

☐ SCI complete: _____

SCI Score: _____

☒ If SMP, scanned into database



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / ☒ No

WIN Station Name:

Panther Creek upstream of SR280

Date:

04/16/2019

(mm/dd/yyyy)

WIN/ Field ID: G3NW0061

WBID: 371

Latitude: 30.64987

County: Walton

ORG ID: 21FLPNS

Longitude: -86.05488874

Receiving Body of Water: Bruce Creek

RQ-2019-03-04-39

Sampling Team Members						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment								
											☒ Sample Container	☐ Van Dorn	☐ Pole						
											☐ Carboy	☒ Syringe							
											☐ Dipper	☐ Other							
											Depth Measured with Equipment ID								
											Collection Method								
											☒ Wading	☐ Canoe/Kayak							
											☐ From Shore	☐ Electric Motor							
											☐ Other	☐ Gasoline Motor							
Water Level: Dry/ Pooled/ Low / ☒ Normal / High / Flooded						Meter ID# 15477					Matrix: ☒ Fresh / ☐ Marine / DI								
Photos: ☒ Yes / ☐ No						Flow: No Flow / ☒ Intertidal / ☒ Flowing / NA						Tide: Rising / Falling / Slack ☒ NA		Tide Times: High / Low					
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)									
EST	1035	0.6	0.3	0.6	9.0	91.6	4.87	0.0	25.0	16.5									
CEN				(15)															
Biological Samples Collected: None												☒ HA	☒ SCI	☒ RPS	☐ Algae ID	☒ LVS	☐ LVI	Other:	
SBIO ID Numbers: SBIO-ID: 79338 HA-ID: 15730 RPS-ID: 9297 Macrophyte-ID: N/A LIMS#:																			
Parameter Suite		Parameter Methods					Preservation		Lot#	Expiration	pH Check								
Preserved Nutrients		☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP					☒ Ice ☒ H2SO4		8701020	9/20/19	☐ <2								
Metals		☒ W-ICPMS ☒ W-ICP					☒ Ice ☐ HNO3		8844050	12/10/19	☐ <2								
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter					☒ Ice		1691633										
Chlorophyll		☒ CHLSUITE-W					☒ Ice												
Physical/Aggregate (Fresh)		☒ Alkalinity / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-CI-IC / ☒ W-COLOR / ☒ W-SO4-IC / ☒ W-TDS					☒ Ice												
Physical/Aggregate (Marine)		☒ Alkalinity / ☒ W-BR-IC / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY					☐ Ice												
Macroinvertebrates		☒ MI-FW-QLDC					☒ Formalin												
Periphyton		☐ ALGAE-ID					☐ Ice												
Microbiology		☒ E Coli ☐ F Coli ☐ Enterococci					☒ Ice												
Molecular		☒ PCR-ATP ☒ PCR-BACR ☒ PCR-GULL2 ☒ PCR-HF183 ☒ PCR-DG3 ☒ PCR-GFD					☒ Ice												
Tracers		☒ W-E8321-DI ☒ W-E8321-MS					☒ Ice												
Pesticides		☒ W-PSNP-TQ					☒ Ice												
Phytoplankton		☐ DTY-QN-C ☐ PKD-QN-C					☐ Ice												

Notes:

Field/WIN ID →



G3NW0061

Location:

Panther Creek upstream of SR280

Signature:

Date:

4/16/19

LIMS EVENT ID:

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID 79338 ORG ID 21FLPNS LATITUDE 30.64940
COUNTY Walton STORET # 63NWO061 LONGITUDE 86.05521
DATE 4/16/19 TIME 1035 SAMPLING AGENCY NWROC
SITE NAME Panther Creek upstream of SR280
FIELD ID/NAME 63NWO061 RECEIVING BODY OF WATER Bru Creek

RIPARIAN ZONE / STREAM FEATURES

RQ: 2019-03-04-39

WSD 371

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category):

Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industry ☐ Other (Specify) ☐

Landscape Development Intensity Index (LDI)

Local Watershed Erosion (select one): ☒ None ☐ Slight ☐ Moderate ☐ HeavyLocal Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side

Left Bank: 15 Right Bank: 218

Hydrologic Modification Score

(per FT 3104)

5-6 3-4 5-6

High Water Mark:

☐+ ☐= ☐

(m) (above present water level) (present depth) (above bed)

Artificially Impounded

☒ Yes ☐ No

Artificially

☒ No☐ Mostly recovered, more sinuous

Channelized:

☒ Some recovery☐ Recent, severe

Canopy Cover %

☐ Open☐ Lightly Shaded (11-45%)☒ Heavily Shaded☐ Moderate Shaded (46-80%)

SEDIMENT / SUBSTRATE

Sediment Oils

☒ Absent ☐ Slight
☐ Moderate ☐ Profuse

Sediment Odors

☒ Normal ☐ Sewage ☐ Petroleum
☐ Chemical ☐ Anaerobic
☐ Other (Specify):

Smothering of Substrates

Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐
Silt Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐
Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐

SUBSTRATE TYPE

Assessment Tool: ☒ SCI ☒ RPS ☒ LVS☐ LCI ☐ BioRecon%
Coverage
INVERT
Times
Sampled
PERI
Times
SampledWoody Debris (Snags) 6.7 6 ☐Undercut Banks / Roots 1.5 6 ☐Leaf Packs or Mat 0.5 4 ☐Aquatic Vegetation ☐ ☐ ☐Rock or Shell Rubble.. ☐ ☐ ☐Sand..... 91 2 ☐Mud / Muck / Silt ☐ ☐ ☐Other ☐ ☐ ☐Other ☐ ☐ ☐

WATER QUALITY

Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M)

Top: 0.3 16.5 4.87 9.07 91.6 25.0 0.01 0.5Mid: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐Bottom: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐Meter ID: 154179 0.8Water Odors Normal ☒ Petroleum ☐
Sewage ☐ Chemical ☐ Other ☐Water Sample Taken? ☒ Yes ☐ NoSample Preserved? ☒ Yes ☐ No

Lot Number: _____ Exp: _____

Algae Sample Taken? ☐ Yes ☒ NoSample Preserved? ☐ Yes ☐ No

Lot Number: _____ Exp: _____

Water Surface Oils Normal ☒ Sheen ☐
Globs ☐ Slick ☐ Other ☐Color Tannic ☒ Green (Algae) ☐
Clear ☐ Other (Specify) ☐Clarity Clear ☐ Slightly Turbid ☐
Turbid ☒ Opaque ☐System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐

AMBIENT FIELD CONDITIONS / NOTES:


☒ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM

SIGNATURE:

DATE:

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: Panther Creek
 Date: 4/16/19
 Sampler: Nathan Mulkey

100 m: Latitude 30.65003
 Longitude 86.65458
 0 m: Latitude 30.64940
 Longitude 86.06521

Substrates: Code key, draw proportionate habitat abundance. %

☒ 8	Snags	$\frac{20}{300}$	$\frac{4.6}{20}$	<u>6.7</u>
☒ SS	Roots/undercut banks	$\frac{1.5}{300}$	$\frac{4.6}{20}$	<u>1.5</u>
☒ 9	Leaf Packs (or mats)	$\frac{1.5}{300}$		<u>0.5</u>
☐	Aquatic Macrophytes		8.7%	
☐	Pools			

total # observed =
 # range expected =

Average width 3.0 m
 Average depth 0.7 m

Velocity measured at 100 meter mark.

WQ & chemistry taken at 100 meter mark.

Habitat Smothering:
 Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
 Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
 Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:
Stand: 63NW0061
SBID ID: 79338

Length of grid represents 100 m of stream (not linear meters).
 (Horizontal scale is double vertical scale, draw proportionately).

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>FDOP NWROC</u>		STORET STATION NUMBER: <u>63NW0061</u>	DATE (MM/DD/YY): <u>04/16/19</u>	RECEIVING BODY OF WATER: <u>Bruce Creek</u>
REMARKS:	COUNTY: <u>Walton</u>	LOCATION: <u>Panther Creek</u>	FIELD ID/NAME: <u>63NW0061</u>	

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>7</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 <u>7</u> 6	5 4 3 2 1
Substrate Availability <u>8</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 <u>8</u> 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>12</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 <u>12</u> 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>5</u> ----- Primary Score <u>32</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. <u>5</u> 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>8</u>	20 19 18 17 16	15 14 13 12 11	10 9 <u>8</u> 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas.
Right Bank <u>6</u> Left Bank <u>6</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>10</u> Left Bank <u>8</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>10</u> Left Bank <u>7</u> ----- Secondary Score <u>55</u>	10 9	8 7 6	5 4	3 2 1

87 TOTAL SCORE SB10 ID 79338 HA ID: 15730

Date: <u>4/16/19</u>	Analyst: <u>Nathan Malkin</u>	Signature: <u>Nathan Malkin</u>
----------------------	-------------------------------	---------------------------------

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>Panther Creek</u>					County: <u>Walton</u>		Date: <u>4/16/19</u>		Investigators: <u>Nathan McKay</u>	
STORET Station Number: <u>G3NW0061</u>										

Transect t (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect t (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	
0	1	N	✓		60	1	N			
	2					2				
	3					3				
	4					4				
	5			78		5			86	
	6					6				
	7					7				
	8	✓	✓			8	✓			
	9	✓	✓			9	✓			
10	1	N			70	1	N			
	2					2				
	3					3				
	4			76		4			88	
	5					5				
	6					6				
	7					7				
	8	✓	✓			8	✓			
	9	✓	✓			9	✓			
20	1	N			80	1	N			
	2					2				
	3					3				
	4					4				
	5			78		5			88	
	6					6				
	7					7				
	8	✓	✓			8	✓			
	9	✓	✓			9	✓			
30	1	N			90	1	N			
	2					2				
	3					3				
	4					4				
	5			80		5			86	
	6		✓			6				
	7					7				
	8	✓	✓			8	✓			
	9	✓	✓			9	✓			
40	1	N			100	1	N			
	2					2				
	3					3				
	4					4				
	5			76		5			82	
	6		✓			6				
	7					7				
	8	✓	✓			8	✓			
	9	✓	✓			9	✓			
50	1	N			Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached. Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank. Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6. Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.					
	2									
	3									
	4									
	5			76						
	6									
	7									
	8	✓	✓							
	9	✓	✓							

Secchi depth	<u>0.5</u>
Estimated?	✓

# points ranked 4-6	<u>8</u>
total points assessed	<u>92</u>
% points ranked 4-6	<u>8</u>

Check accompanying data collected at same site/date:	
Algal mat sample	✓
Linear Veg Survey	✓
Habitat Assessment	✓
SCI/Biorecon	✓
Water sample	✓
RQ <u>2019-03-04-31</u>	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

SBIO ID: 79338
RPS ID: 9297

1/4

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET																									
Waterbody: <u>Panther Creek</u>					Date: <u>4/16/19</u>					County: <u>Walton</u>					Storet Number: <u>63110001</u>										
Analyst: <u>Nathan Miley</u>					Signature: <u>[Signature]</u>																				
Comments: <u>52nd SAV</u>																									
Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1m ² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.																									
SBI ID: <u>79338</u>		Meter Mark										Meter Mark													
HERBACEOUS SPECIES		0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)	HERBACEOUS SPECIES		0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Alternanthera philoxeroides														Micranthemum glomeratum											
Bacopa caroliniana														Micranthemum umbrosum											
Bacopa monnieri														Myriophyllum aquaticum											
Bidens mitis														Najas guadelupensis											
Boehmeria cylindrica														Nuphar luteum											
Centella asiatica														Orontium aquaticum											
Ceratophyllum demersum														Panicum hemitomon											
Chara														Panicum repens											
Cicuta maculata														Panicum rigidulum											
Cladium jamaicense														Pistia stratioides											
Colocasia esculenta														Polygonum glabra											
Commelina diffusa														Polygonum hydropiperoides											
Commelina virginica														Polygonum punctatum											
Crinum americanum														Pontedaria cordata											
Diodia virginiana														Potamogeton illinoensis											
Eichhornia crassipes														Ruellia simplex											
Eleocharis (wispy viviparous)														Sacciolepis striata											
Hydrilla verticillata														Sagittaria kurziana											
Hydrocotyle														Sagittaria lancifolia											
Hygrophila polysperma														Sagittaria latifolia											
Hymenocallis														Salvinia minima											
Lachnanthes caroliniana														Samolus parviflora											
Landoltia punctata														Saururus cernuus											
Lemna														Sparganium americanum											
Limnophila sessiflora														Typha											
Ludwigia leptocarpa														Vallisneria americana											
Ludwigia palustris														Zizania aquatica											
Ludwigia peruviana																									
Ludwigia repens																									
Luziola fluitans																									