

Chemical Analysis Report

NW-DIST-2019-02-15-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **ESC/BW BAY RUN**
Request ID: **RQ-2019-02-04-51**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 05-MAR-2019 13:38

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: BLACKWATER BAY WEST OF ESCRIBANO POINT

Collection Date/Time: 02/14/2019 11:05

Field ID: G4NW0401

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2062989	EPA 180.1 Rev. 2.0	Turbidity	3.3		NTU	P359008	
	EPA 300.0	Bromide	8.9		mg Br/L	P359658	
	SM 2320 B-97	Total Alkalinity	20		mg CaCO3/L	P359383	
	SM 2540 D-97	TSS	3	IA	mg/L	P359444	
	SM 4500 F-C-97	Fluoride	0.15		mg F/L	P359392	
2062990	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P359343	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.21	I	mg N/L	P359236	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.24		mg N/L	P359284	
	EPA 365.1 Rev. 2.0	Total-P	0.01	I	mg P/L	P359174	
	SM 5310 B-00	Organic Carbon	3.0		mg C/L	P359418	
2062991	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P359028	
2063026	EPA 200.7 Rev. 4.4	Iron	270		ug/L	P359105	
		Magnesium	152		mg/L	P359105	
		Zinc	5.0	U	ug/L	P359105	
	EPA 200.8 Rev. 5.4	Aluminum	164		ug/L	P359105	
		Antimony	0.050	U	ug/L	P359105	
		Arsenic	0.45		ug/L	P359105	
		Cadmium	0.020	U	ug/L	P359105	
		Chromium	0.40	U	ug/L	P359105	
		Copper	0.40	U	ug/L	P359105	
		Lead	0.20	U	ug/L	P359105	
		Nickel	0.50	U	ug/L	P359105	
		Selenium	0.20	U	ug/L	P359105	
		Silver	0.010	U	ug/L	P359105	
		Thallium	0.10	U	ug/L	P359105	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: TROUT BAYOU

Collection Date/Time: 02/14/2019 12:50

Field ID: G4NW0443

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2062992	EPA 180.1 Rev. 2.0	Turbidity	4.7		NTU	P359008	
	EPA 300.0	Bromide	22		mg Br/L	P359658	
	SM 2320 B-97	Total Alkalinity	46		mg CaCO3/L	P359387	
	SM 2540 D-97	TSS	8	IA	mg/L	P359301	
	SM 4500 F-C-97	Fluoride	0.38	I	mg F/L	P359397	
2062995	EPA 350.1 Rev. 2.0	Ammonia-N	0.016		mg N/L	P359343	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.32	I	mg N/L	P359236	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.058		mg N/L	P359284	
	EPA 365.1 Rev. 2.0	Total-P	0.015		mg P/L	P359174	
	SM 5310 B-00	Organic Carbon	3.6		mg C/L	P359685	
2062998	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P359028	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: JUDGES BAYOU MOUTH

Collection Date/Time: 02/14/2019 13:25

Field ID: G4NW0441

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2062993	EPA 180.1 Rev. 2.0	Turbidity	4.8		NTU	P359008	
	EPA 300.0	Bromide	7.3		mg Br/L	P359658	
	SM 2320 B-97	Total Alkalinity	27		mg CaCO3/L	P359383	
	SM 2540 D-97	TSS	4	I	mg/L	P359444	
	SM 4500 F-C-97	Fluoride	0.15		mg F/L	P359392	
2062996	EPA 350.1 Rev. 2.0	Ammonia-N	0.024		mg N/L	P359343	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.54		mg N/L	P359236	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.33		mg N/L	P359285	
	EPA 365.1 Rev. 2.0	Total-P	0.029		mg P/L	P359174	
	SM 5310 B-00	Organic Carbon	6.0		mg C/L	P359418	
2062999	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P359028	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: JUDGES BAYOU CONFLUENCE

Collection Date/Time: 02/14/2019 13:40

Field ID: G4NW0442

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2062994	EPA 180.1 Rev. 2.0	Turbidity	5.2		NTU	P359008	
	EPA 300.0	Bromide	2.2		mg Br/L	P359658	
	SM 2320 B-97	Total Alkalinity	9.5		mg CaCO3/L	P359383	
	SM 2540 D-97	TSS	3	I	mg/L	P359444	
	SM 4500 F-C-97	Fluoride	0.062	I	mg F/L	P359392	
2062997	EPA 350.1 Rev. 2.0	Ammonia-N	0.033		mg N/L	P359343	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.67		mg N/L	P359236	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.39		mg N/L	P359285	
	EPA 365.1 Rev. 2.0	Total-P	0.025		mg P/L	P359174	
	SM 5310 B-00	Organic Carbon	8.7		mg C/L	P359418	
2063000	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.005	I	mg P/L	P359028	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P359008

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P359105

Component	Result	Code	Units
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P359105

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0
Batch ID: P359658

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P359343

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P359236

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359284

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359285

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P359174

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P359028

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P359383

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
Batch ID: P359387

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-97
Batch ID: P359301

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P359444

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P359392

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P359397

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-00
Batch ID: P359418

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P359685

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P359105

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Iron	105		P	85 - 115
Magnesium	108		P	85 - 115
Zinc	101		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P359105

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	103		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	107		P	85 - 115
Cadmium	107		P	85 - 115
Chromium	105		P	85 - 115
Copper	108		P	85 - 115
Lead	107		P	85 - 115
Nickel	105		P	85 - 115
Selenium	102		P	85 - 115
Silver	103		P	85 - 115
Thallium	107		P	85 - 115

Reference Method: EPA 300.0
Batch ID: P359658

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	107		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P359343

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P359236

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.2		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359284

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.0		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359285

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.5		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P359174

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P359028

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.4		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P359383

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 107

Reference Method: SM 2320 B-97
Batch ID: P359387

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P359392

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.4		P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P359397

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.3		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P359418

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.8		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P359685

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.9		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P359105

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2063032	Iron	104		P	80 - 120
2063032	Magnesium	102		P	80 - 120
2063032	Zinc	101		P	80 - 120
2063047	Iron	104	109	P/P	80 - 120
2063047	Magnesium	104	110	P/P	80 - 120
2063047	Zinc	107	107	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P359105

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2063032	Aluminum	100		P	80 - 120
2063032	Antimony	105		P	80 - 120
2063032	Arsenic	110		P	80 - 120
2063032	Cadmium	108		P	80 - 120
2063032	Chromium	105		P	80 - 120
2063032	Copper	108		P	80 - 120
2063032	Lead	108		P	80 - 120
2063032	Nickel	104		P	80 - 120
2063032	Selenium	102		P	80 - 120
2063032	Silver	103		P	80 - 120
2063032	Thallium	112		P	80 - 120
2063047	Aluminum	99.8	99.3	P/P	80 - 120
2063047	Antimony	103	103	P/P	80 - 120
2063047	Arsenic	107	107	P/P	80 - 120
2063047	Cadmium	106	107	P/P	80 - 120
2063047	Chromium	108	107	P/P	80 - 120
2063047	Copper	108	107	P/P	80 - 120
2063047	Lead	107	107	P/P	80 - 120
2063047	Nickel	104	105	P/P	80 - 120
2063047	Selenium	101	101	P/P	80 - 120
2063047	Silver	101	102	P/P	80 - 120
2063047	Thallium	111	110	P/P	80 - 120

Reference Method: EPA 300.0
Batch ID: P359658

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062993	Bromide	100	100	P/P	90 - 110
2062994	Bromide	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P359343

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062547	Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P359236

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062909	Kjeldahl Nitrogen	98.0	96.2	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359284

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062990	NO2NO3-N	98.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359285

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2063064	NO2NO3-N	102	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P359174

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2063065	Total-P	95.4	95.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P359028

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062998	O-Phosphate-P	94.1	95.7	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P359392

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062967	Fluoride	97.6	97.6	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P359397

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062844	Fluoride	92.4	92.4	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P359418

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062970	Organic Carbon	96.9	97.5	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P359685

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062786	Organic Carbon	98.5	99.0	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P359008

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062960	Turbidity	3.71	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P359105

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2063047	Iron	4.67	Spike	P	0 - 20
2063047	Magnesium	4.09	Spike	P	0 - 20
2063047	Zinc	0.155	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P359105

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2063047	Aluminum	0.462	Spike	P	0 - 20
2063047	Antimony	0.683	Spike	P	0 - 20
2063047	Arsenic	0.489	Spike	P	0 - 20
2063047	Cadmium	0.609	Spike	P	0 - 20
2063047	Chromium	0.737	Spike	P	0 - 20
2063047	Copper	0.159	Spike	P	0 - 20
2063047	Lead	0.746	Spike	P	0 - 20
2063047	Nickel	0.418	Spike	P	0 - 20
2063047	Selenium	0.0360	Spike	P	0 - 20
2063047	Silver	0.379	Spike	P	0 - 20
2063047	Thallium	0.392	Spike	P	0 - 20

Reference Method: EPA 300.0
Batch ID: P359658

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062993	Bromide	0.0576	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P359343

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062547	Ammonia-N	0.495	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P359236

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062909	Kjeldahl Nitrogen	1.44	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359284

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062990	NO2NO3-N	0.455	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P359285

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2063064	NO2NO3-N	1.48	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P359174

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2063065	Total-P	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P359028

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062998	O-Phosphate-P	1.69	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P359383

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062967	Total Alkalinity	0.525	Sample	P	0 - 1.6

Reference Method: SM 2320 B-97
Batch ID: P359387

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062844	Total Alkalinity	0.455	Sample	P	0 - 1.6

Reference Method: SM 4500 F-C-97
Batch ID: P359392

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062967	Fluoride	0.0	Spike	P	0 - 3.5

Reference Method: SM 4500 F-C-97
Batch ID: P359397

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062844	Fluoride	0.0	Spike	P	0 - 3.5

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P359418

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062970	Organic Carbon	0.501	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P359685

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062786	Organic Carbon	0.541	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A89446

Included Lab Sample IDs: 2062989, 2062992, 2062993, 2062994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A89450

Included Lab Sample IDs: 2062991, 2062998, 2062999, 2063000

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.2	97.8	P/P	90 - 110
O-Phosphate-P	98.6	98.2	P/P	90 - 110
O-Phosphate-P	99.9	98.9	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A89512

Included Lab Sample IDs: 2063026

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Iron	99.8	102	P/P	90 - 110
Magnesium	99.8	101	P/P	90 - 110
Zinc	104	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A89554

Included Lab Sample IDs: 2062990, 2062995, 2062996, 2062997

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	98.5	98.5	P/P	90 - 110
NO2NO3-N	99.0	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A89567

Included Lab Sample IDs: 2062990, 2062995, 2062996, 2062997

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	97.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A89577

Included Lab Sample IDs: 2062990, 2062995, 2062996, 2062997

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.7	P/P	90 - 110
Ammonia-N	99.1	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A89583

Included Lab Sample IDs: 2062990, 2062995, 2062996, 2062997

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.3	91.6	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-97

Run ID: A89593

Included Lab Sample IDs: 2062989, 2062992, 2062993, 2062994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	99.7	P/P	90 - 110
Total Alkalinity	108	99.8	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A89593

Included Lab Sample IDs: 2062989, 2062992, 2062993, 2062994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.5	99.0	P/P	90 - 110
Fluoride	99.0	99.0	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A89603

Included Lab Sample IDs: 2062990, 2062996, 2062997

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.2	93.5	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A89648

Included Lab Sample IDs: 2063026

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	99.6	99.6	P/P	90 - 110
Antimony	98.9	98.6	P/P	90 - 110
Arsenic	100	102	P/P	90 - 110
Cadmium	101	101	P/P	90 - 110
Chromium	101	103	P/P	90 - 110
Copper	104	107	P/P	90 - 110
Lead	103	104	P/P	90 - 110
Nickel	101	103	P/P	90 - 110
Selenium	98.4	99.5	P/P	90 - 110
Silver	98.0	97.9	P/P	90 - 110
Thallium	102	102	P/P	90 - 110

Reference Method: EPA 300.0

Run ID: A89711

Included Lab Sample IDs: 2062989, 2062992, 2062993, 2062994

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	102	103	P/P	90 - 110
Bromide	103	105	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A89721

Included Lab Sample IDs: 2062995

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.4	94.6	P/P	90 - 110

Quality Assurance Report

Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision	MS
							SMP	
EPA 180.1 Rev. 2.0	Turbidity						3.71	
EPA 200.7 Rev. 4.4	Iron	105	104	104	109			4.67
	Magnesium	108	102	104	110			4.09
	Zinc	101	101	107	107			0.155
EPA 200.8 Rev. 5.4	Aluminum	103	100	99.8	99.3			0.462
	Antimony	102	105	103	103			0.683
	Arsenic	107	110	107	107			0.489
	Cadmium	107	108	106	107			0.609
	Chromium	105	105	108	107			0.737
	Copper	108	108	108	107			0.159
	Lead	107	108	107	107			0.746
	Nickel	105	104	104	105			0.418
	Selenium	102	102	101	101			0.0360
	Silver	103	103	101	102			0.379
	Thallium	107	112	111	110			0.392
EPA 300.0	Bromide	107	100	100	102			0.0576
EPA 350.1 Rev. 2.0	Ammonia-N	96.8	100	101				0.495
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.2	98.0	96.2				1.44
EPA 353.2 Rev. 2.0	NO2NO3-N	99.0	98.5					0.455
	NO2NO3-N	98.5	102	100				1.48
EPA 365.1 Rev. 2.0	Total-P	103	95.4	95.4				0.0
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.4	94.1	95.7				1.69
SM 2320 B-97	Total Alkalinity	102					0.525	
	Total Alkalinity	102					0.455	
SM 4500 F-C-97	Fluoride	96.4	97.6	97.6				0.0
	Fluoride	97.3	92.4	92.4				0.0
SM 5310 B-00	Organic Carbon	95.8	96.9	97.5				0.501
	Organic Carbon	95.9	98.5	99.0				0.541

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2062989, 2062992, 2062993, 2062994
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2063026
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2063026
EPA 300.0 / E31780	Bromide in aqueous matrices	2062989, 2062992, 2062993, 2062994
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2062990, 2062995, 2062996, 2062997
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2062990, 2062995, 2062996, 2062997
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2062990, 2062995, 2062996, 2062997
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2062990, 2062995, 2062996, 2062997
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2062991, 2062998, 2062999, 2063000
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2062989, 2062992, 2062993, 2062994
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2062989, 2062992, 2062993, 2062994
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2062989, 2062992, 2062993, 2062994
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2062990, 2062995, 2062996, 2062997

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/15/2019			02/15/2019 16:26	Adrian Shelby	2062989, 2062992, 2062993, 2062994
EPA 200.7 Rev. 4.4	02/15/2019	02/18/2019 17:15	Elliott D. Healy	02/19/2019 14:19	Betina Topolski	2063026
	02/15/2019	02/18/2019 17:15	Elliott D. Healy	02/19/2019 14:26	Betina Topolski	2063026
EPA 200.8 Rev. 5.4	02/15/2019	02/18/2019 17:15	Elliott D. Healy	02/25/2019 17:07	Allison Taylor	2063026
EPA 300.0	02/15/2019			02/27/2019 20:18	Lipi Saha	2062993
	02/15/2019			02/27/2019 21:10	Lipi Saha	2062994
	02/15/2019			02/28/2019 01:43	Lipi Saha	2062989
	02/15/2019			02/28/2019 02:00	Lipi Saha	2062992
EPA 350.1 Rev. 2.0	02/15/2019			02/21/2019 11:27	Ping Hua	2062990
	02/15/2019			02/21/2019 11:35	Ping Hua	2062995
	02/15/2019			02/21/2019 11:36	Ping Hua	2062996
	02/15/2019			02/21/2019 11:38	Ping Hua	2062997
EPA 351.2 Rev. 2.0	02/15/2019	02/19/2019 11:30	Adrian Shelby	02/22/2019 10:00	Joseph Suarez	2062990
	02/15/2019	02/19/2019 11:30	Adrian Shelby	02/22/2019 10:01	Joseph Suarez	2062995
	02/15/2019	02/19/2019 11:30	Adrian Shelby	02/22/2019 10:03	Joseph Suarez	2062996
	02/15/2019	02/19/2019 11:30	Adrian Shelby	02/22/2019 10:04	Joseph Suarez	2062997
EPA 353.2 Rev. 2.0	02/15/2019			02/21/2019 09:28	Beverly Y. Sanders	2062990
	02/15/2019			02/21/2019 09:43	Beverly Y. Sanders	2062995
	02/15/2019			02/21/2019 09:59	Beverly Y. Sanders	2062996
	02/15/2019			02/21/2019 10:00	Beverly Y. Sanders	2062997
EPA 365.1 Rev. 2.0	02/15/2019	02/19/2019 11:45	Sima Feizi	02/21/2019 18:55	Rosalyn Ballman	2062990
	02/15/2019	02/19/2019 11:45	Sima Feizi	02/21/2019 18:56	Rosalyn Ballman	2062995
	02/15/2019	02/19/2019 11:45	Sima Feizi	02/21/2019 18:57	Rosalyn Ballman	2062996
	02/15/2019	02/19/2019 11:45	Sima Feizi	02/21/2019 18:58	Rosalyn Ballman	2062997
EPA 365.1 Rev. 2.0 dissolved	02/15/2019			02/15/2019 17:32	Jhamieka S. Greenwood	2062998
	02/15/2019			02/15/2019 18:25	Jhamieka S. Greenwood	2062991
	02/15/2019			02/15/2019 18:34	Jhamieka S. Greenwood	2063000
	02/15/2019			02/15/2019 18:35	Jhamieka S. Greenwood	2062999
SM 2320 B-97	02/15/2019			02/21/2019 07:35	Dale L. Simmons	2062994
	02/15/2019			02/21/2019 08:01	Dale L. Simmons	2062989
	02/15/2019			02/21/2019 08:28	Dale L. Simmons	2062993
	02/15/2019			02/21/2019 19:31	Dale L. Simmons	2062992
SM 2540 D-97	02/15/2019			02/20/2019 15:05	Mariam Hanna	2062992
	02/15/2019			02/20/2019 16:21	Yijie Li	2062989, 2062993, 2062994
SM 4500 F-C-97	02/15/2019			02/21/2019 07:35	Dale L. Simmons	2062994
	02/15/2019			02/21/2019 08:01	Dale L. Simmons	2062989
	02/15/2019			02/21/2019 08:28	Dale L. Simmons	2062993
	02/15/2019			02/21/2019 18:46	Dale L. Simmons	2062992
SM 5310 B-00	02/15/2019			02/24/2019 02:48	Julia Storbeck	2062990
	02/15/2019			02/24/2019 03:01	Julia Storbeck	2062996

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 5310 B-00	02/15/2019			02/24/2019 03:14	Julia Storbeck	2062997
	02/15/2019			02/28/2019 08:18	Chelsea Hernandez	2062995