

RQ-2019-07-22-13

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 7-24-19/9:50

Cooler Temperature*	Samples Frozen YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
-0.1 1.3				14 15		✓	✓		

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ **If yes, is it intact?** Yes ☒ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☐ Init:

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☐ Init: SR

Coolers Unpacked/Checked by: SR Date: 7-24-19

NCRs (Y/N)? N

Event ID: Bay Walton County Run
NW-DIST-2019-07-24-02 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018 EXP:4-29-2020
pH Test Strips 0 – 6 Lot #	213316BVEXP:05-15-21
pH Paper 0 – 3 Lot #	220416A EXP:07-30-20
pH Paper 0 – 13 Lot #	222516 EXP:08-15-2019
Chlorine Test Strips Lot #	9080 EXP:01-2022

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes ✓ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Bay Walton County Run

last revised Jan 25, 2018

Central Laboratory Submittal Form

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: N. Mulky

Project ID: SMP

Collected By: Nathan Mulky / Stephen Jale

Sampling Agency: MWRDC

Location:	Field/Win ID →		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/23/19 Time 0915	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Seven Runs upstream of Hwy 81	G3NW0116		Matrix (type, e.g., Salt/Fresh, etc)	Diss. Oxygen 7.64	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Temp (C) 23.8	pH 4.92	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 18.5	
			Comments: micro sample compromised/not analyzed				
Location:	Field/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/23/19 Time 1000	Eastern Central	Composite end Date Time	Bottle Group(s)
Otter Creek upstream of Otter creek bridge rd.	G3NW0133		Matrix (type, e.g., Salt/Fresh, etc)	Diss. Oxygen 7.40	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Temp (C) 24.6	pH 6.54	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 244.6	
			Comments:				
Location:	Field/Win ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/23/19 Time 1015	Eastern Central	Composite end Date Time	Bottle Group(s)
Pine Log Creek upstream of Hwy 79	G3NW0153		Matrix (type, e.g., Salt/Fresh, etc)	Diss. Oxygen 6.75	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Temp (C) 25.7	pH 5.68	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 21.6	
			Comments:				
Location:	Field/Win ID →		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/23/19 Time 1045	Eastern Central	Composite end Date Time	Bottle Group(s)
Little Black Creek upstream of Black Creek	G3NW0200		Matrix (type, e.g., Salt/Fresh, etc)	Diss. Oxygen 7.58	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Temp (C) 24.6	pH 5.10	Sample Depth 0.2 ☐ ft ☒ m	Sp. Conductance (umho/cm) 16.5	
			Comments:				

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

N. Mulky

7/23/19

Fed Ex

2

SR

7-24-19/9:50

Group: A	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
ALKALINITY							
TURBIDITY							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							
Group: A	Bottle Type:	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
CHLSUITE-W							
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4/3
NW-UWF-ECQ							
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	4
W-ICP							
W-ICPMS							
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							
Group: A	Bottle Type:	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
W-PO4-F							
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
ALKALINITY							
TURBIDITY							
W-CL-IC							
W-COLOR							
W-F							
W-SO4-IC							
W-TDS							
W-TSS							

Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab

Bay Walton County Run

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King


Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Loc	Field/WIN ID				☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>7/23/19</u> Time <u>1105</u>		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Fie	Location:		G3NW0148		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B	
WI	Black Creek Upstream of Hwy 20				Temp (C) <u>24.5</u>		pH <u>5.30</u>		Sample Depth <u>0.2</u>		Sp. Conductance (umho/cm) <u>18.8</u>			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments									
Loc	Field/Win ID →				☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>7/23/19</u> Time <u>1230</u>		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Fie	Location:		G3NW0171		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN	Bay Branch upstream of Hwy 331				Temp (C) <u>25.0</u>		pH <u>5.93</u>		Sample Depth <u>0.1</u>		Sp. Conductance (umho/cm) <u>34.5</u>			
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments									
Location					☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #					Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)			
Latitude					☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments			
Location					☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #					Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)			
Latitude					☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments			
Location					☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #					Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)			
Latitude					☐ dd ☐ dms	Longitude		☐ dd ☐ dms	Salinity (ppt)		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	<u>7/23/19</u>	<u>Pub Ex</u>	<u>2</u>		<u>7-24-19/9180</u>

Group: A	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	CHLSUITE-W						
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	NW-UWF-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
CHLSUITE-W							

Group: B	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
NW-UWF-ECQ							

Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	
W-NH3							
W-NO2NO3							
W-S-A-TP							
W-TKN							
W-TOC							

Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	
W-PO4-F							

Document Reference # 05.1.0

FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials :

Drop off

on ~~ice~~ by automobile

FDEPof WRL

Page 1 of 1

Date/Time: 11/23/11 1355

Date/Time: 1/22/19 1355

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport.

If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments sample container lot# #18145

RQ-2019-07-22-13

FDEP

Contact name Michael King

Phone: (850) 595-8300

Address 160 W Governmental Street, suite 208, Pensacola, FL 32502

Sampler's name: Nathan Wake

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X =

²Type codes: G = grab, C = composite, X =

³ Recorded using IRT-2

Date of Request: 17-JUN-2019
 Created By: KING_M On: 17-JUN-2019
 Modified By: JASROTIA_P On: 03-JUL-2019
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: Bay Walton County Run

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 03-JUL-2019
 Biology Request Reviewed By: JASROTIA_P On: 03-JUL-2019
 Sampling Kit Required: YES Ship on: 12-JUL-2019
 Sampling Kit Shipped: YES On: 08-JUL-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 22-JUL-2019
 Received By:

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 350, 371, 526, 570, 719, 950) Nutrients, Metals, Contract Lab Bacteria

Group B: (WBID 679) Nutrients, Contract Lab Bacteria

Bottle Group A (Water) With 6 Samples:

Bottle Type: P-1L	Number of Bottles: 6	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 6	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Zinc		

Bottle Group A (Water) With 6 Samples:

Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Cadmium
Chromium
Copper
Lead
Nickel
Selenium
Silver
Thallium

Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: TLHA (850) 595-0673
MICHAEL KING
FLORIDA DEP-NORTHWEST DISTRICT
160 GOVERNMENT CENTER SUITE 208 A

SHIP DATE: 08JUL19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

PENSACOLA, FL 325025794
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 246-8077
INV:
PO:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J18111200605014

TRK# 4751 8781 4013
0221

RETURNS MON-FRI
PRIORITY OVERNIGHT

FedEx
TRK# 4751 8781 4013
0221

WED - 24 JUL 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US
TLH



FID 3797455 23JUL19 PNSA 568C2/A6F9/0CBA

Do Not Lift Using This Tag

ORIGIN ID: TLHA (850) 595-0673
MICHAEL KING
FLORIDA DEP-NORTHWEST DISTRICT
160 GOVERNMENT CENTER SUITE 208 A
PENSACOLA, FL 325025794
UNITED STATES US

SHIP DATE: 08JUL19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077
INU:
PO:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J1811180605010V

FedEx

TRK#
0221

4751 8781 4024

WED - 24 JUL 10:30A
PRIORITY OVERNIGHT

XH TLHA

32399
FL-US
TLH



FID 3797455 23JUL19 PNSA 568C2/A6F9/0C8A

551C2/A6F9/104C