

Chemical Analysis Report

NW-DIST-2019-09-04-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **EGLIN RUN EAST/WEST**
Request ID: **RQ-2019-07-29-14**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 19-SEP-2019 16:41



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Toms Creek upstream of Hwy 85

Collection Date/Time: 09/03/2019 12:20

Field ID: G3NW0150

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2116366	EPA 180.1 Rev. 2.0	Turbidity	6.1		NTU	P370151	
	EPA 300.0 Rev. 2.1	Chloride	3.3		mg Cl/L	P370346	
		Sulfate	1.5		mg SO4/L	P370349	
	SM 2120 B	Color (true)	28		PCU	P370162	
	SM 2320 B-97	Total Alkalinity	3.4		mg CaCO3/L	P370282	
	SM 2540 C-97	TDS	21	I	mg/L	P370729	
	SM 2540 D-97	TSS	4	I	mg/L	P370616	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P370284	
2116369	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P370324	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.12	I	mg N/L	P370190	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.15		mg N/L	P370265	
	EPA 365.1 Rev. 2.0	Total-P	0.010		mg P/L	P370416	
	SM 5310 B-00	Organic Carbon	1.5		mg C/L	P370246	
2116372	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P370140	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Direct Runoff to Choctawhatchee Bay below Oregon Drive

Collection Date/Time: 09/03/2019 12:45

Field ID: G3NW0001

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2116367	EPA 180.1 Rev. 2.0	Turbidity	5.4		NTU	P370151	
	EPA 300.0 Rev. 2.1	Chloride	13		mg Cl/L	P370346	
		Sulfate	6.8		mg SO4/L	P370349	
	SM 2120 B	Color (true)	70	A	PCU	P370161	
	SM 2320 B-97	Total Alkalinity	67		mg CaCO3/L	P370282	
	SM 2540 C-97	TDS	110		mg/L	P370729	
	SM 2540 D-97	TSS	2	I	mg/L	P370616	
	SM 4500 F-C-97	Fluoride	0.080	I	mg F/L	P370284	
2116370	EPA 350.1 Rev. 2.0	Ammonia-N	0.035		mg N/L	P370445	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.39		mg N/L	P370190	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.044		mg N/L	P370265	
	EPA 365.1 Rev. 2.0	Total-P	0.040		mg P/L	P370416	
	SM 5310 B-00	Organic Carbon	8.6		mg C/L	P370246	
2116373	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P370140	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Gap Creek powerline South of Overbrook Drive Collection Date/Time: 09/03/2019 13:08

Field ID: G3NW0142

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2116368	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P370151	
	EPA 300.0 Rev. 2.1	Chloride	14		mg Cl/L	P370346	
		Sulfate	5.4		mg SO4/L	P370349	
	SM 2120 B	Color (true)	53		PCU	P370162	
	SM 2320 B-97	Total Alkalinity	22		mg CaCO3/L	P370282	
	SM 2540 C-97	TDS	64		mg/L	P370729	
	SM 2540 D-97	TSS	2	I	mg/L	P370616	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P370284	
2116371	EPA 350.1 Rev. 2.0	Ammonia-N	0.021		mg N/L	P370446	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.28		mg N/L	P370190	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.087		mg N/L	P370265	
	EPA 365.1 Rev. 2.0	Total-P	0.010		mg P/L	P370416	
	SM 5310 B-00	Organic Carbon	7.4		mg C/L	P370246	
2116374	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P370140	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P370151

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370346

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370349

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370324

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370445

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370446

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370190

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370265

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370416

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370140

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P370161

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P370162

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P370282

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P370729

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P370616

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P370284

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P370246

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370346

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370349

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370324

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370445

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370446

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370190

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.7		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370265

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370416

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.9		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370140

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.2		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2120 B
Batch ID: P370161

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2120 B
Batch ID: P370162

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P370282

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	98 - 106

Reference Method: SM 4500 F-C-97
Batch ID: P370284

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.9		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P370246

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	104		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370346

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116285	Chloride	100		P	90 - 110
2116366	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370349

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116285	Sulfate	99.5		P	90 - 110
2116366	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370324

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116369	Ammonia-N	96.7	96.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370445

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2115952	Ammonia-N	94.4	95.1	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370446

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116371	Ammonia-N	96.3	97.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370190

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116371	Kjeldahl Nitrogen	92.2	98.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370265

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116369	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370416

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116340	Total-P	103	93.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370140

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116425	O-Phosphate-P	97.4	98.2	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P370284

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116463	Fluoride	98.5	97.4	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P370246

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116341	Organic Carbon	105	102	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P370151

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116405	Turbidity	4.07	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370346

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116285	Chloride	0.852	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370349

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116285	Sulfate	1.54	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370324

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116369	Ammonia-N	0.240	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370445

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2115952	Ammonia-N	0.498	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370446

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116371	Ammonia-N	0.609	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370190

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116371	Kjeldahl Nitrogen	5.19	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370265

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116369	NO2NO3-N	0.281	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370416

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116340	Total-P	8.57	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370140

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116425	O-Phosphate-P	0.818	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P370161

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116367	Color (true)	1.00	Sample	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P370162

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116463	Color (true)	1.79	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P370282

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116463	Total Alkalinity	1.36	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P370729

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116334	TDS	5.45	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P370284

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116463	Fluoride	0.958	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P370246

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116341	Organic Carbon	2.08	Spike	P	0 - 20

Quality Assurance Report

Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A93981

Included Lab Sample IDs: 2116372, 2116373, 2116374

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.4	99.2	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A93983

Included Lab Sample IDs: 2116366, 2116367, 2116368

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	101	100	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A93988

Included Lab Sample IDs: 2116366, 2116367, 2116368

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	103	P/P	90 - 115
Color (true)	101	101	P/P	90 - 115

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A94012

Included Lab Sample IDs: 2116366, 2116367, 2116368

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	100	P/P	90 - 110
Chloride	99.8	100	P/P	90 - 110
Sulfate	101	102	P/P	90 - 110
Sulfate	102	102	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A94021

Included Lab Sample IDs: 2116369, 2116370, 2116371

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	108	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94033

Included Lab Sample IDs: 2116369, 2116370, 2116371

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A94038

Included Lab Sample IDs: 2116366, 2116367, 2116368

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A94038

Included Lab Sample IDs: 2116366, 2116367, 2116368

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94043

Included Lab Sample IDs: 2116369, 2116370, 2116371

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	93.1	97.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94059

Included Lab Sample IDs: 2116369

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	94.4	99.6	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94110

Included Lab Sample IDs: 2116370, 2116371

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.5	P/P	90 - 110
Ammonia-N	99.8	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94132

Included Lab Sample IDs: 2116369, 2116370, 2116371

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	98.0	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					4.07	
EPA 300.0 Rev. 2.1	Chloride	101	100	102		0.852	
	Sulfate	101	99.5	101		1.54	
EPA 350.1 Rev. 2.0	Ammonia-N	97.4	96.7	96.9			0.240
	Ammonia-N	98.5	94.4	95.1			0.498
	Ammonia-N	99.3	96.3	97.2			0.609
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.7	92.2	98.3			5.19
EPA 353.2 Rev. 2.0	NO2NO3-N	100	102	102			0.281
EPA 365.1 Rev. 2.0	Total-P	97.9	103	93.9			8.57
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.2	97.4	98.2			0.818
SM 2120 B	Color (true)	101				1.00	
	Color (true)	101				1.79	
SM 2320 B-97	Total Alkalinity	104				1.36	
SM 2540 C-97	TDS					5.45	
SM 4500 F-C-97	Fluoride	98.9	98.5	97.4			0.958
SM 5310 B-00	Organic Carbon	104	105	102			2.08

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2116366, 2116367, 2116368
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2116366, 2116367, 2116368
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2116366, 2116367, 2116368
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2116369, 2116370, 2116371
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2116369, 2116370, 2116371
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2116369, 2116370, 2116371
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2116369, 2116370, 2116371
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2116372, 2116373, 2116374
SM 2120 B / E31780	True Color measured at 450 nm	2116366, 2116367, 2116368
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2116366, 2116367, 2116368
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2116366, 2116367, 2116368
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2116366, 2116367, 2116368
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2116366, 2116367, 2116368
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2116369, 2116370, 2116371

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/04/2019			09/04/2019 16:44	Rosalyn Ballman	2116366, 2116367, 2116368
EPA 300.0 Rev. 2.1	09/04/2019			09/06/2019 20:00	Jhamieka S. Greenwood	2116366
	09/04/2019			09/06/2019 23:02	Jhamieka S. Greenwood	2116367
	09/04/2019			09/06/2019 23:14	Jhamieka S. Greenwood	2116368
EPA 350.1 Rev. 2.0	09/04/2019			09/06/2019 13:11	Ping Hua	2116369
	09/04/2019			09/10/2019 11:45	Ping Hua	2116370
	09/04/2019			09/10/2019 11:55	Ping Hua	2116371
EPA 351.2 Rev. 2.0	09/04/2019	09/05/2019 12:00	Sima Feizi	09/06/2019 15:00	Julia Storbeck	2116371
	09/04/2019	09/05/2019 12:00	Sima Feizi	09/06/2019 15:10	Julia Storbeck	2116369
	09/04/2019	09/05/2019 12:00	Sima Feizi	09/06/2019 15:11	Julia Storbeck	2116370
EPA 353.2 Rev. 2.0	09/04/2019			09/06/2019 09:40	Beverly Y. Sanders	2116369
	09/04/2019			09/06/2019 09:50	Beverly Y. Sanders	2116370
	09/04/2019			09/06/2019 09:51	Beverly Y. Sanders	2116371
EPA 365.1 Rev. 2.0	09/04/2019	09/10/2019 09:48	Lipi Saha	09/11/2019 12:33	Rosalyn Ballman	2116369
	09/04/2019	09/10/2019 09:48	Lipi Saha	09/11/2019 12:34	Rosalyn Ballman	2116370
	09/04/2019	09/10/2019 09:48	Lipi Saha	09/11/2019 12:35	Rosalyn Ballman	2116371
EPA 365.1 Rev. 2.0 dissolved	09/04/2019			09/04/2019 15:40	Jhamieka S. Greenwood	2116372
	09/04/2019			09/04/2019 15:41	Jhamieka S. Greenwood	2116373
	09/04/2019			09/04/2019 15:42	Jhamieka S. Greenwood	2116374
SM 2120 B	09/04/2019			09/04/2019 17:35	Madeline Funaro	2116367
	09/04/2019			09/04/2019 17:39	Madeline Funaro	2116366
	09/04/2019			09/04/2019 17:40	Madeline Funaro	2116368
SM 2320 B-97	09/04/2019			09/06/2019 01:05	Dale L. Simmons	2116366
	09/04/2019			09/06/2019 01:17	Dale L. Simmons	2116367
	09/04/2019			09/06/2019 01:30	Dale L. Simmons	2116368
SM 2540 C-97	09/04/2019			09/09/2019 15:08	Yijie Li	2116366, 2116367, 2116368
SM 2540 D-97	09/04/2019			09/09/2019 15:08	Yijie Li	2116366, 2116367, 2116368
SM 4500 F-C-97	09/04/2019			09/06/2019 01:05	Dale L. Simmons	2116366
	09/04/2019			09/06/2019 01:17	Dale L. Simmons	2116367
	09/04/2019			09/06/2019 01:30	Dale L. Simmons	2116368
SM 5310 B-00	09/04/2019			09/06/2019 03:08	Madeline Funaro	2116369
	09/04/2019			09/06/2019 03:21	Madeline Funaro	2116370
	09/04/2019			09/06/2019 03:35	Madeline Funaro	2116371