

Chemical Analysis Report

NW-DIST-2019-08-14-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **98 WHALER RUN**
Request ID: **RQ-2019-08-12-26**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 23-AUG-2019 10:34



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Hogtown Bayou Center

Collection Date/Time: 08/13/2019 11:00

Field ID: G3NW0181

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2111157	EPA 180.1 Rev. 2.0	Turbidity	4.6		NTU	P369073	
	EPA 300.0	Bromide	42		mg Br/L	P369434	
	SM 2320 B-97	Total Alkalinity	98		mg CaCO3/L	P369172	
	SM 2540 D-97	TSS	12		mg/L	P369482	
	SM 4500 F-C-97	Fluoride	0.80		mg F/L	P369175	
2111161	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P369304	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.53		mg N/L	P369220	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P369199	
	EPA 365.1 Rev. 2.0	Total-P	0.027		mg P/L	P369100	
	SM 5310 B-00	Organic Carbon	4.3		mg C/L	P369229	
2111165	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P369095	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Alaqua Bayou Center

Collection Date/Time: 08/13/2019 11:45

Field ID: G3NW0180

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2111169	EPA 180.1 Rev. 2.0	Turbidity	5.3		NTU	P369073	
	EPA 300.0	Bromide	12		mg Br/L	P369434	
	SM 2320 B-97	Total Alkalinity	33		mg CaCO3/L	P369172	
	SM 2540 D-97	TSS	5	I	mg/L	P369482	
	SM 4500 F-C-97	Fluoride	0.23		mg F/L	P369175	
2111170	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P369304	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.44		mg N/L	P369221	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P369199	
	EPA 365.1 Rev. 2.0	Total-P	0.020		mg P/L	P369100	
	SM 5310 B-00	Organic Carbon	6.0		mg C/L	P369229	
2111171	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P369095	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Mack Bayou

Collection Date/Time: 08/13/2019 11:50

Field ID: G3NW0128

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2111158	EPA 180.1 Rev. 2.0	Turbidity	2.9		NTU	P369073	
	EPA 300.0	Bromide	44		mg Br/L	P369434	
	SM 2320 B-97	Total Alkalinity	94		mg CaCO3/L	P369172	
	SM 2540 D-97	TSS	3	I	mg/L	P369482	
	SM 4500 F-C-97	Fluoride	0.80		mg F/L	P369175	
2111162	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P369304	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P369220	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P369199	
	EPA 365.1 Rev. 2.0	Total-P	0.019		mg P/L	P369100	
	SM 5310 B-00	Organic Carbon	3.0		mg C/L	P369229	
2111166	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P369095	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Joes Bayou

Collection Date/Time: 08/13/2019 13:20

Field ID: G3NW0182

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2111159	EPA 180.1 Rev. 2.0	Turbidity	1.1		NTU	P369073	
	EPA 300.0	Bromide	49		mg Br/L	P369434	
	SM 2320 B-97	Total Alkalinity	98		mg CaCO3/L	P369172	
	SM 2540 D-97	TSS	5	I	mg/L	P369482	
	SM 4500 F-C-97	Fluoride	0.89		mg F/L	P369175	
2111163	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P369304	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.51		mg N/L	P369221	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P369199	
	EPA 365.1 Rev. 2.0	Total-P	0.015		mg P/L	P369100	
	SM 5310 B-00	Organic Carbon	3.2		mg C/L	P369229	
2111167	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P369095	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Destin Harbor across from AJ'S Restaurant

Collection Date/Time: 08/13/2019 13:45

Field ID: G3NW0127

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2111160	EPA 180.1 Rev. 2.0	Turbidity	0.70		NTU	P369073	
	EPA 300.0	Bromide	58		mg Br/L	P369434	
	SM 2320 B-97	Total Alkalinity	105		mg CaCO3/L	P369172	
	SM 2540 D-97	TSS	3	IA	mg/L	P369482	
	SM 4500 F-C-97	Fluoride	1.0		mg F/L	P369175	
2111164	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P369304	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.39	I	mg N/L	P369221	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P369199	
	EPA 365.1 Rev. 2.0	Total-P	0.029		mg P/L	P369100	
	SM 5310 B-00	Organic Carbon	2.5		mg C/L	P369229	
2111168	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.008	I	mg P/L	P369095	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P369073

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0
Batch ID: P369434

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P369304

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369220

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369221

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P369199

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P369100

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P369095

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P369172

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P369482

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P369175

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P369229

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0
Batch ID: P369434

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	98.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P369304

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369220

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369221

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.7		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P369199

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P369100

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P369095

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	105		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P369172

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 106

Reference Method: SM 4500 F-C-97
Batch ID: P369175

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.2		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P369229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.2		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0
Batch ID: P369434

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111690	Bromide	98.0	96.8	P/P	90 - 110
2111695	Bromide	95.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P369304

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111138	Ammonia-N	103	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369220

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111138	Kjeldahl Nitrogen	97.2	99.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369221

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111163	Kjeldahl Nitrogen	103	99.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P369199

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111138	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P369100

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111138	Total-P	97.2	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P369095

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111165	O-Phosphate-P	94.4	97.3	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P369175

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2108577	Fluoride	94.4	95.2	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P369229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2111170	Organic Carbon	98.2	98.5	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P369073

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111365	Turbidity	1.52	Sample	P	0 - 20

Reference Method: EPA 300.0
Batch ID: P369434

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111690	Bromide	1.08	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P369304

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111138	Ammonia-N	0.725	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369220

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111138	Kjeldahl Nitrogen	1.79	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P369221

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111163	Kjeldahl Nitrogen	3.30	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P369199

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111138	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P369100

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111138	Total-P	3.71	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P369095

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111165	O-Phosphate-P	2.90	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P369172

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2110959	Total Alkalinity	1.05	Sample	P	0 - 2.8

Reference Method: SM 4500 F-C-97
Batch ID: P369175

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2108577	Fluoride	0.516	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P369229

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2111170	Organic Carbon	0.309	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A93525

Included Lab Sample IDs: 2111157, 2111158, 2111159, 2111160, 2111169

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	102	101	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A93535

Included Lab Sample IDs: 2111165, 2111166, 2111167, 2111168, 2111171

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110
O-Phosphate-P	99.4	100	P/P	90 - 110
O-Phosphate-P	99.9	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A93564

Included Lab Sample IDs: 2111157, 2111158, 2111159, 2111160, 2111169

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110
Total Alkalinity	104	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A93564

Included Lab Sample IDs: 2111157, 2111158, 2111159, 2111160, 2111169

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	103	P/P	90 - 110
Fluoride	103	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A93567

Included Lab Sample IDs: 2111161, 2111162, 2111163, 2111164, 2111170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.8	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A93573

Included Lab Sample IDs: 2111161, 2111162, 2111163, 2111164, 2111170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A93585

Included Lab Sample IDs: 2111161, 2111162, 2111163, 2111164, 2111170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	101	P/P	90 - 110
Organic Carbon	101	101	P/P	90 - 110
Organic Carbon	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A93600

Included Lab Sample IDs: 2111161, 2111162, 2111163, 2111164, 2111170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	110	P/P	90 - 110
Kjeldahl Nitrogen	109	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A93636

Included Lab Sample IDs: 2111161, 2111162, 2111163, 2111164, 2111170

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	103	P/P	90 - 110

Reference Method: EPA 300.0

Run ID: A93690

Included Lab Sample IDs: 2111157, 2111158, 2111159, 2111160, 2111169

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	105	105	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision	
						LCS	MS
EPA 180.1 Rev. 2.0	Turbidity					1.52	
EPA 300.0	Bromide	98.6	98.0	96.8	95.9		1.08
EPA 350.1 Rev. 2.0	Ammonia-N	100	103	104			0.725
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	97.2	99.7			1.79
	Kjeldahl Nitrogen	98.7	103	99.1			3.30
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	100	100			0.0
EPA 365.1 Rev. 2.0	Total-P	105	97.2	101			3.71
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	105	94.4	97.3			2.90
SM 2320 B-97	Total Alkalinity	103				1.05	
SM 4500 F-C-97	Fluoride	97.2	94.4	95.2			0.516
SM 5310 B-00	Organic Carbon	99.2	98.2	98.5			0.309

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2111157, 2111158, 2111159, 2111160, 2111169
EPA 300.0 / E31780	Bromide in aqueous matrices	2111157, 2111158, 2111159, 2111160, 2111169
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2111161, 2111162, 2111163, 2111164, 2111170
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2111161, 2111162, 2111163, 2111164, 2111170
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2111161, 2111162, 2111163, 2111164, 2111170
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2111161, 2111162, 2111163, 2111164, 2111170
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2111165, 2111166, 2111167, 2111168, 2111171
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2111157, 2111158, 2111159, 2111160, 2111169
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2111157, 2111158, 2111159, 2111160, 2111169
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2111157, 2111158, 2111159, 2111160, 2111169
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2111161, 2111162, 2111163, 2111164, 2111170

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/14/2019			08/14/2019 19:08	Rosalyn Ballman	2111157, 2111158, 2111159, 2111160, 2111169
EPA 300.0	08/14/2019			08/20/2019 11:07	Jhamieka S. Greenwood	2111157
	08/14/2019			08/20/2019 11:24	Jhamieka S. Greenwood	2111158
	08/14/2019			08/20/2019 11:41	Jhamieka S. Greenwood	2111159
	08/14/2019			08/20/2019 11:58	Jhamieka S. Greenwood	2111160
	08/14/2019			08/20/2019 12:15	Jhamieka S. Greenwood	2111169
EPA 350.1 Rev. 2.0	08/14/2019			08/19/2019 14:56	Ping Hua	2111161
	08/14/2019			08/19/2019 14:57	Ping Hua	2111162
	08/14/2019			08/19/2019 14:59	Ping Hua	2111163
	08/14/2019			08/19/2019 15:00	Ping Hua	2111164
	08/14/2019			08/19/2019 15:02	Ping Hua	2111170
EPA 351.2 Rev. 2.0	08/14/2019	08/16/2019 15:10	Sima Feizi	08/19/2019 11:16	Joseph Suarez	2111161
	08/14/2019	08/16/2019 15:10	Sima Feizi	08/19/2019 11:21	Joseph Suarez	2111162
	08/14/2019	08/16/2019 15:10	Sima Feizi	08/19/2019 11:25	Joseph Suarez	2111163
	08/14/2019	08/16/2019 15:10	Sima Feizi	08/19/2019 11:30	Joseph Suarez	2111164
	08/14/2019	08/16/2019 15:10	Sima Feizi	08/19/2019 11:31	Joseph Suarez	2111170
EPA 353.2 Rev. 2.0	08/14/2019			08/16/2019 10:22	Beverly Y. Sanders	2111161
	08/14/2019			08/16/2019 10:23	Beverly Y. Sanders	2111162
	08/14/2019			08/16/2019 10:24	Beverly Y. Sanders	2111163
	08/14/2019			08/16/2019 10:25	Beverly Y. Sanders	2111164
	08/14/2019			08/16/2019 10:27	Beverly Y. Sanders	2111170
EPA 365.1 Rev. 2.0	08/14/2019	08/15/2019 13:11	Vijayalakshmi Reddy	08/16/2019 12:30	Lipi Saha	2111161
	08/14/2019	08/15/2019 13:11	Vijayalakshmi Reddy	08/16/2019 12:31	Lipi Saha	2111162
	08/14/2019	08/15/2019 13:11	Vijayalakshmi Reddy	08/16/2019 12:32	Lipi Saha	2111163
	08/14/2019	08/15/2019 13:11	Vijayalakshmi Reddy	08/16/2019 12:33	Lipi Saha	2111164
	08/14/2019	08/15/2019 13:11	Vijayalakshmi Reddy	08/16/2019 12:34	Lipi Saha	2111170
EPA 365.1 Rev. 2.0 dissolved	08/14/2019			08/14/2019 17:19	Jhamieka S. Greenwood	2111165
	08/14/2019			08/14/2019 17:59	Jhamieka S. Greenwood	2111166
	08/14/2019			08/14/2019 18:07	Jhamieka S. Greenwood	2111167
	08/14/2019			08/14/2019 18:08	Jhamieka S. Greenwood	2111168
	08/14/2019			08/14/2019 18:09	Jhamieka S. Greenwood	2111171
SM 2320 B-97	08/14/2019			08/16/2019 05:50	Dale L. Simmons	2111169
	08/14/2019			08/16/2019 08:49	Dale L. Simmons	2111157
	08/14/2019			08/16/2019 09:00	Dale L. Simmons	2111158
	08/14/2019			08/16/2019 09:13	Dale L. Simmons	2111159
	08/14/2019			08/16/2019 09:25	Dale L. Simmons	2111160
SM 2540 D-97	08/14/2019			08/19/2019 15:20	Yijie Li	2111157, 2111158, 2111159, 2111160, 2111169
SM 4500 F-C-97	08/14/2019			08/16/2019 03:04	Dale L. Simmons	2111169

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 4500 F-C-97	08/14/2019			08/16/2019 04:37	Dale L. Simmons	2111157
	08/14/2019			08/16/2019 04:41	Dale L. Simmons	2111158
	08/14/2019			08/16/2019 04:46	Dale L. Simmons	2111159
	08/14/2019			08/16/2019 04:50	Dale L. Simmons	2111160
SM 5310 B-00	08/14/2019			08/15/2019 14:05	Madeline Funaro	2111170
	08/14/2019			08/15/2019 17:36	Madeline Funaro	2111161
	08/14/2019			08/15/2019 17:48	Madeline Funaro	2111162
	08/14/2019			08/15/2019 18:38	Madeline Funaro	2111163
	08/14/2019			08/15/2019 18:50	Madeline Funaro	2111164