

Log-in Checklist

RQ- 2019-09-16-42

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 9/19/19 @ 10:10

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.5				16		✓			1190 3161 6970

* HNO3 and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ✓ No Init: KK

Chlorine detected? (One container checked per Field ID)

Yes No ✓ Init: KK

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: KK

Coolers Unpacked/Checked by: KK Date: 9/19/19 NCRs (Y/N)? N

Event ID: ESC/BW BAY RUN
NW-DIST-2019-09-19-01 (SMP)
 Date Received: 19-SEP-2019 10:10
 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_07_2018 EXP:12/28/19
pH Test Strips 0 – 6 Lot #	
pH Paper 0 – 3 Lot #	220416A EXP:7/30/20
pH Paper 0 – 13 Lot #	222516 EXP:9/15/19
Chlorine Test Strips Lot #	091417V EXP:9/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

ESC/BW BAY RUN

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: M. Clark

Project ID: SMP

Collected By: N. Mulkey

Sampling Agency: FLPNS-NW ROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/18/19 Time 09:30	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field	Field/WIN ID → G4NW0492	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.44	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN	Location: Sanders Beach off I Street Dock	Temp (C) 30.1	pH 7.65	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 41,090
Latitude		☐ dd ☐ dms	Salinity (ppt) 26.15	Comments		B
Location						
Field	Field/WIN ID → G4NW0483	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/18/19 Time 09:55	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN	Location: BAYOU CHICO	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.32	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude		Temp (C) 31.1	pH 7.74	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 33861
		☐ dd ☐ dms	Salinity (ppt) 21.13	Comments		B
Location						
Field	Field/WIN ID → G4NW0441	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/18/19 Time 10:10	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN	Location: JUDGES BAYOU MOUTH	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.49	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude		Temp (C) 29.5	pH 6.72	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 20400
		☐ dd ☐ dms	Salinity (ppt) 12.20	Comments		A
Location						
Field	Field/WIN ID → G4NW0442	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/18/19 Time 10:20	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN	Location: JUDGES BAYOU CONFLUENCE	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 3.01	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude		Temp (C) 29.3	pH 6.50	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 14,945
		☐ dd ☐ dms	Salinity (ppt) 8.65	Comments		A

Relinquished By: M. Clark	Date/Time 9/18/19 15:00	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: Kik	Date/Time 9/19/19 1010
------------------------------	----------------------------	--------------------------	---------------------------------	---------------------	---------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W					
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
	NW-UWF-ENQ <i>★ Sent to Contract Lab - UWF ★</i>					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
	H2SO4 LOT# SA9010030 EXP: 04/10/2020					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F					
Group: B	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
	NW-UWF-ENQ <i>★ Sent to Contract Lab - UWF ★</i>					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
	PCR-HF183					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI W-E8321-MS					

ESC/BW BAY RUN

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: M. Clark

Project ID: SMP

Collected By: M. King

Sampling Agency: FLPNS-NW ROC

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 9/18/19 Time 1050		Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID		Field/WIN ID →		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.41		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/ST		Location:		Temp (C) 30.4		pH 7.29		Sample Depth 0.3		Sp. Conductance (umho/cm) 32,905	
Latitude		TROUT BAYOU		☐ dd ☐ dms		Salinity (ppt) 20.45		Comments		A	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
M. Clark	9/18/19 15:00	FedEx	1	HK	9.19.19 / 1010

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NW-UWF-ENQ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NW-UWF-ENQ					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-HF183					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI W-E8321-MS					

Document Reference # 05 1 0

Project: FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials: MC + NM

Method of transport: Drop off on ice by automobile

Page 1 of 1

Samples delivered by: MaClerk Kof FDEP

Date/Time: 9/18/19, 1151

Sample received by: [Signature] of WRL

Date/Time: 09/18/19 1151

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments sample container lot# # L19192#

RQ-2019-09-16-42

Contact organization FDEP

Contact name __Michael King

Phone: (850) 595-8300

Address 160 W Governmental Street, suite 208, Pensacola, FL 32502

Sampler's name: Myranda Clarke

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X =

²Type codes: G = grab, C = composite, X =

³ Recorded using IRT-2

Date of Request: 26-AUG-2019
 Created By: KING_M On: 26-AUG-2019
 Modified By: JASROTIA_P On: 27-AUG-2019
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: ESC/BW BAY RUN

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number:

Priority: 3

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 27-AUG-2019

Biology Request Reviewed By: JASROTIA_P On: 27-AUG-2019

Sampling Kit Required: YES Ship on: 06-SEP-2019

Sampling Kit Shipped: YES On: 04-SEP-2019

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 16-SEP-2019

Received By:

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: (WBID 493B, 694) MARINE Nutrients, Metals, Contract Lab Bacteria

Group B: (WBID 846CB, 848DA) Tracers, Markers, Contract Lab Bacteria

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: TEST HAS NO	Number of Bottles: 3	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 2	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE

Bottle Group B (Water) With 2 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.