

Date of Request: 23-SEP-2019  
 Created By: KING\_M On: 23-SEP-2019  
 Modified By: JASROTIA\_P On: 24-SEP-2019  
 Customer: NW-DIST  
 Project: SMP  
 Division:  
 District: Northwest District  
 Sampling Event: Holmes Run

**Send Coolers To:**

Phone: 850-595-8300  
 160 Government Center  
 Suite 208  
 Pensacola, FL 32502-5794  
 Attn: Michael King

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 24-SEP-2019  
 Biology Request Reviewed By: JASROTIA\_P On: 24-SEP-2019  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 14-OCT-2019  
 Received By: REYNOLDS\_T On: 18-OCT-2019

**Send Final Report To:**

160 Government Center  
 Suite 308  
 Pensacola, FL 32502-5794  
 Attn: Cheryl Bunch

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: Group A: (WBID 142 239 94) Nutrients, Metals, Contract Lab Bacteria  
 Group B: (WBID 49 55) Nutrients, Contract Lab Bacteria

**Bottle Group A (Water) With 3 Samples:**

|                            |                      |                                                                                                              |
|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L          | Number of Bottles: 3 | Preserved With: ICE                                                                                          |
| ALKALINITY                 | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                   |
| Total Alkalinity           |                      |                                                                                                              |
| TURBIDITY                  | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                  |                      |                                                                                                              |
| W-CL-IC                    | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| Chloride                   |                      |                                                                                                              |
| W-COLOR                    | Template: DEFAULT    | (SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)                              |
| Color (true)               |                      |                                                                                                              |
| W-F                        | Template: DEFAULT    | (SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)       |
| Fluoride                   |                      |                                                                                                              |
| W-SO4-IC                   | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| Sulfate                    |                      |                                                                                                              |
| W-TDS                      | Template: DEFAULT    | (SM 2540 C-2011) Total Dissolved Solids in aqueous matrices                                                  |
| TDS                        |                      |                                                                                                              |
| W-TSS                      | Template: DEFAULT    | (SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample              |
| TSS                        |                      |                                                                                                              |
| Bottle Type: BP-1L         | Number of Bottles: 3 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                 | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected   |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected |                      |                                                                                                              |
| Phaeophytin-a              |                      |                                                                                                              |
| Bottle Type: TEST HAS NO   | Number of Bottles: 3 | Preserved With: ICE                                                                                          |
| NW-UWF-ECQ                 | Template: DEFAULT    | (SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola                                        |

**Bottle Group A (Water) With 3 Samples:**

|                              |                      |                                                                                                                                                |
|------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: TEST HAS NO     | Number of Bottles: 3 | Preserved With: ICE                                                                                                                            |
| NW-UWF-ECQ                   | Template: DEFAULT    | (SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola                                                                          |
| Escherichia Coli-Quanti-Tray |                      |                                                                                                                                                |
| Bottle Type: P-500ML         | Number of Bottles: 3 | Preserved With: HNO3                                                                                                                           |
| W-ICP                        | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Barium                       |                      |                                                                                                                                                |
| Calcium                      |                      |                                                                                                                                                |
| Iron                         |                      |                                                                                                                                                |
| Magnesium                    |                      |                                                                                                                                                |
| Potassium                    |                      |                                                                                                                                                |
| Sodium                       |                      |                                                                                                                                                |
| Zinc                         |                      |                                                                                                                                                |
| W-ICPMS                      | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| *Boron                       |                      |                                                                                                                                                |
| Aluminum                     |                      |                                                                                                                                                |
| Antimony                     |                      |                                                                                                                                                |
| Arsenic                      |                      |                                                                                                                                                |
| Cadmium                      |                      |                                                                                                                                                |
| Chromium                     |                      |                                                                                                                                                |
| Copper                       |                      |                                                                                                                                                |
| Lead                         |                      |                                                                                                                                                |
| Nickel                       |                      |                                                                                                                                                |
| Selenium                     |                      |                                                                                                                                                |
| Silver                       |                      |                                                                                                                                                |
| Thallium                     |                      |                                                                                                                                                |
| Bottle Type: P-500ML         | Number of Bottles: 3 | Preserved With: ICE And H2SO4                                                                                                                  |
| W-NH3                        | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                     |
| Ammonia-N                    |                      |                                                                                                                                                |
| W-NO2NO3                     | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                             |
| NO2NO3-N                     |                      |                                                                                                                                                |
| W-S-A-TP                     | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                            |
| Total-P                      |                      |                                                                                                                                                |
| W-TKN                        | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                               |
| Kjeldahl Nitrogen            |                      |                                                                                                                                                |
| W-TOC                        | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices                                                                               |
| Organic Carbon               |                      |                                                                                                                                                |
| Bottle Type: P-125ML         | Number of Bottles: 3 | Preserved With: FILTER-ICE                                                                                                                     |
| W-PO4-F                      | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                       |
| O-Phosphate-P                |                      |                                                                                                                                                |

**Bottle Group B (Water) With 2 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 2 | Preserved With: ICE And H2SO4                                                            |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                               |
| Ammonia-N            |                      |                                                                                          |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| NO2NO3-N             |                      |                                                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                      |                                                                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                      |                                                                                          |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices                         |
| Organic Carbon       |                      |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 2 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |
| Bottle Type: P-1L    | Number of Bottles: 2 | Preserved With: ICE                                                                      |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L                            |
| Total Alkalinity     |                      |                                                                                          |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                       |

**Bottle Group B (Water) With 2 Samples:**

|                              |                      |                                                                                                              |
|------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L            | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| TURBIDITY                    | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                    |                      |                                                                                                              |
| W-CL-IC                      | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| Chloride                     |                      |                                                                                                              |
| W-COLOR                      | Template: DEFAULT    | (SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)                              |
| Color (true)                 |                      |                                                                                                              |
| W-F                          | Template: DEFAULT    | (SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)       |
| Fluoride                     |                      |                                                                                                              |
| W-SO4-IC                     | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| Sulfate                      |                      |                                                                                                              |
| W-TDS                        | Template: DEFAULT    | (SM 2540 C-2011) Total Dissolved Solids in aqueous matrices                                                  |
| TDS                          |                      |                                                                                                              |
| W-TSS                        | Template: DEFAULT    | (SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample              |
| TSS                          |                      |                                                                                                              |
| Bottle Type: BP-1L           | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                   | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected     |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected   |                      |                                                                                                              |
| Phaeophytin-a                |                      |                                                                                                              |
| Bottle Type: TEST HAS NO     | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| NW-UWF-ECQ                   | Template: DEFAULT    | (SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola                                        |
| Escherichia Coli-Quanti-Tray |                      |                                                                                                              |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.