



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Chipola River

Date: 04/17/2019
(mm/dd/yyyy)

WIN/ Field ID: G2TLHR0011

WBID: 51D

Latitude: 30.50575

County: Calhoun

ORG ID: 21FLTLHR

Longitude: 85.15726

Receiving Body of Water: Dead Lakes

RQ: 2019-04-15-50

Sampling Team Members

Ben Harden
Paul Blair

WQ Measurements
Sample Collection
Documentation
Preservation
Preservation Check

Sampling Equipment

☒ Sample Container ☐ Van Dorn ☐ Pole
☐ Carboy ☐ Syringe
☐ Dipper ☐ Other

Depth Measured with
Equipment ID

Collection Method

☒ Wading ☐ Canoe/Kayak
☐ From Shore ☐ Electric Motor
☐ Other ☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 153484

Matrix: Fresh / Marine / DI

Photos: Yes / No

Flow: No Flow / Intertidal / Flowing / NA

Tide: Rising/ Falling/ Slack/ NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1255	0.8	0.3	0.65	7.57	45.9	7.55	0.11	227.1	21.6
CEN										

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA834070	12/10/19	☒ <2
Metals	☐ W-ICPMS ☐ W-JCP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-Q-LDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Place Preservative Sticker(s) Here
(If Available)

Notes:

G2TLHR0011

Place Label Here

Signature:

Date: 04/17/2019

LIMS EVENT ID:

WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

(Initials/Date)

Migrate Data to WIN:

(Initials/Date)

Verify Data in WIN:

(Initials/Date)

(Initials/Date)

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: TLH-ROC

Project ID: SMP

Requester: Michael Eckles

Field Report Prepared By:

Collected By:

Sampling Agency:

Field/WIN ID →
 Location ↓



TENMILE CREEK @ CR274

Latitude
☐ dd ☐ dms
☐ dd ☐ dms

Field/WIN ID →
 Location →



CHIPOLA RIVER

Latitude
☐ dd ☐ dms
☐ dd ☐ dms

Field/WIN ID →
 Location →

G2TLHR0043

Apalachicola River @ Neal Landing
 Latitude

☐ dd ☐ dms
☐ dd ☐ dms

Location

Field ID

WIN/STORET #

Latitude

☐ dd ☐ dms
☐ dd ☐ dms

Relinquished By:

Date/Time

Shipping Method

Hand Delivered

Number of Coolers Shipped:

Received By:

Date/Time

4/2/19 1442

Requester: Michael Eckles
 Collected By: Blar/Harden

Field Report Prepared By:

Sampling Agency:

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04/17/19 Time 1225	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 4.81	Sample Depth 0.3	Sp. Conductance (umho/cm) 31.1	Composite end Date mg/L Total Res. Chlorine % sat	Eastern Central	Bottle Group(s) (See pg 2)
☐ dd ☐ dms	pH 4.06	Comments						C
Salinity (ppt) 0.01								

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04/17/19 Time 255	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 7.57	Sample Depth 0.3	Sp. Conductance (umho/cm) 227.1	Composite end Date mg/L Total Res. Chlorine % sat	Eastern Central	Bottle Group(s) (See pg 2)
☐ dd ☐ dms	pH 7.55	Comments						A
Salinity (ppt) 0.11								

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 04/17/19 Time 1330	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 9.44	Sample Depth 0.3	Sp. Conductance (umho/cm) 109.6	Composite end Date mg/L Total Res. Chlorine % sat	Eastern Central	Bottle Group(s) (See pg 2)
☐ dd ☐ dms	pH 7.21	Comments						D
Salinity (ppt) 0.05								

☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Sample Depth	Sp. Conductance (umho/cm)	Composite end Date mg/L Total Res. Chlorine % sat	Eastern Central	Bottle Group(s) (See pg 2)
☐ dd ☐ dms								
Temp (C)		pH						
Salinity (ppt)		Comments						

Relinquished By: Blar	Date/Time: 04/17/19	Shipping Method: Hand Delivered	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time: 4/2/19 1442
-----------------------	---------------------	---------------------------------	------------------------------	--------------------------	------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ECOL-18QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	

SA8344070

Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab
	W-PO4-F				
Group: C	Bottle Type:	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY				
	TURBIDITY				
	W-CL-IC				
	W-COLOR				
	W-F				
	W-SO4-IC				
	W-TDS				
	W-TSS				
Group: C	Bottle Type:	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
	CHLSUITE-W				
Group: C	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
	ECOLL-18QT				
Group: C	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
	PCR-FILTER				
Group: C	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
	W-E8321-DI				
	W-E8321-MS				
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				
Group: C	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab

548344070

Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: ECOLI-18QT	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	NA 80344050
Group: D	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	SA 80344070
Group: D	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 153484

RQ: 2019-04-15-SO

Project: 2019 SMP

- Notes:** (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 04/19

DO DEP SOP FT 1500	Name	Date	Time CT-ED	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Ben Harden	04/17/19	0754	20.1	759.9	9.1	9.07	100.0		1.0266	Ⓟ / F	Ⓟ / F
ICV	"	"	0809	18.5	760.1	9.4	9.40	100.5			Ⓟ / F	Ⓟ / F
CCV	"	"	1448	25.0	752.2	8.3	8.30	100.3			Ⓟ / F	Ⓟ / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. **Steady-state & Galvanic Sensors:** DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ED	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Ben Harden	04/17/19	0756	07/19	180621C	1000	1001	Ⓟ / F	Ⓟ / F
ICV	"	"	0757	05/20	1805F81	100	101.1	Ⓟ / F	Ⓟ / F
CCV	"	"	1449	07/19	180621C	1000	999	Ⓟ / F	Ⓟ / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ED	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Ben Harden	04/17/19	0801	180428C	10/19	7.03	18.6	7.03	-37.7	Ⓟ / F	Ⓟ / F
Calibr.	"	"	0803	180621D	07/19	4.00	19.1	4.00	142.8	Ⓟ / F	Ⓟ / F
Calibr.	"	"	0806	180621F	01/20	10.08	18.7	10.08	-197.9	Ⓟ / F	Ⓟ / F
ICV	"	"	0807	"	"	10.08	18.9	10.08	-198.7	Ⓟ / F	Ⓟ / F
CCV	"	"	1450	180621D	07/19	4.00	20.5	4.05	140.4	Ⓟ / F	Ⓟ / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 160.2, slope from 4 to 7 180.5 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 04/19

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ED	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	Ben Harden	04/17/19	0753	0.272	0.272	Ⓟ / F	Ⓟ / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

