

Chemical Analysis Report

TLH-ROC-2019-11-14-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Run 6**
Request ID: **RQ-2019-11-11-55**
Customer: **TLH-ROC**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Michael Eckles

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 27-NOV-2019 12:07



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MERIAL LAKE CENTER

Collection Date/Time: 11/14/2019 11:10

Field ID: G3TLHR0014

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2136448	EPA 180.1 Rev. 2.0	Turbidity	2.1		NTU	P374351	
	EPA 300.0 Rev. 2.1	Chloride	2.8		mg Cl/L	P374400	
		Sulfate	2.0		mg SO4/L	P374403	
	SM 2120 B	Color (true)	2.6	I	PCU	P374313	
	SM 2320 B-97	Total Alkalinity	0.72	I	mg CaCO3/L	P374661	
	SM 2540 C-97	TDS	15	U	mg/L	P374861	
	SM 2540 D-97	TSS	3	I	mg/L	P374853	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P374663	
2136452	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P374465	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.22		mg N/L	P374617	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P374475	
	EPA 365.1 Rev. 2.0	Total-P	0.006		mg P/L	P374585	
	SM 5310 B-00	Organic Carbon	3.7		mg C/L	P374428	
2136456	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P374378	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: CRYSTAL LAKE CENTER

Collection Date/Time: 11/14/2019 11:40

Field ID: G3TLHR0012

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2136449	EPA 180.1 Rev. 2.0	Turbidity	0.65		NTU	P374351	
	EPA 300.0 Rev. 2.1	Chloride	2.6		mg Cl/L	P374400	
		Sulfate	3.9		mg SO4/L	P374403	
	SM 2120 B	Color (true)	2.5	U	PCU	P374313	
	SM 2320 B-97	Total Alkalinity	4.9		mg CaCO3/L	P374661	
	SM 2540 C-97	TDS	15	U	mg/L	P374861	
	SM 2540 D-97	TSS	2	I	mg/L	P374853	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P374663	
2136453	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P374465	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.17	I	mg N/L	P374617	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.008	I	mg N/L	P374475	
	EPA 365.1 Rev. 2.0	Total-P	0.004	I	mg P/L	P374585	
	SM 5310 B-00	Organic Carbon	2.1		mg C/L	P374428	
2136457	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P374378	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: MAJOR LAKE CENTER

Collection Date/Time: 11/14/2019 12:15

Field ID: G3TLHR0011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2136450	EPA 180.1 Rev. 2.0	Turbidity	1.1		NTU	P374351	
	EPA 300.0 Rev. 2.1	Chloride	2.4		mg Cl/L	P374400	
		Sulfate	1.6		mg SO4/L	P374403	
	SM 2120 B	Color (true)	6.9		PCU	P374313	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P374661	
	SM 2540 C-97	TDS	15	U	mg/L	P374861	
	SM 2540 D-97	TSS	2	I	mg/L	P374853	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P374663	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.014		mg N/L	P374465	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.19	I	mg N/L	P374618	
2136454	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P374475	
	EPA 365.1 Rev. 2.0	Total-P	0.004	I	mg P/L	P374585	
	SM 5310 B-00	Organic Carbon	2.7		mg C/L	P374428	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P374378	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: DUNFORD LAKE

Collection Date/Time: 11/14/2019 12:45

Field ID: G3TLHR0010

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2136451	EPA 180.1 Rev. 2.0	Turbidity	0.80		NTU	P374351	
	EPA 300.0 Rev. 2.1	Chloride	2.2		mg Cl/L	P374401	
		Sulfate	0.85		mg SO4/L	P374404	
	SM 2120 B	Color (true)	10		PCU	P374313	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P374661	
	SM 2540 C-97	TDS	15	U	mg/L	P374862	
	SM 2540 D-97	TSS	2	I	mg/L	P374854	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P374663	
2136455	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P374465	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.28		mg N/L	P374618	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.014		mg N/L	P374475	
	EPA 365.1 Rev. 2.0	Total-P	0.005	I	mg P/L	P374586	
	SM 5310 B-00	Organic Carbon	4.5		mg C/L	P374428	
2136459	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P374378	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P374351

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374400

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374401

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374403

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374404

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P374465

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374617

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374618

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P374475

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374585

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374586

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P374378

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P374313

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P374661

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P374861

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P374862

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P374853

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P374854

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 4500 F-C-97
Batch ID: P374663

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P374428

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374400

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374401

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374403

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374404

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P374465

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.5		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374618

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P374475

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374585

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374586

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P374378

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.4		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P374313

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.0		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P374661

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	98 - 106

Reference Method: SM 4500 F-C-97
Batch ID: P374663

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.9		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P374428

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	103		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374400

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136190	Chloride	98.2		P	90 - 110
2136427	Chloride	99.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374401

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136471	Chloride	99.8		P	90 - 110
2136626	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374403

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136190	Sulfate	97.2		P	90 - 110
2136427	Sulfate	99.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374404

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136471	Sulfate	100		P	90 - 110
2136626	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P374465

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136452	Ammonia-N	99.8	95.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374618

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136474	Kjeldahl Nitrogen	102	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P374475

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136430	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374585

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136273	Total-P	102	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374586

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374586

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136455	Total-P	102	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P374378

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136434	O-Phosphate-P	96.1	98.4	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P374663

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136533	Fluoride	97.9	98.8	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P374428

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2136271	Organic Carbon	103		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P374351

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136428	Turbidity	3.76	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136190	Chloride	0.582	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374401

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136471	Chloride	0.0552	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374403

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136190	Sulfate	0.327	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P374404

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136471	Sulfate	0.271	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P374465

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136452	Ammonia-N	4.36	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136273	Kjeldahl Nitrogen	4.44	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P374618

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136474	Kjeldahl Nitrogen	1.24	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P374475

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136430	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374585

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136273	Total-P	0.439	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P374586

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136455	Total-P	2.55	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P374378

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136434	O-Phosphate-P	2.37	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P374313

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136472	Color (true)	2.27	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P374661

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136533	Total Alkalinity	0.443	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P374861

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136270	TDS	2.56	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P374862

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136477	TDS	4.18	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-97
Batch ID: P374663

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136533	Fluoride	0.473	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P374428

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2136271	Organic Carbon	0.565	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A95765

Included Lab Sample IDs: 2136448, 2136449, 2136450, 2136451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	99.6	P/P	90 - 110
Chloride	99.6	102	P/P	90 - 110
Sulfate	101	99.8	P/P	90 - 110
Sulfate	99.8	102	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A95771

Included Lab Sample IDs: 2136448, 2136449, 2136450, 2136451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.1	102	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A95786

Included Lab Sample IDs: 2136448, 2136449, 2136450, 2136451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	99.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A95799

Included Lab Sample IDs: 2136456, 2136457, 2136458, 2136459

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.3	97.4	P/P	90 - 110
O-Phosphate-P	97.4	98.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A95823

Included Lab Sample IDs: 2136452, 2136453, 2136454, 2136455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	106	106	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A95834

Included Lab Sample IDs: 2136452, 2136453, 2136454, 2136455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.6	99.9	P/P	90 - 110
Ammonia-N	99.9	99.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A95835

Included Lab Sample IDs: 2136452, 2136453, 2136454, 2136455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-97

Run ID: A95901

Included Lab Sample IDs: 2136448, 2136449, 2136450, 2136451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.8	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A95901

Included Lab Sample IDs: 2136448, 2136449, 2136450, 2136451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.6	98.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A95908

Included Lab Sample IDs: 2136454, 2136455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	98.6	P/P	90 - 110
Kjeldahl Nitrogen	97.2	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A95912

Included Lab Sample IDs: 2136452, 2136453

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	104	99.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A95945

Included Lab Sample IDs: 2136452, 2136453, 2136454, 2136455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	
						SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					3.76	
EPA 300.0 Rev. 2.1	Chloride	100	98.2	99.9		0.582	
	Chloride	98.9	99.8	102		0.0552	
	Sulfate	100	97.2	99.3		0.327	
	Sulfate	98.7	100	101		0.271	
EPA 350.1 Rev. 2.0	Ammonia-N	97.5	99.8	95.3			4.36
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.3					4.44
	Kjeldahl Nitrogen	101	102	101			1.24
EPA 353.2 Rev. 2.0	NO2NO3-N	99.5	100	100			0.0
EPA 365.1 Rev. 2.0	Total-P	104	102	103			0.439
	Total-P	103	102	99.7			2.55
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.4	96.1	98.4			2.37
SM 2120 B	Color (true)	99.0				2.27	
SM 2320 B-97	Total Alkalinity	101				0.443	
SM 2540 C-97	TDS					2.56	
	TDS					4.18	
SM 4500 F-C-97	Fluoride	95.9	97.9	98.8			0.473
SM 5310 B-00	Organic Carbon	103	103				0.565

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2136448, 2136449, 2136450, 2136451
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2136448, 2136449, 2136450, 2136451
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2136448, 2136449, 2136450, 2136451
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2136452, 2136453, 2136454, 2136455
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2136452, 2136453, 2136454, 2136455
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2136452, 2136453, 2136454, 2136455
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2136452, 2136453, 2136454, 2136455
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2136456, 2136457, 2136458, 2136459
SM 2120 B / E31780	True Color measured at 450 nm	2136448, 2136449, 2136450, 2136451
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2136448, 2136449, 2136450, 2136451
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2136448, 2136449, 2136450, 2136451
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2136448, 2136449, 2136450, 2136451
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2136448, 2136449, 2136450, 2136451
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2136452, 2136453, 2136454, 2136455

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/14/2019			11/15/2019 17:09	Samantha Davila	2136448, 2136449, 2136450, 2136451
EPA 300.0 Rev. 2.1	11/14/2019			11/19/2019 02:14	Lipi Saha	2136448
	11/14/2019			11/19/2019 02:26	Lipi Saha	2136449
	11/14/2019			11/19/2019 02:39	Lipi Saha	2136450
	11/14/2019			11/19/2019 04:51	Lipi Saha	2136451
EPA 350.1 Rev. 2.0	11/14/2019			11/19/2019 13:39	Ping Hua	2136452
	11/14/2019			11/19/2019 13:56	Ping Hua	2136453
	11/14/2019			11/19/2019 13:57	Ping Hua	2136454
	11/14/2019			11/19/2019 13:59	Ping Hua	2136455
EPA 351.2 Rev. 2.0	11/14/2019	11/21/2019 12:36	Sima Feizi	11/22/2019 14:24	Jhamieka S. Greenwood	2136454
	11/14/2019	11/21/2019 12:36	Sima Feizi	11/22/2019 14:29	Jhamieka S. Greenwood	2136455
	11/14/2019	11/21/2019 12:36	Sima Feizi	11/22/2019 16:09	Jhamieka S. Greenwood	2136452
	11/14/2019	11/21/2019 12:36	Sima Feizi	11/22/2019 16:11	Jhamieka S. Greenwood	2136453
EPA 353.2 Rev. 2.0	11/14/2019			11/19/2019 09:37	Beverly Y. Sanders	2136452
	11/14/2019			11/19/2019 09:38	Beverly Y. Sanders	2136453
	11/14/2019			11/19/2019 09:39	Beverly Y. Sanders	2136454
	11/14/2019			11/19/2019 09:40	Beverly Y. Sanders	2136455
EPA 365.1 Rev. 2.0	11/14/2019	11/21/2019 13:00	Yen Ta	11/25/2019 14:40	Benjamin T. Nordmann	2136452
	11/14/2019	11/21/2019 13:00	Yen Ta	11/25/2019 14:41	Benjamin T. Nordmann	2136453
	11/14/2019	11/21/2019 13:00	Yen Ta	11/25/2019 14:42	Benjamin T. Nordmann	2136454
	11/14/2019	11/21/2019 13:00	Yen Ta	11/25/2019 14:46	Benjamin T. Nordmann	2136455
EPA 365.1 Rev. 2.0 dissolved	11/14/2019			11/15/2019 14:57	Ping Hua	2136456
	11/14/2019			11/15/2019 14:58	Ping Hua	2136457
	11/14/2019			11/15/2019 15:03	Ping Hua	2136458
	11/14/2019			11/15/2019 15:04	Ping Hua	2136459
SM 2120 B	11/14/2019			11/15/2019 17:11	Madeline Funaro	2136448
	11/14/2019			11/15/2019 17:12	Madeline Funaro	2136449
	11/14/2019			11/15/2019 17:13	Madeline Funaro	2136450, 2136451
SM 2320 B-97	11/14/2019			11/20/2019 19:53	Dale L. Simmons	2136448
	11/14/2019			11/20/2019 20:07	Dale L. Simmons	2136449
	11/14/2019			11/20/2019 20:18	Dale L. Simmons	2136450
	11/14/2019			11/20/2019 20:28	Dale L. Simmons	2136451
SM 2540 C-97	11/14/2019			11/19/2019 15:21	Yijie Li	2136448, 2136449, 2136450, 2136451
SM 2540 D-97	11/14/2019			11/19/2019 15:21	Yijie Li	2136448, 2136449, 2136450, 2136451
SM 4500 F-C-97	11/14/2019			11/20/2019 19:53	Dale L. Simmons	2136448
	11/14/2019			11/20/2019 20:07	Dale L. Simmons	2136449
	11/14/2019			11/20/2019 20:18	Dale L. Simmons	2136450
	11/14/2019			11/20/2019 20:28	Dale L. Simmons	2136451
SM 5310 B-00	11/14/2019			11/18/2019 19:34	Lauren Lees	2136452
	11/14/2019			11/18/2019 19:48	Lauren Lees	2136453

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 5310 B-00	11/14/2019			11/18/2019 20:00	Lauren Lees	2136454
	11/14/2019			11/18/2019 20:12	Lauren Lees	2136455