



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Date Qualified?

Yes / No

WIN Station Name: Cedar Creek @ Pinehurst (PC 09-02)

Date: 06/18/2019
(mm/dd/yyyy)

WIN/ Field ID: G5SW0129

WBID: 1556A

Latitude: 28.0340

(Decimal Degrees)

County: Pinellas

ORG ID: 21FLTPA

Longitude: -82.7718

(Decimal Degrees)

Receiving Body of Water: Gulf of Mexico

RQ-2019-06-1040

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Hannah Sprinkle					X	X			
Ben Panatier						X			

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with: Secchi		
Equipment ID: Secchi #1		
Collection Method		
☒ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry / Pooled / Low / Normal / High / Flooded
Meter ID# Chewy
Matrix: Fresh / Marine / DI

Photos: Yes / No
Flow: No Flow / Interstitial / Flowing / NA
Tide: Rising / Falling / Slack / NA
Tide Times: High / Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1030	0.3	0.15	0.3	3.95	76.2	7.61	0.21	432.5	28.0
				S						

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-GLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☒ W-EB321-DI ☒ W-EB321-MS	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-EB321-DI ☐ W-PCL-SQ-R ☐ W-EB321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☒ QTY-QN-C ☒ PKD-QN-C PCR	☒ Ice			

Notes: ~~None~~, E.coli, T & M

Field ID/WIN: G5SW0129

Site Name: Cedar Creek @ Pinehurst (PC 09-02)

Signature: HSM
Date: 06/18/2019

LIMS EVENT ID: 2019-06-19-01

WIN Import ID: 13569

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 07/16/2019

QC Station ID, Field Parameters In LIMS DMT: SM 07/25/2019

Scan/Save Field Sheets SM 08/12/2019

Migrate Data to WIN: SM 07/25/2019

Verify Data In WIN: SM 08/12/2019

(Initials/Date)

(Initials/Date)

(Initials/Date)

Florida Department of Environmental Protection

Central Laboratory Submittal Form

SMP: Cedar, Mocassin

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Field Report Prepared By: SWROC

Collected By: Ben Paswater Hannah Sprinkle

Sampling Agency: Ben Paswater

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s) (See pg 2)
Field ID/WIN G1SW0051		☒ Grab	Date	Time	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine		13	
Temp (C) 28.5		pH 7.37		☐ % sat	(mg/L)			
Sample Depth 0.3		☐ ft		Sp. Conductance		1387		
☒ m		(umho/cm)						
Salinity (ppt)		Comments: ENTELO DROPPED AT 2 AEL						
dd		dms						
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID/WIN G5SW0147		☒ Grab	Date	Time	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine		A	
Temp (C) 27.6		pH 7.57		☐ % sat	(mg/L)			
Sample Depth 0.3		☐ ft		Sp. Conductance		443.3		
☒ m		(umho/cm)						
Salinity (ppt)		Comments: E. COLI DROPPED AT 2 AEL						
dd		dms						
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID/WIN G5SW0129		☒ Grab	Date	Time	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine		C	
Temp (C) 28.0		pH 7.61		☐ % sat	(mg/L)			
Sample Depth 0.3		☐ ft		Sp. Conductance		432.5		
☒ m		(umho/cm)						
Salinity (ppt)		Comments: E. COLI DROPPED AT 2 AEL						
dd		dms						
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID		☒ Grab	Date	Time	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine			
Temp (C)		pH		☐ % sat	(mg/L)			
Sample Depth		☐ ft		Sp. Conductance				
☐ m		(umho/cm)						
Salinity (ppt)		Comments						
dd		dms						
Longitude		dd						
dms		dms						

Relinquished By: Ben	Date/Time: 6/18/19 4pm	Shipping Method: Fed Ex	Number of Coolers Shipped: 1	Received By:	Date/Time:
----------------------	------------------------	-------------------------	------------------------------	--------------	------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 to
	SW-DETECT SWD REF EC Bench mark						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-BR-IC W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1

Group: B	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: P-250ML-WI-THI SW-BEA-ENQ SWD-BEA-EN	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 to Benchmark
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-250ML-WI-THI SW-BEA-ECQ SWD-BEA-EC	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 to Benchmark
Group: C	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1

Benchmark EnviroAnalytical, Inc
 1711 12th Street East
 Palmetto, FL 34221
 941-723-9986
 941-723-6061 Fax

RQ-2019-06-10-40

FDEP

Judy Ashton

Client Information:	
Address:	
Phone #	
Fax #	
Email	
Laboratory Submission #	

Project Name:

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴ Lab Preserved ☐	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G5 SW0147	SW	6/	1010	1	1/2 Pint	P	NaThio	E. Coli,	1
G5 SW0129	SW	17	1030	1	1/2 Pint	P	NaThio	E. Coli	2
G1SW0051	SW	19	1100	1	1/2 Pint	P	NaThio	Enteroc	3

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDGL).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
 Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
 1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
 2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
 3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:	
pH < 2: ☒	Temperature: 4.90°C
Date	Time
6-17-19	1222
Date	Time

1	Collected By: Be. Paswater	Date: 6/17/19	Time: 1222	Received By: [Signature]	Date: 6-17-19	Time: 1222
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time: