



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Gap Crk @ 45th St

Date: 8-7-19
(mm/dd/yyyy)

WIN/ Field ID: G2SW0030

WBID: 1899

Latitude: 27.4470

(Decimal Degrees)

County: Manatee

ORG ID: 21FLTPA

Longitude: -82.50549

(Decimal Degrees)

Receiving Body of Water:

RQ-2019-08-05-91

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment				
Justin Ashton Ben Paswarth										☒ Sample Container	☐ Van Dorn	☐ Pole		
										☐ Carboy	☐ Syringe			
										☐ Dipper	☐ Other			
										Depth Measured with: Secchi				
										Equipment ID: Secchi #1				
										Collection Method				
										☐ Wading	☐ Canoe/Kayak			
										☐ From Shore	☐ Electric Motor			
										☐ Other	☐ Gasoline Motor			
Water Level: Dry / Pooled / Low / Normal / <u>High</u> / Flooded					Meter ID# CHERRY					Matrix: <u>Fresh</u> / Marine / DI				
Photos: Yes / <u>No</u>					Flow: No Flow / Interstitial / <u>Flowing</u> / NA					Tide: Rising / Falling / Slack / <u>NA</u>				
Tide Times: High / Low														
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)				
EST	1145	0.3	0.3	0.3	4.60	59.2	7.20	0.22	453.6	28.4				
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:														
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:														
Parameter Suite		Parameter Methods					Preservation		Lot#	Expiration	pH Check			
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					☒ Ice ☒ H2SO4		SA9129100	05/09/20	☒ <2			
Metals		☐ W-ICPMS ☐ W-ICP					☐ Ice ☐ HNO3				☐ <2			
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter					☒ Ice							
Chlorophyll		☒ CHL-SUITE-W					☒ Ice							
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS					☒ Ice							
Physical/Aggregate (Marine)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY					☐ Ice							
Macroinvertebrates		☐ MI-FW-QLDC					☐ Formalin							
Periphyton		☐ ALGAE-ID					☐ Ice							
Microbiology		☒ E-Coli ☐ F-Coli ☐ Enterococci					☒ Ice							
Molecular		☐ PCR-FILTER ☒ PCR-BacR ☐ PCR-GULL2					☒ Ice							
		☒ PCR-HF183 ☒ PCR-DG3 ☐ PCR-GFD												
Tracers		☒ W-E8321-DI ☒ W-E8321-MS					☒ Ice							
Pesticides		☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI					☐ Ice							
		☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA												
Phytoplankton		☐ DTY-QN-C ☐ PKD-QN-C					☐ Ice							
Notes: A-Kit, E.coli, T & M														
Field ID/WIN: G2SW0030 Site Name: Gap Crk @ 45th St														
Signature:										Date: 8-7-19				

LIMS EVENT ID: 2019-08-08-01

WIN Import ID: 14618

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 08/13/2019

QC Station ID, Field Parameters In LIMS DMT: KP 09/11/2019

Scan/Save Field Sheets: SM 09/18/2019

Migrate Data to WIN: SM 09/12/2019

Verify Data In WIN: SM 09/18/2019

(Initials/Date)

(Initials/Date)

(Initials/Date)

Request Number: RQ-2019-08-05-91

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Florida Department of Environmental Protection

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0110	☒ Grab	Date 8-7-19 Time 1110	Central	Date Time	
WIN		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	Site Name: Gap Creek at 37th St. East	Temp (C) 28.2	pH 7.10	Sample Depth 0.2	☐ ft ☒ m	Sp. Conductance (umho/cm) 447.8
		☐ dd ☐ dms	Salinity (ppt) 0.21	Comments: E. COLI DROPPED OFF 2 BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID	Field ID: G2SW0110_DUP	☒ Grab	Date 8-7-19 Time 1115	Central	Date Time	
WIN/S	Location: Gap Creek @ 37th St. East	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	WIN ID:	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
		☐ dd ☐ dms	Salinity (ppt)	Comments: E. COLI DROPPED OFF 2 BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID	FIELD ID: FB 08072019	☒ Grab	Date 8-7-19 Time 1105	Central	Date Time	
WIN/S	LOCATION: Field_Blank	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude		Temp (C) D	pH I	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
		☐ dd ☐ dms	Salinity (ppt)	Comments: E. COLI DROPPED OFF 2 BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	☒ Eastern	Composite end	Bottle Group(s)
Field ID	Field ID/WIN G2SW0030	☒ Grab	Date 8-7-19 Time 1145	Central	Date Time	
WIN/STC	Site Name: Gap Creek @ 45th St	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude		Temp (C) 28.4	pH 7.20	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 453.6
		☐ dd ☐ dms	Salinity (ppt) 0.22	Comments: E. COLI DROPPED OFF 2 BENCHMARK		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
J. Ashton	8-7-19 1600	FBI Ex	2		

1 of 4
Page 4 of 5

Request Number: RQ-2019-08-05-91

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Florida Department of Environmental Protection

Central Laboratory Submittal Form

2 of 4

Page 1 of 3

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0044				Date	8-7-19	Time	0945	Central	Date	Time
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
Site Name: Braden River @ Cypress Bend Park				4.41		☐ % sat		(mg/L)		
☐ dms		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments						
		0.20		E. COLI DROPPED OFF 2 BENCHMARK						
Location		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0015				Date	8-7-19	Time	1000	Central	Date	Time
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
Site Name: Nonsense @ Tara Preserve				4.24		☐ % sat		(mg/L)		
☐ dms		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments						
		0.10		E. COLI DROPPED OFF 2 BENCHMARK						
Location		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0018				Date	8-7-19	Time	1030	Central	Date	Time
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
Site Name: Cedar Creek @ Saddlehorn				2.34		☐ % sat		(mg/L)		
☐ dms		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments						
		0.22		E. COLI DROPPED OFF 2 BENCHMARK						
Location		☐ Comp	Collection (comp begin or grab)		☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID/WIN G2SW0017				Date	8-7-19	Time	1055	Central	Date	Time
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L		Total Res. Chlorine		B
Site Name: Rattlesnake Slough@Linden				4.65		☐ % sat		(mg/L)		
☐ dms		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments						
		0.15		E. COLI DROPPED OFF 2 BENCHMARK						

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: PCR-BACR PCR-DG3 PCR-HF183	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: SW-BEA-ECQ	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
Group: B	Bottle Type: PCR-BACR PCR-HF183	QPCR-P-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: B	Bottle Type: W-E8321-DI	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4

4 w 4

Page 3 of 3

Group: B	Bottle Type: BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
W-E8321-MS					

Group: C	Bottle Type: QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
PCR-DG3					

GROUP B

SN-BLA-ELQ 250 ML WITH

SENT TO LAB

4

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B578C6

Client Information: FDEP

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5772

Report to: Judy.ashton@dep.state.fl.us, DEP-Overflomicro@dep.state

Invoice to: FDEP Micro Overflow

Project Name: RQ- 2019-08-05-91

Laboratory Submission #

19080258

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G25W0110 GAP CREEK @ 37th ST. EAST	SW	8-7-19	1110	1	250mL 120mL	P	Plain (on Ice)	E. COLI	1
G25W0110-DUP G25W0110	SW	8-7-19	1115	1	250mL 120mL	P	Plain (on Ice)	E. COLI	2
FB 08072019 FIELD BLANK	SW	8-7-19	1105	1	250mL 120mL	P	Plain (on Ice)	E. COLI	3
G25W0030 GAP CREEK @ 45th ST	SW	8-7-19	1145	1	250mL 120mL	P	Plain (on Ice)	E. COLI	4
G25W0044 BLADEN RIVER @ CYPRESS BEND	SW	8-7-19	0945	1	250mL 120mL	P	Plain (on Ice)	E. COLI	5
G25W0018 CESAR CREEK @ SADDLE CREEK	SW	8-7-19	1030	1	250mL 120mL	P	Plain (on Ice)	E. COLI	6
G25W0017 RATTLESNAKE SLough @ LINDEN	SW	8-7-19	1055	1	250mL 120mL	P	Plain (on Ice)	E. COLI	7

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).


Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, measured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 2.2°C

1	Collected / Relinquished By: Judy Ashton	Date 8-7-19	Time 1145	Received By:	Date	Time
2	Relinquished By: Judy Ashton	Date 8-7-19	Time 1255	Received By: 	Date 8-7-19	Time 1255

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B578C6

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5772

Report to: Judy.ashton@dep.state.fl.us, DEP-Overflomicro@dep.state

Invoice to: FDEP Micro Overflow

Project Name: RQ- 2019-08-05-41

Laboratory Submission #

19080258

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
<u>625W0015</u> <u>NONSENSE ED TANA PRESERVE</u>	SW	<u>8-7-19</u>	<u>1000</u>	<u>1</u>	<u>250mL</u> <u>120mL</u>	P	Plain (on Ice)	<u>E. COLI</u>	<u>46</u>
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

⁴ "Preservative" is used to indicate whether the sample was preserved. The temperature during storage should be less than or equal to 6°C (42.8°F).

Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 2.2°C

1	Collected / Relinquished By:	Date	Time	Received By:	Date	Time
2	Relinquished By:	Date	Time	Received By: <u>BA</u>	Date <u>8-7-19</u>	Time <u>1255</u>