

(initials/Date)



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6881 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	LABORATORY I.D. #			
Address: 13061 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B370AE							
Phone: 813-470-5770		Project Address:							
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2019-02-25-18							
Sampled By:									
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQUIS ☐ Other		PRE-SERVATION	16K	16K			
Page: 1 of 2									
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE				TIME	MATRIX	NO. COUNT
Field ID/WIN	G2SW0110		2-26-19				1110	SW	1
Site Name:	Gap Creek at 37th St. East								
Field ID/WIN	G2SW0030		2-26-19	1135	SW	1			
Site Name:	Gap Creek @ 45th St								
Field ID/WIN	G2SW0015		2-26-19	0945	SW	1			
Site Name:	Nonsense @ Tara Preserve								
Field ID/WIN	G2SW0044		2-26-19	1010	SW	1			
Site Name:	Braden River @ Cypress Bend Park								
Field ID/WIN	G2SW0017		2-26-19	1230	SW	1			
Site Name:	Rattlesnake Slough @ Linden								

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (In degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by:	Date	Time	Received by:	Date	Time
1 Judy Ashton	2-26-19	1400	[Signature]	2-26-19	1400

FOR DRINKING WATER USE:

PWS ID: _____



Advanced
Environmental Laboratories, Inc.

☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327



Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE Analysis Required PRE SER- VATION		LABORATORY I.D. #	
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B370AE					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2019-02-25-18					
Sampled By:							
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQUIS ☐ Other					
Page: 2 of 2							

SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRE SER- VATION						
			DATE	TIME									
Field ID/WIN G2SW0018  Site Name: Cedar Creek @ Saddlehorn			2-26-19	1050	SW	1		1					
Field ID:  G2SW0030_DUP Location: Gap Creek at 37th St. East WIN ID:  45th ST G2SW0030			2-26-19	1140	SW	1		1					

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by: 	Date: 2/26/19	Time: 1400	Received by: 	Date: 2-26-19	Time: 1400
--	---------------	------------	--	---------------	------------

FOR DRINKING WATER USE:
 PWS ID: _____

Request Number: RQ-2019-02-25-18

Florida Department of Environmental Protection

1 of 4

Page 1 of 3

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: July Ashton

Project ID: SMP

Collected By: J. Ashton, B. PaswaterSampling Agency: FDLP

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-26-19</u> Time <u>1110</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID/WIN	<u>G2SW0110</u>	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>7.75</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN		Temp (C) <u>21.15</u>	pH <u>7.27</u>	Sample Depth <u>0.2</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>704</u>
Latitu	Site Name: <u>Gap Creek at 37th St. East</u>	☐ dd ☐ dms	Salinity (ppt) <u>0.34</u>	Comments <u>E. COLI REPORTED OFF D ALL</u>		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-26-19</u> Time _____	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID/WIN	<u>G2SW0030</u>	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>7.56</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN		Temp (C) <u>21.73</u>	pH <u>7.34</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>704</u>
Latitu	Site Name: <u>Gap Creek @ 45th St</u>	☐ dd ☐ dms	Salinity (ppt) <u>0.34</u>	Comments <u>E. COLI REPORTED OFF D ALL</u>		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-26-19</u> Time <u>0945</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID/WIN	<u>G2SW0015</u>	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>3.59</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN		Temp (C) <u>20.16</u>	pH <u>5.85</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>790</u>
Latitu	Site Name: <u>Nonsense @ Tara Preserve</u>	☐ dd ☐ dms	Salinity (ppt) <u>0.39</u>	Comments <u>E. COLI REPORTED OFF D ALL</u>		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-26-19</u> Time <u>1010</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID/WIN	<u>G2SW0044</u>	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>4.77</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN		Temp (C) <u>23.26</u>	pH <u>6.71</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>675</u>
Latitu	Site Name: <u>Braden River @ Cypress Bend Park</u>	☐ dd ☐ dms	Salinity (ppt) <u>0.33</u>	Comments <u>E. COLI REPORTED OFF D ALL</u>		

Relinquished By: <u>J. Ashton</u>	Date/Time <u>2-26-19 1700</u>	Shipping Method <u>FED Ex</u>	Number of Coolers Shipped: <u>2</u>	Received By:	Date/Time
--------------------------------------	----------------------------------	----------------------------------	--	--------------	-----------

Request Number: RQ-2019-02-25-18

Florida Department of Environmental Protection

2004

Page 1 of 2

last revised Jan 25, 2018

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Central Laboratory Submittal Form

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date	Eastern Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID/WIN G2SW0017 		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
Site Name: Rattlesnake Slough @ Linden	Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI GLOPPED OFF 2 ALL				
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-26-19	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID/WIN G2SW0018 		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
Site Name: Cedar Creek @ Saddlehorn	Temp (C) 21.87	pH 7.13	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 714		
Latitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI GLOPPED OFF 2 ALL				
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date 2-26-19	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID G2SW0030_DUP Location: Gap Creek at 45th St. East WIN ID:  45th ST. 2		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A
Latitude ☐ dms	Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI GLOPPED OFF 2 ALL				
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-26-19	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID FIELD ID:  FB 02262019 LOCATION: Field		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A*
Latitude ☐ dms	Temp (C)	pH	Sample Depth ☐ ft ☒ m	Sp. Conductance (umho/cm)		
	Salinity (ppt) ☐ dd ☐ dms	Comments * NO E. COLI				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
------------------	-----------	-----------------	----------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4 3
	SWD-AEL-EC						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-BACR PCR-HF183						
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	SE-AEL-EC						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4

4 of 4

Page 3 of 3

Group: B Bottle Type: BG-500ML # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 4

W-E8321-DI

W-E8321-MS