

Log-in Checklist

RQ- 2019-01-28-65

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/28/2018 / 09:40

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
2.1C			6		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No Date 1-31-19

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u> </u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: ABS

Coolers Unpacked/Checked by: ABS

Date: 12/28/2018

NCRs (Y/N)?

Event ID: Alafia R. above Hills Bay
SW-DIST-2019-01-31-01 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP:06/01/2020
Chlorine Test Strips Lot #	7226 EXP:2020/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Alafia R. above Hills Bay

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: J Ashton & S Meyer

Sampling Agency: FDEP SW BOC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/2019 Time 9 45		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0045	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 9.40	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____		A
WIN		Temp (C) 13.13	pH 5.75	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 260		
Latitude	Site Name: Alafia River @ Center Ave	☐ dd ☐ dms	Salinity (ppt) 0.12	Comments E Coli dropped @ AEL				
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/2019 Time 9 50		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID	Field ID: G2SW0045_DUP Location: Alafia River @ Center Ave WIN ID: G2SW0045	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____		A
WIN		Temp (C)	pH	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Salinity (ppt)	Comments E Coli dropped @ AEL				
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/30/2019 Time 10 45		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID	Field ID/WIN BLANK	Matrix (type, e.g., Salt, Fresh, etc) DI		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____		A
WIN/SE		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude	Site Name: FB_01302019	☐ dd ☐ dms	Salinity (ppt)	Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____		Eastern Central	Composite end Date _____ Time _____		Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) _____		
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: Sarah Meyer	Date/Time 1/30/2019 17 30	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: 	Date/Time 1-31-19/12:45
---------------------------------	------------------------------	--------------------------	---------------------------------	------------------	----------------------------

Group: A	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
PCR-FILTER					

Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
SWD-AEL-EC					
Dropped @ AEL					

Group: A	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>3</u>
W-E8321-DI					
W-E8321-MS					



Gainesville: 1965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.385.6639
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.218.6274 • Fax 850.219.6275
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33618 • 813.630.9816 • Fax 813.630.4327

Client Name:		FDEP SW Dist		Project Name:		SMP		BOTTLE SIZE & TYPE	
Address: 13061 N. Telecom Pkwy, Temple Terrace FL 33637		P.O. Number: B370AE		Analysis Required		E Coli		LABORATORY I.D. #	
Phone: 813-470-5770		Project Address:							
Contact: Judy Ashton 813-470-5772		Special Instructions:							
Turn Around Time: ☒ STANDARD ☐ RUSH		RQ-2019-01-28-65							
Page: of		☐ ADAPT ☐ EQUIS ☐ Other							
SAMPLE ID	SAMPLE DESCRIPTION	Grab	DATE	SAMPLING TIME	MATRIX	NO. COUNT	FR SER. VATI		
Field ID: WIN G2SW0045			1/30/19	945	SW	1			
Site Name: Alafia River @ Center Ave			1/30/2019	950	SW	1			
Field ID: G2SW0045									
Location: Alafia River @ Center Ave									
WIN ID: G2SW0045_DUP									

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge

Received on ice ☐ Yes ☐ No Temp taken from sample ☐ Temp from blank

DCN: AD-051 Form last revised 04/30/2015

Relinquished by: Date 1/30/19 Time 1015

Received by: Date 1/31/19 Time 1015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Where required, pH checked ☐

Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Temperature when received (in degrees Celsius)

FOR DRINKING WATER USE:

PWS ID:

Date of Request: 22-JAN-2019
 Created By: ASHTON_J On: 22-JAN-2019
 Modified By: JASROTIA_P On: 23-JAN-2019
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Sampling Event: Alafia R. above Hills Bay

Send Coolers To:

Phone: 813-470-5772
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-JAN-2019
 Biology Request Reviewed By: JASROTIA_P On: 23-JAN-2019
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 31-JAN-2019
 Received By: SHAIK_A On: 31-JAN-2019

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: E.coli, T&M
 Have Bottles


Bottle Group A (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

FTD 5211412 30JAN19 MCFA 553C2/0C3D/0C8A

Part # 156148-434 RIT EXP 07/19 ::




36 TLHA

32399
FL-US
TLH

TRK# 4385 5035 7307
TRK# 4385 5035 7397
FedEx
0221

RETURNS MON-FRI
DEPARTURE
THU - 31 JAN 10:30A
PRIORITY OVERNIGHT



RMA: 01111111

TALLAHASSEE FL 32399

JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

ORIGIN ID: TLHA (813) 470-5772
BEN PASWATER
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE, FL 336370926
UNITED STATES US

SHIP DATE: 18NOV18
ACTWGT: 10.00 LB HAN
CAD: 0446970/CAT33211

551C/C32/104C