

Biological Analysis Report

SW-DIST-2019-03-08-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Tampa
9610 Princess Palm Avenue
Tampa, Florida 33619
DOH Accreditation E84589

Event Description: **Rice, Sims, Wolf, Mckay drainage**
Request ID: **RQ-2019-03-04-19**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 10-APR-2019 14:07



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: RICE @ BALM RVRVIEW

Collection Date/Time: 03/07/2019 11:45

Field ID: G2SW0032

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068505	SOP-PCR-1.0	HF183-qPCR**	210	I	GEU/100 mL	P361000	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold			P360038	
2068512	EPA 1603	Escherichia coli-Membrane Filter**	880	B	cfu/100 mL		

Sample Location: RICE CREEK @ OAK FOREST DR

Collection Date/Time: 03/07/2019 11:20

Field ID: G2SW0096

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068506	SOP-PCR-1.0	HF183-qPCR**	370	I	GEU/100 mL	P361000	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold			P360038	
2068513	EPA 1603	Escherichia coli-Membrane Filter**	670		cfu/100 mL		

Sample Location: WOLF BRANCH CANAL @ MANNS HARBOR DRIVE BOAT LIFT

Collection Date/Time: 03/07/2019 10:20

Field ID: G1SW0092

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068500	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7		ug/L	P360933	
		Phaeophytin-a	1.5	I	ug/L	P360933	
		Chlorophyll-a, Uncorrected	4.7		ug/L	P360933	
2068507	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold			P360038	
2068514	SM 9230 C	Enterococci-Membrane Filter	12	B	cfu/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: WOLF BRANCH CANAL @ MANNS HARBOR DRIVE BOAT LIFT

Collection Date/Time: 03/07/2019 10:25

Field ID: G1SW0092_DUP

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068501	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2		ug/L	P360933	
		Phaeophytin-a	1.5	I	ug/L	P360933	
		Chlorophyll-a, Uncorrected	4.2		ug/L	P360933	
2068508	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold			P360038	
2068515	SM 9230 C	Enterococci-Membrane Filter	8	B	cfu/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: FIELD

Collection Date/Time: 03/07/2019 10:00

Field ID: FB 03072019

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068502	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P360933	
		Phaeophytin-a	0.90	U	ug/L	P360933	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P360933	

Field ID: FB 03072019

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
Ref. Method and Comment: SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.							

Sample Location: BIGGEST FLOWING DITCH @ 45TH Collection Date/Time: 03/07/2019 08:50

Field ID: G1SW0093

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068503	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.85	I	ug/L	P361043	
		Phaeophytin-a	0.90	U	ug/L	P361043	
		Chlorophyll-a, Uncorrected	0.92	I	ug/L	P361043	
2068510	SOP-PCR-1.0	HF183-qPCR**	3.67E+03		GEU/100 mL	P361000	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold			P360038	
2068516	SM 9230 C	Enterococci-Membrane Filter	10900	B	cfu/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: SANDBAG DITCH @ 45TH Collection Date/Time: 03/07/2019 09:00

Field ID: G1SW0094

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2068504	SM 10200 H (mod.)	Chlorophyll-a, Corrected	140		ug/L	P360933	
		Phaeophytin-a	1.8	U	ug/L	P360933	
		Chlorophyll-a, Uncorrected	140		ug/L	P360933	
2068511	SOP-PCR-1.0	HF183-qPCR**	330	I	GEU/100 mL	P361140	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold			P360038	
2068517	SM 9230 C	Enterococci-Membrane Filter	4200		cfu/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P360933

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.96	U	ug/L
Chlorophyll-a, Uncorrected	0.70	U	ug/L
Phaeophytin-a	1.0	U	ug/L

Reference Method: SM 10200 H (mod.)
 Batch ID: P361043

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0
Batch ID: P361000

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P361140

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P360933

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	100		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P361043

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.7		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P361000

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	121	260	P/F	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P361140

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	131	110	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P361000

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062519	HF183-qPCR	99.5		P	50 - 175
2062520	HF183-qPCR	102	83.9	P/P	50 - 175
2062521	HF183-qPCR	93.2		P	50 - 175
2068505	HF183-qPCR	73.4		P	50 - 175
2068506	HF183-qPCR	69.8		P	50 - 175
2068510	HF183-qPCR	75.3		P	50 - 175
2070103	HF183-qPCR	113		P	50 - 175
2072476	HF183-qPCR	111		P	50 - 175
2072951	HF183-qPCR	93.6		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P361000

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2072952	HF183-qPCR	110		P	50 - 175
2072953	HF183-qPCR	106		P	50 - 175
2072954	HF183-qPCR	81.4		P	50 - 175
2072955	HF183-qPCR	125		P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P361140

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2068511	HF183-qPCR	71.5		P	50 - 175
2068767	HF183-qPCR	98.2		P	50 - 175
2068768	HF183-qPCR	95.3		P	50 - 175
2070871	HF183-qPCR	96.3		P	50 - 175
2070981	HF183-qPCR	93.0		P	50 - 175
2070982	HF183-qPCR	102		P	50 - 175
2070983	HF183-qPCR	114		P	50 - 175
2071059	HF183-qPCR	96.7		P	50 - 175
2073222	HF183-qPCR	92.1		P	50 - 175
2073223	HF183-qPCR	112		P	50 - 175
2073224	HF183-qPCR	83.9		P	50 - 175
2073225	HF183-qPCR	93.8	95.7	P/P	50 - 175
2073226	HF183-qPCR	68.8		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P360933

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2068706	Chlorophyll-a, Corrected	10.0	Sample	P	0 - 25
2068706	Chlorophyll-a, Uncorrected	8.88	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P361043

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2068984	Chlorophyll-a, Corrected	1.76	Sample	P	0 - 25
2068984	Chlorophyll-a, Uncorrected	1.54	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P361000

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062520	HF183-qPCR	19.0	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P361140

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2073225	HF183-qPCR	2.00	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2068505
 Field Sample ID: G2SW0032

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	78.9	P	50 - 300

Lab Sample ID: 2068506
 Field Sample ID: G2SW0096

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	88.8	P	50 - 300

Lab Sample ID: 2068510
 Field Sample ID: G1SW0093

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	95.1	P	50 - 300

Lab Sample ID: 2068511
 Field Sample ID: G1SW0094

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	57.6	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	100						10.0	
	Chlorophyll-a, Corrected	98.7						1.76	
	Chlorophyll-a, Uncorrected							8.88	
	Chlorophyll-a, Uncorrected							1.54	
SOP-PCR-1.0	HF183-qPCR	260	121	113	111	99.5			19.0
	HF183-qPCR	110	131	71.5	92.1	112			2.00
				102					
				83.9					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
---------------------	-------------	--------------------

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1603 / E84589	Escherichia coli by membrane filter	2068512, 2068513
SM 10200 H (mod.) / E31780	Advanced Environmental Laboratory in Tampa Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2068500, 2068501, 2068502, 2068503, 2068504
SM 9230 C / E84589	Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD	2068514, 2068515, 2068516, 2068517
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2068505, 2068506, 2068510, 2068511
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	2068505, 2068506, 2068507, 2068508, 2068510, 2068511

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	03/07/2019	03/07/2019 15:07		03/08/2019 15:07	AEL - Tampa	2068512, 2068513
SM 10200 H (mod.)	03/08/2019	03/08/2019 15:20	Jennifer Mihalic	03/21/2019 11:00	Peterson Janvier	2068500, 2068501, 2068502, 2068504
	03/08/2019	03/08/2019 15:20	Jennifer Mihalic	03/25/2019 13:30	Peterson Janvier	2068503
SM 9230 C	03/07/2019	03/07/2019 15:20		03/08/2019 14:51	AEL - Tampa	2068514, 2068515, 2068516, 2068517
SOP-PCR-1.0	03/08/2019	03/08/2019 14:00	Sarah Menz	03/29/2019 08:38	Mailin Lopez	2068505, 2068506, 2068510
	03/08/2019	03/08/2019 14:00	Sarah Menz	04/04/2019 07:48	Mailin Lopez	2068511
SOP-PCR-4.0	03/08/2019	03/08/2019 14:00	Angela Smith	04/01/2019 11:32	Sarah Menz	2068505, 2068506, 2068507, 2068508, 2068510, 2068511