



PINELLAS COUNTY UTILITIES LABORATORY  
1620 Ridge Road Bldg B, Largo, FL 33778  
Phone: 727-582-2302  
Fax: 727-588-4834



## CERTIFICATE OF ANALYSIS

**Client:** Pinellas County - Environmental Management  
Division  
22211 US Hwy 19 N  
Clearwater, FL 33756

**Analyzed By:** Pinellas County Utilities Laboratory  
1620 Ridge Road Bldg B, Largo, FL 33778  
Ph: 727-582-2302

State of Florida Certification: E54357

**Workorder Number: 1900517**

EPA Lab#: FL00123

**Profile: Environmental Mgmt - Ambient**

**Line Item: EMD - Land Run**

| SAMPLE SITE | SAMPLE NO. | COLLECTED DATE/TIME | RECEIVED DATE/TIME |
|-------------|------------|---------------------|--------------------|
| 24-01 19-02 | 190051701  | 03/13/2019 08:34    | 03/13/2019 13:59   |
| 24-07 19-02 | 190051702  | 03/13/2019 09:13    | 03/13/2019 13:59   |
| 35-01 19-02 | 190051703  | 03/13/2019 09:58    | 03/13/2019 13:59   |
| 35-15 19-02 | 190051704  | 03/13/2019 11:05    | 03/13/2019 13:59   |
| 35-10 19-02 | 190051705  | 03/13/2019 11:40    | 03/13/2019 13:59   |
| 35-12 19-02 | 190051706  | 03/13/2019 12:38    | 03/13/2019 13:59   |
| 35-04 19-02 | 190051707  | 03/13/2019 13:15    | 03/13/2019 13:59   |

### THIS REPORT MEETS TNI STANDARDS

All analytical data contained in this report were obtained using the specified methods and were verified by our laboratory quality system. All methods referenced in this report meet TNI requirements unless otherwise indicated by analytical data codes and/or remarks. Analytical results listed within this report pertain only to the specific samples listed. No other inferences can be made. All measurements are on a wet weight basis unless otherwise indicated by the units of measure. Uncertainty of Measurement for each analyte and the associated Quality Control data for these sample results will be provided upon request.

### CONFIDENTIALITY NOTICE

This document contains confidential information from Pinellas County Utilities Laboratory, and is solely for the use of the individual/organization named in this document. If you are not the intended recipient, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

### CERTIFICATION STATEMENT

An asterisk (\*) appearing next to an analyte indicates certification is not currently held for that test/analyte or that the certified test method has been sufficiently modified to accommodate the customer requirements that it no longer qualifies as certified.

**Please return or destroy this document if you are not the intended recipient and contact immediately:**

Pinellas County Utilities Laboratory  
Contact Person: Terri Grimes  
727-582-2322

*Terri Grimes*

03/26/2019

Terri Grimes  
Laboratory Project Coordinator/QA Manager  
tgrimes@pinellascounty.org

Date



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051701**  
Sample ID: **24-01 19-02**

Date Received: 3/13/2019 13:59  
Date Collected: 3/13/2019 08:34  
Matrix: Surface Water  
Type: Grab

| Parameters                                          | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-----------------------------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                                   |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B                         |         |           |    |      |      |                 |     |            |             |
| Turbidity                                           | 1.8     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D                         |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids                              | 2       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| I - Final dried residue < 2.5 mg as req'd by method |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 10200H                        |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)                           | 4.9     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)                         | 6.1     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                                       | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                                       | 0.8     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                                          | 1.7     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B                         |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand                           | 1.3 I   | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>                                 |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D6503-99                    |         |           |    |      |      |                 |     |            |             |
| Enterococci                                         | 63      | MPN/100mL | 10 | 10   |      | 3/13/2019 14:32 | QAC |            | MIC/2066    |
| <b>Nutrients</b>                                    |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B                   |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen                             | 0.77    | mg/L      | 1  | 0.10 | 0.40 | 3/15/2019 14:50 | AMC |            | NUTR/2117   |
| Analytical Method: EPA 365.1                        |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                                    | 0.26    | mg/L      | 1  | 0.01 | 0.04 | 3/15/2019 11:03 | AMC |            | NUTR/2119   |
| Analytical Method: SM 4500PF                        |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)                      | 0.22    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 13:01 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H                      |         |           |    |      |      |                 |     |            |             |
| Ammonia                                             | 0.06    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:00 | AJH |            | NUTR/2121   |
| Analytical Method: SM 4500NO3F                      |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)                                 | 0.45    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:00 | AJH |            | NUTR/2120   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051702** Date Received: 3/13/2019 13:59 Matrix: Surface Water  
Sample ID: **24-07 19-02** Date Collected: 3/13/2019 09:13 Type: Grab

| Parameters                        | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-----------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                 |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B       |         |           |    |      |      |                 |     |            |             |
| Turbidity                         | 1.2     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D       |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids            | 2       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| Analytical Method: SM 10200H      |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)         | 11.1    | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)       | 13.6    | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                     | 0.7     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                     | 0.8     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                        | 3.6     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B       |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand         | 1.7     | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>               |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B       |         |           |    |      |      |                 |     |            |             |
| E. coli                           | 94      | MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                  |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen           | 0.81    | mg/L      | 1  | 0.10 | 0.40 | 3/15/2019 14:51 | AMC |            | NUTR/2117   |
| Analytical Method: EPA 365.1      |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                  | 0.08    | mg/L      | 1  | 0.01 | 0.04 | 3/15/2019 11:04 | AMC |            | NUTR/2119   |
| Analytical Method: SM 4500PF      |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)    | 0.03    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 13:02 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H    |         |           |    |      |      |                 |     |            |             |
| Ammonia                           | 0.04    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:01 | AJH |            | NUTR/2121   |
| Analytical Method: SM 4500NO3F    |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)               | 0.06    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:01 | AJH |            | NUTR/2120   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051703**  
Sample ID: **35-01 19-02**

Date Received: 3/13/2019 13:59  
Date Collected: 3/13/2019 09:58  
Matrix: Surface Water  
Type: Grab

| Parameters                        | Results Units | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-----------------------------------|---------------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                 |               |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B       |               |    |      |      |                 |     |            |             |
| Turbidity                         | 3.7 NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D       |               |    |      |      |                 |     |            |             |
| Total Suspended Solids            | 5 mg/L        | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| Analytical Method: SM 10200H      |               |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)         | 7.7 mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)       | 10.3 mg/m3    | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                     | 0.5 U mg/m3   | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                     | 0.6 mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                        | 3.9 mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B       |               |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand         | 1.4 l mg/L    | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>               |               |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B       |               |    |      |      |                 |     |            |             |
| E. coli                           | 275 MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                  |               |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B |               |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen           | 0.65 mg/L     | 1  | 0.10 | 0.40 | 3/19/2019 13:34 | AMC |            | NUTR/2131   |
| Analytical Method: EPA 365.1      |               |    |      |      |                 |     |            |             |
| Total Phosphorus                  | 0.05 mg/L     | 1  | 0.01 | 0.04 | 3/21/2019 11:31 | AMC |            | NUTR/2133   |
| Analytical Method: SM 4500PF      |               |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)    | 0.01 U mg/L   | 1  | 0.01 | 0.04 | 3/14/2019 13:03 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H    |               |    |      |      |                 |     |            |             |
| Ammonia                           | 0.01 U mg/L   | 1  | 0.01 | 0.04 | 3/14/2019 12:02 | AJH |            | NUTR/2121   |
| Analytical Method: SM 4500NO3F    |               |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)               | 0.02 l mg/L   | 1  | 0.01 | 0.04 | 3/14/2019 12:02 | AJH |            | NUTR/2120   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051704** Date Received: 3/13/2019 13:59 Matrix: Surface Water  
Sample ID: **35-15 19-02** Date Collected: 3/13/2019 11:05 Type: Grab

| Parameters                                          | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-----------------------------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                                   |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B                         |         |           |    |      |      |                 |     |            |             |
| Turbidity                                           | 2.7     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D                         |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids                              | 7       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| I - Final dried residue < 2.5 mg as req'd by method |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 10200H                        |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)                           | 29.8    | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)                         | 38.2    | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                                       | 2.8     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                                       | 2.6     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                                          | 12.2    | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B                         |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand                           | 4.0     | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>                                 |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B                         |         |           |    |      |      |                 |     |            |             |
| E. coli                                             | 171     | MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                                    |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B                   |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen                             | 0.73    | mg/L      | 1  | 0.10 | 0.40 | 3/19/2019 13:35 | AMC |            | NUTR/2131   |
| Analytical Method: EPA 365.1                        |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                                    | 0.07    | mg/L      | 1  | 0.01 | 0.04 | 3/21/2019 11:32 | AMC |            | NUTR/2133   |
| Analytical Method: SM 4500PF                        |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)                      | 0.01    | U mg/L    | 1  | 0.01 | 0.04 | 3/14/2019 13:04 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H                      |         |           |    |      |      |                 |     |            |             |
| Ammonia                                             | 0.01    | I mg/L    | 1  | 0.01 | 0.04 | 3/14/2019 12:03 | AJH | F          | NUTR/2121   |
| F - Sample filtered to remove excessive debris      |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 4500NO3F                      |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)                                 | 0.01    | I mg/L    | 1  | 0.01 | 0.04 | 3/14/2019 12:03 | AJH | F          | NUTR/2120   |
| F - Sample filtered to remove excessive debris      |         |           |    |      |      |                 |     |            |             |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051705** Date Received: 3/13/2019 13:59 Matrix: Surface Water  
Sample ID: **35-10 19-02** Date Collected: 3/13/2019 11:40 Type: Grab

| Parameters                                          | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-----------------------------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                                   |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B                         |         |           |    |      |      |                 |     |            |             |
| Turbidity                                           | 2.6     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D                         |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids                              | 3       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| I - Final dried residue < 2.5 mg as req'd by method |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 10200H                        |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)                           | 3.9     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)                         | 6       | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                                       | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                                       | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                                          | 3.4     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B                         |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand                           | 1.6 l   | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>                                 |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B                         |         |           |    |      |      |                 |     |            |             |
| E. coli                                             | 387     | MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                                    |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B                   |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen                             | 0.65    | mg/L      | 1  | 0.10 | 0.40 | 3/19/2019 13:36 | AMC |            | NUTR/2131   |
| Analytical Method: EPA 365.1                        |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                                    | 0.08    | mg/L      | 1  | 0.01 | 0.04 | 3/21/2019 11:33 | AMC |            | NUTR/2133   |
| Analytical Method: SM 4500PF                        |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)                      | 0.01 l  | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 13:05 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H                      |         |           |    |      |      |                 |     |            |             |
| Ammonia                                             | 0.12    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:05 | AJH | F          | NUTR/2121   |
| F - Sample filtered to remove excessive debris      |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 4500NO3F                      |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)                                 | 0.20    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:05 | AJH | F          | NUTR/2120   |
| F - Sample filtered to remove excessive debris      |         |           |    |      |      |                 |     |            |             |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051706**  
Sample ID: **35-12 19-02**

Date Received: 3/13/2019 13:59  
Date Collected: 3/13/2019 12:38  
Matrix: Surface Water  
Type: Grab

| Parameters                                     | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|------------------------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                              |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B                    |         |           |    |      |      |                 |     |            |             |
| Turbidity                                      | 2.5     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D                    |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids                         | 8       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| Analytical Method: SM 10200H                   |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)                      | 5.0     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)                    | 6.4     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                                  | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                                  | 0.5     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Pheophytin                                     | 2.1     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B                    |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand                      | 1.5 I   | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>                            |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B                    |         |           |    |      |      |                 |     |            |             |
| E. coli                                        | 977     | MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                               |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B              |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen                        | 0.68    | mg/L      | 1  | 0.10 | 0.40 | 3/19/2019 13:37 | AMC |            | NUTR/2131   |
| Analytical Method: EPA 365.1                   |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                               | 0.08    | mg/L      | 1  | 0.01 | 0.04 | 3/21/2019 11:34 | AMC |            | NUTR/2133   |
| Analytical Method: SM 4500PF                   |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)                 | 0.02 I  | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 13:06 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H                 |         |           |    |      |      |                 |     |            |             |
| Ammonia                                        | 0.13    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:06 | AJH | F          | NUTR/2121   |
| F - Sample filtered to remove excessive debris |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 4500NO3F                 |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)                            | 0.27    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:06 | AJH | F          | NUTR/2120   |
| F - Sample filtered to remove excessive debris |         |           |    |      |      |                 |     |            |             |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.



## ANALYTICAL RESULTS

Workorder: 1900517

Lab ID: **190051707**  
Sample ID: **35-04 19-02**

Date Received: 3/13/2019 13:59  
Date Collected: 3/13/2019 13:15  
Matrix: Surface Water  
Type: Grab

| Parameters                                                                                                  | Results | Units     | DF | LOD  | LOQ  | Analyzed        | By  | Qualifiers | QC Batch ID |
|-------------------------------------------------------------------------------------------------------------|---------|-----------|----|------|------|-----------------|-----|------------|-------------|
| <b>Inorganics</b>                                                                                           |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 2130B                                                                                 |         |           |    |      |      |                 |     |            |             |
| Turbidity                                                                                                   | 1.8     | NTU       | 1  | 0.1  |      | 3/14/2019 14:25 | TMT |            | CHEM/2368   |
| Analytical Method: SM 2540D                                                                                 |         |           |    |      |      |                 |     |            |             |
| Total Suspended Solids                                                                                      | 2       | mg/L      | 1  | 1    |      | 3/14/2019 12:13 | KDP |            | CHEM/2361   |
| Analytical Method: SM 10200H                                                                                |         |           |    |      |      |                 |     |            |             |
| Chlorophyll a (Corrected)                                                                                   | 1.7     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll a (Uncorrected)                                                                                 | 2.4     | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll b                                                                                               | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Chlorophyll c                                                                                               | 0.5 U   | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| The Absolute Difference between the duplicate results is less than or equal to the LOD; data not qualified. |         |           |    |      |      |                 |     |            |             |
| Pheophytin                                                                                                  | 1       | mg/m3     | 1  | 0.5  |      | 3/19/2019 12:42 | KAV |            | CHEM/2365   |
| Analytical Method: SM 5210B                                                                                 |         |           |    |      |      |                 |     |            |             |
| Biochemical Oxygen Demand                                                                                   | 1.2 I   | mg/L      | 1  | 0.5  | 2.0  | 3/14/2019 10:03 | RRM |            | CHEM/2364   |
| <b>Microbiology</b>                                                                                         |         |           |    |      |      |                 |     |            |             |
| Analytical Method: SM 9223B                                                                                 |         |           |    |      |      |                 |     |            |             |
| E. coli                                                                                                     | 690     | MPN/100mL | 2  | 2    |      | 3/13/2019 14:55 | QAC |            | MIC/2064    |
| <b>Nutrients</b>                                                                                            |         |           |    |      |      |                 |     |            |             |
| Analytical Method: ASTM D3590-11B                                                                           |         |           |    |      |      |                 |     |            |             |
| Total Kjeldahl Nitrogen                                                                                     | 0.59    | mg/L      | 1  | 0.10 | 0.40 | 3/19/2019 13:39 | AMC |            | NUTR/2131   |
| Analytical Method: EPA 365.1                                                                                |         |           |    |      |      |                 |     |            |             |
| Total Phosphorus                                                                                            | 0.06    | mg/L      | 1  | 0.01 | 0.04 | 3/21/2019 11:36 | AMC |            | NUTR/2133   |
| Analytical Method: SM 4500PF                                                                                |         |           |    |      |      |                 |     |            |             |
| Orthophosphate as P(Dissolved)                                                                              | 0.02 I  | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 13:07 | ISP |            | NUTR/2123   |
| Analytical Method: SM 4500NH3H                                                                              |         |           |    |      |      |                 |     |            |             |
| Ammonia                                                                                                     | 0.01 I  | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:07 | AJH |            | NUTR/2121   |
| Analytical Method: SM 4500NO3F                                                                              |         |           |    |      |      |                 |     |            |             |
| Nitrate+Nitrite (N)                                                                                         | 0.14    | mg/L      | 1  | 0.01 | 0.04 | 3/14/2019 12:07 | AJH |            | NUTR/2120   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pinellas County Utilities Laboratory.