

April 1, 2019

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1904530 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Thursday, March 14, 2019. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1904530 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1904530001	G2SW0104	Water	3/14/2019 12:00	3/14/2019 14:05

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1904530 SMP

Lab ID: **T1904530001**

Date Received: 03/14/19 14:05 Matrix: Water

Sample ID: **G2SW0104**

Date Collected: 03/14/19 12:00

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	152	1	#/100 mL	4	4	4	3/14/2019 17:58	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1904530 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator 1 - 3/14/19 17:58 - 19:58, Incubator 2 - 3/14/19 19:58 - 3/15/19 16:00

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1904530 SMP

QC Batch:	MICt/3177	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	T1904530001		

METHOD BLANK: 3029844

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

QUALITY CONTROL DATA QUALIFIERS

Workorder: T1904530 SMP

QUALITY CONTROL PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator 1 - 3/14/19 17:58 - 19:58, Incubator 2 - 3/14/19 19:58 - 3/15/19 16:00

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1904530 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1904530001	G2SW0104			EPA 1603	MICt/3177

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.






☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 326

☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216

☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32309

☒ **Tampa:** 9810 Princess Palm Ave. • Tampa, FL 33619

[illegible]