


BENCHMARK

EnviroAnalytical Inc.



NELAC Certification #E84167

ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

Submission Number : 19040052

F D E P/S W D
13051 N Telecom Pkwy.
Tampa, FL 33637

Project Name : RQ-2019-04-01-07

Date Received : 04/02/2019

Time Received : 1303

Peter Wenner

Submission Number: 19040052
Sample Number: 001
Sample Description: G5SW0130

Sample Date: 04/02/2019
Sample Time: 1020
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	1333	#/100 ML	10	10	ENTEROLERT	04/02/2019 14:30	04/03/2019 14:53	KD

Submission Number: 19040052
Sample Number: 002
Sample Description: G5SW0134

Sample Date: 04/02/2019
Sample Time: 1130
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	9208	#/100 ML	10	10	ENTEROLERT	04/02/2019 14:30	04/03/2019 14:53	KD


Submission Number: 19040052
Sample Number: 003
Sample Description: G5SW0146

Sample Date: 04/02/2019
Sample Time: 1210
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	3873	#/100 ML	10	10	SM9223B	04/02/2019 14:47	04/03/2019 16:34	DRD/KD

BENCHMARK

EnviroAnalytical Inc.



NELAC Certification #E84167

Dale D. Dixon / Laboratory Director

04/10/2019

Date

Tülay Tanrisever / Kara Peterson - QC Officers

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.
B = Results based upon colony counts outside the ideal range.
H = Value based on field kit determination. Results may not be accurate.
I = Reported value is between the laboratory MDL and the PQL.
J1 = Estimated value. Surrogate recovery limits exceeded.
J2 = Estimated value. No quality control criteria exists for component.
J3 = Estimated value. Quality control criteria for precision or accuracy not met.
J4 = Estimated value. Sample matrix interference suspected.
J5 = Estimated value. Data questionable due to improper lab or field protocols.
K = Off-scale low. Value is known to be < the value reported.
L = Off-scale high. Value is known to be > the value reported.
N = Presumptive evidence of presence of material.
O = Sampled, but analysis lost or not performed.

NOTES:

MBAS calculated as LAS; molecular weight = 340.
PQL = 4xMDL.
ND = Not detected at or above the adjusted reporting limit.
X = Value exceeds MCL.
G1 = Accuracy standard does not meet method control limits, but does meet lab control limits that are in agreement with USEPA generated data. USEPA letter available upon request.

Q = Sample held beyond accepted hold time.
T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.
U = Analyte analyzed but not detected at the value indicated.
V = Analyte detected in sample and method blank. Results for this analyte in associated samples may be biased high. Standard, Duplicate and Spike values are within control limits. Reported data are usable.
Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.
Z = Too many colonies were present (TNTC). The numeric value represents the filtration volume.
! = Data deviate from historically established concentration ranges.
? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
* = Not reported due to interference.
Oil & Grease - If client does not send sufficient sample quantity for spike evaluation surface water samples are supplied by the laboratory.

COMMENTS:

One dilution performed on each sample.

For questions or comments regarding these results, please contact us at (941) 723-9986.

Results relate only to the samples.

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO # B35040

Project Name: RD-2019-04-01-07

Client Information:	FDEP
Address:	13051 N-TELECOM PKWY TAMPA, FL 33637
Phone #	813-470-5772
Fax #	
Email	judy.ashton@dep.state.fl.us
Laboratory Submission #	19040052

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴ Lab Preserved ☐	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G55W0130 MCKAY CREEK TRAIL OFF HIGHWAY K	SW	4-2-19	1020	1	250ML	P	Plain	ENTERO (Enterolert)	1
G55W0134 PP DITCH #1 @ 71 ST ST.	SW	4-2-19	1130	1	250ML	P	Plain	ENTERO (Enterolert)	2
G55W0146 34 TH STREET BASIN @ 11 TH AVE S.	SW	4-2-19	1210	1	250ML	P	Plain	E. COLI	3

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collected By: JUDY ASHTON, BEN PASWATER	Date 4-2-19	Time	Received By:	Date	Time
2	Relinquished By: JUDY ASHTON	Date 4-2-19	Time	Received By:	Date 04/02/19	Time 1303

Laboratory Sample Acceptability:
pH < 8 Temperature: 4.4°C