

Log-in Checklist

RQ- **2019 - 04 - 08 - 13**

Login Station ID: **#3**

Shipping Method: **FedEx** | UPS | HD | Greyhound

Date/Time of Receipt: _____

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers In Cooler	Evidence Tape				Tracking # Damaged waybills only	
		YES	HNO ₃		Formalin	Present?		*Intact?		
						Yes	No	Yes		No
1.9C				10		X				

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above standard temperature without customer notification/confirmation.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes **X** No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes **X** No _____

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes _____ No **X** If yes, is it intact? Yes _____ No _____

****Caps on tight?** Yes **X** No _____ ****Containers intact?** Yes **X** No _____

****Sufficient Sample Volume:** Yes **X** No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes **X** No _____ Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		X	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes **X** No _____ NA _____ Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes _____ No _____ NA **X** Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **04-08-2019** NCRs (Y/N)? **N**

Event ID: **SW-DIST-2019-04-18-01** NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC 03 2018
pH Paper 0.0 – 3.0 Lot #	220416AEXP:7/30/20
pH Paper 0 – 13 Lot #	21551 EXP:06/01/20
Chlorine Test Strips Lot #	8261 EXP:2021/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection
Central Laboratory Submittal Form

SMP - Run 2

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>4-17-19</u> Time <u>1205</u>		Eastern ☒ Central ☐ Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID/WIN <u>G2SW0080</u>		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>8.53</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		<u>B</u>	
Field		Temp (C) <u>21.6</u>		pH <u>7.37</u>		Sample Depth <u>0.3</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>246.0</u>	
WIN/STORET #		Salinity (ppt) <u>0.13</u>		Comments <u>E. COLI DROPPED OUT @ BENCHMARK</u>					
Site Name: Baker Creek East@Pemberton Dr		☐ dd ☐ dms							
Latitude		Longitude							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern ☐ Central ☐ Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		<u>X</u>	
WIN/STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments <u>E. COLI DROPPED OUT @ BENCHMARK</u>			
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date <u>4-17-19</u> Time <u>1155</u>		Eastern ☒ Central ☐ Composite end Date _____ Time _____		Bottle Group(s)	
Field ID/WIN <u>G2SW0081</u>		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>8.83</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		<u>B</u>	
Field		Temp (C) <u>21.2</u>		pH <u>7.57</u>		Sample Depth <u>0.3</u> ☐ ft ☒ m		Sp. Conductance (umho/cm) <u>243.7</u>	
WIN/STORET #		Salinity (ppt) <u>0.13</u>		Comments <u>E. COLI DROPPED OUT @ BENCHMARK</u>					
Site Name: Baker Creek East@McIntosh Rd		☐ dd ☐ dms							
Latitude		Longitude							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern ☐ Central ☐ Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				<u>APB</u>	<u>4-18-19 / 11:00</u>

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI					
	W-E8321-MS					
Group: C	Bottle Type:	QPCR-P-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-BACR					
	PCR-HF183					
Group: C	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____

Group: A	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
CHLSUITE-W					
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
SWD-AEL-EC SW-BEA-ECQ					
Group: A	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	0
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	0
W-PO4-F					
Group: B	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 2
PCR-FILTER					
Group: B	Bottle Type: P-250ML-WI-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 2
SWD-AEL-EC SW-BEA-ECQ					
Group: B	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	4 2
W-E8321-DI W-E8321-MS					
Group: C	Bottle Type: QPCR-P-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 3
PCR-BACR PCR-HF183					
Group: C	Bottle Type: P-250ML-WI-THI	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 3

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Field Report Prepared By:

Judy Ashton

Collected By:

Judy Ashton, Ben Paswater

Sampling Agency:

FDEP

Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0067	☒ Grab	Date 4-17-19 Time 1130	Central	Date Time	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)
WI				7.06	☐ % sat	
Lat	Site Name: Spartman Branch at Harvey Tew Rd	Temp (C)	pH	Sample Depth	ft	Sp. Conductance (umho/cm)
		21.6	6.46	0.3	m	174.3
	☐ dms	☐ dd	Salinity (ppt)	Comments		
		☐ dms	0.08	E. COLI DROPPED OFF @ BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN	G2SW0049	☒ Grab	Date 4-17-19 Time 12:45	Central	Date Time	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)
WI				8.31	☐ % sat	
Lat	Site Name: Poley Creek @ SR 60	Temp (C)	pH	Sample Depth	ft	Sp. Conductance (umho/cm)
		21.3	7.72	0.1	m	283.4
	☐ dms	☐ dd	Salinity (ppt)	Comments		
		☐ dms	0.13	E. COLI DROPPED OFF @ BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN	G2SW0085	☐ Grab	Date Time	Central	Date Time	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine (mg/L)
WI/S					☐ % sat	
Latitud	Site Name: Pemberton Creek @ Gallagher Rd	Temp (C)	pH	Sample Depth	ft	Sp. Conductance (umho/cm)
					m	
	☐ dms	☐ dd	Salinity (ppt)	Comments		
		☐ dms		* E. COLI ONLY E. COLI DROPPED OFF @ BENCHMARK		
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN	G2SW0026	☒ Grab	Date 4-17-19 Time 1100	Central	Date Time	
Field		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine (mg/L)
WI				8.69	☐ % sat	
Latitu	Site Name: Mustang Ranch Creek @ Hopewell	Temp (C)	pH	Sample Depth	ft	Sp. Conductance (umho/cm)
		21.0	6.59	0.3	m	244.2
	☐ dms	☐ dd	Salinity (ppt)	Comments		
		☐ dms	0.12	E. COLI DROPPED OFF @ BENCHMARK		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
J. Ashton	4-17-19 1700	FEDEX	1	AS	4-18-19 1100

Group: C Bottle Type: P-250ML-WI-THI # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 3 0 3

~~SWD-AEL-EC~~ SW-BEA-ECQ

Group: C Bottle Type: BG-500ML # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab 0 0 3

W-E8321-DI
W-E8321-MS

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

RD-2019-04-08-13
PO # B35040

Client Information:	FDEP
Address:	13051 N. TELECOM PKWY
	TAMPA, FL 33607
Phone #	813-470-5772
Fax #	
Email	judy.askton@dep.state.fl.us
Laboratory Submission #	19040821

Project Name:

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴ Lab Preserved ☐	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G25W0067 SPARTAN RANCH HARVEY TEN	SW	4-17-19	1130	1	250ML	P	ICE	E. COLI	1
G25W0049 POLEY CREEK @ SR 60	SW	4-17-19	1245	1	250ML	P	ICE	E. COLI	2
G25W0085 PEMBERTON CREEK @ GALLAGHER	SW			1	250ML	P	ICE	E. COLI	
G25W0026 MUSTANG RANCH CREEK @ HOPEWELL	SW	4-17-19	1100	1	250ML	P	ICE	E. COLI	3
G25W0080 BAKER CREEK EAST @ PEMBERTON	SW	4-17-19	1205	1	250ML	P	ICE	E. COLI	4
G25W0081 BAKER CREEK EAST @ MCINTOSH	SW	4-17-19	1155	1	250ML	P	ICE	E. COLI	5

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 4°C (41°F).
Under "Preservative," list any preservatives that were added to the sample container.

- Instructions:**
1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be cleaned with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2.0 Temperature: 1.4°C

1	Collected By: Judy Ashton	Date 4-17-19	Time 1245	Received By:	Date	Time
2	Relinquished By: Judy Ashton	Date 4-17-19	Time 1405	Received By:	Date 4/17/19	Time 1407

Date of Request: 06-FEB-2019
 Created By: PASWATER_B On: 06-FEB-2019
 Modified By: JASROTIA_P On: 13-MAR-2019
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: SMP - Run 2

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:

Priority: 3

Event Status: R

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 13-MAR-2019

Biology Request Reviewed By: JASROTIA_P On: 13-MAR-2019

Sampling Kit Required: YES Ship on: 29-MAR-2019

Sampling Kit Shipped: YES On: 22-MAR-2019

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 08-APR-2019

Received By: SHAIK_A On: 18-APR-2019

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: English, Poley, Mustang, Baker E, Pemberton

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 4 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 4	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: QPCR-P-500ML	Number of Bottles: 4	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN 10:TLHA (813) 470-5772
BENJAMIN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE, FL 336370826
UNITED STATES US

SHIP DATE: 22MAR19
ACTWT: 35.00 LB HAN
CNO: 0446970/CNFE3211

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-6077

REF:

REF:

RMA: III IIII




FedEx
TRK# 4751 8778 0581
0221

TUE - 23 APR 10:30A
PRIORITY OVERNIGHT

32399

FL-US
TLH

36 TLHA



FID 521412 17APR19 MCEA 553C/DTS/OCBA