

Shaik, Amzad

From: Ashton, Judy
Sent: Thursday, April 25, 2019 13:47
To: Shaik, Amzad; Paswater, Benjamin
Cc: Watts, John; Ayres, Joshua
Subject: RE: MISS LABELED RQ-2019-04-29-05

The Group Bs taken at 1215 should have been labeled as G4SW0095, Lake Isabell.
Sorry for the bad labels.

Judy Ashton
Environmental Specialist III
Florida Dept. of Environmental Protection
Division of Environmental Assessment & Restoration
Southwest Regional Operating Center
813-470-5772

From: Shaik, Amzad
Sent: Thursday, April 25, 2019 12:46 PM
To: Paswater, Benjamin <Benjamin.Paswater@dep.state.fl.us>; Ashton, Judy <Judy.Ashton@dep.state.fl.us>
Cc: Watts, John <John.Watts@FloridaDEP.gov>; Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>
Subject: MISS LABELED RQ-2019-04-29-05

Group B two analyses sample containers (ALKALINITY, TURBIDITY ----- and W-PO4-F) sample containers miss labeled.
According submittal form Location: Scott Lake @ South Central Field ID:G2SW0060, 04/24/19 @ 10:00
Lake Isabell Center, Field ID:G4SW0095, 04/24/19 @ 12:15.
On the containers labeled as: " Scott Lake @ South Central, Field ID:G2SW0060, 04/24/19 @ 10:00".
Please check the attached file.

Thanks.

Amzad Shaik
FLORIDA DEP LABS
Scientific Support Section
Office: 850-245-8081
Direct: 58081
Amzad.shaik@dep.state.fl.us

SMP: Peace, Scott Lake, Lake Isabelle

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: Ben Paswater

Project ID: SMP

Collected By: Ben Paswater, Judy Ashton

Sampling Agency: SWROC

Location	Field ID/WIN G3SW0042	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 5.45	Temp (C) 26.0	pH 7.53	Sample Depth 0.3	Sp. Conductance (umho/cm) 234.9	Comments E. COLI DROPPED AT BENCHMARK
Field ID	Field ID/WIN G3SW0051	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.24	Temp (C) 24.3	pH 7.51	Sample Depth 0.3	Sp. Conductance (umho/cm) 279.9	Comments E. COLI DROPPED AT BENCHMARK
Field ID	Field ID/WIN G2SW0060	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 14.66	Temp (C) 25.3	pH 9.83	Sample Depth 0.3	Sp. Conductance (umho/cm) 201.7	Comments 0.09
Field ID	Field ID/WIN G4SW0095	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 5.98	Temp (C) 25.2	pH 6.11	Sample Depth 0.3	Sp. Conductance (umho/cm) 181.9	Comments

Relinquished By: Ben Paswater	Date/Time: 4/24/19 5pm	Shipping Method: FedEx	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time: 04-25-19/1025
-------------------------------	------------------------	------------------------	------------------------------	--------------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	PCR-FILTER						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2 to Benchmark
	SWD-AEL-EC						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	W-E8321-DI						
	W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	2
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
	W-SO4-IC-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						

Log-in Checklist

RQ- **2019- 04 -29 - 05**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: **04-25-2019 / 10:25**

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.9C				8		X			
2.9C				14		X			

* HNO3 and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. **An NCR still is required.**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes **X** No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes **X** No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No **X** If yes, is it intact? Yes No

****Caps on tight?** Yes **X** No ****Containers intact?** Yes **X** No

****Sufficient Sample Volume:** Yes **X** No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes **X** No Init: **ABS**

Chlorine detected? (One container checked per Field ID) Yes No **X** Init: **ABS**

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes **X** No NA Init: **ABS**

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA **X** Init: **ABS**

Coolers Unpacked/Checked by: **ABS** **Date:** **04-25-2019** **NCRs (Y/N)?** **N**

Event ID: **SW-DIST-2019-04-25-02** **NCR #**

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC 03 2018
pH Test Strips 0 – 6 Lot #	213316V MAY 15 2019
pH Paper 0 – 13 Lot #	222516 AUG 15 2019
pH Paper 0 – 13 Lot #	
Chlorine Test Strips Lot #	8212 / 2021/05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Group: B Bottle Type: P-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

W-COLOR
W-F
W-TDS
W-TSS

Group: B Bottle Type: BP-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

CHLSUITE-W

Group: B Bottle Type: P-500ML # of Bottles: 2 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 2

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: B Bottle Type: P-125ML # of Bottles: 2 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 2

W-PO4-F
W-SO4-IC-F

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

RQ-2019-04-29-05

PD # B35040

Project Name:

Client Information:	FDER
Address:	13051 N. TELLECHOU PKWY TAMPA, FL 33637
Phone #	813-470-5772
Fax #	
Email	indy.gaston@dep.state.fl.us
Laboratory Submission #	19041164


Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³	Lab Preserved ☐		
G3SW0051 PEACE RIVER @ HABITAGE	SW	4-24-19	1335	1	250	P	ICE	E. COLI	1
G3SW0042 PEACE RIVER @ SL L&D	SW	4-24-19	1410	1	250	P	ICE	E. COLI	2

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saltwater surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 4°C (40°F).
 Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, preservative, container, date, time, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

⁴ The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collected By: Ben Pyswater	Date: 4/24/19	Time: 1540	Received By: 	Date: 04/24/19	Time: 1537
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Laboratory Sample Acceptability:

pH < 2.0 Temperature: 1.6°C

Date of Request: 29-JAN-2019
 Created By: PASWATER_B On: 29-JAN-2019
 Modified By: JASROTIA_P On: 08-APR-2019
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: SMP: Peace, Scott Lake, Lake Isabelle

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 08-APR-2019
 Biology Request Reviewed By: JASROTIA_P On: 08-APR-2019
 Sampling Kit Required: YES Ship on: 19-APR-2019
 Sampling Kit Shipped: YES On: 15-APR-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 29-APR-2019
 Received By: SHAIK_A On: 25-APR-2019

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Peace, Scott Lake, Lake Isabelle

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter Advanced Environmental Laboratory in Tampa
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 385.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-SO4-IC-F	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate, dissolved, in filtered, aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 385.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
W-SO4-IC-F	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate, dissolved, in filtered, aqueous matrices
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

TEMPLE TERRACE, FL 336370926
UNITED STATES US

SHIP DATE: 01APR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TO JOY JACKSON
FLORIDA DEP
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

REF:

THU1
PG1

DEPT:

RMA: 000000



FedEx
Express



RETURNS MON-FRI

THU - 25 APR 10:30A
PRIORITY OVERNIGHT

FedEx


TRK#
0221

4751 8778 3180

36 TLHA

32399

FL-US
TLH



FID 5211412 24APR19 MCFA 553C1/D7E5/8C8A

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

TEMPLE TERRACE, FL 336370926
UNITED STATES US

SHIP DATE: 01APR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TO JOY JACKSON
FLORIDA DEP
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

REF:

THU1
PG1

DEPT:

RMA: 000000



FedEx
Express



RETURNS MON-FRI

PRIORITY OVERNIGHT

THU - 25 APR 10:30A
PRIORITY OVERNIGHT

TRK#
0221 4751 8778 3190

FedEx


TRK#
0221

4751 8778 3190

36 TLHA

32399

FL-US
TLH



FID 5211412 24APR19 MCFA 553C1/D7E5/8C8A