

RQ-2019-06-24-03

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 6-27-19/9:25

Cooler Temperature*	Samples Frozen YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
0.4				14		✓			
1.3				16		✓			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☒ No ☒ **If yes, is it intact?** Yes ☒ No ☐
****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐
****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☒ Init: SR

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☒ Init: SR

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes ☒ No ☐ NA ☐ Init: SR
****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☒ Init: SR
Coolers Unpacked/Checked by: SR **Date:** 6-27-19 **NCRs (Y/N)?** N

Event ID: SMP - Gap Cr, Nonsense, Braden, Rattl
SW-DIST-2019-06-27-01 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018 EXP:4-29-2020
pH Test Strips 0 – 6 Lot #	213316VEXP:05-15-2019
pH Paper 0 – 3 Lot #	220416A EXP:07-30-20
pH Paper 0 – 13 Lot #	222516 EXP:08-15-2019
Chlorine Test Strips Lot #	9080 EXP:01-2022

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒ _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: J Ashton & S Meyer

Sampling Agency: FDEP SW ROC

Location	Field ID/WIN	G2SW0030	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Date	Time	Bottle Group(s)	
Field	WIN/		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		A	
Site Name:	Gap Creek @ 45th St		Temp (C)	pH	Sample Depth	ft m	Sp. Conductance (umho/cm)			
Latitude			Salinity (ppt)	Comments						
			☐ dd ☐ dms	0.36	E. COLI DROPPED OUT 2 BENCHMARK					
Location	Field ID/WIN	G2SW0110	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Date	Time	Bottle Group(s)	
Field ID	WIN/ST		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		A	
Site Name:	Gap Creek at 37th St. East		Temp (C)	pH	Sample Depth	ft m	Sp. Conductance (umho/cm)			
Latitude			Salinity (ppt)	Comments						
			☐ dd ☐ dms	0.34	E. COLI DROPPED OUT 2 BENCHMARK					
Location	Field ID	G2SW0110_DUP	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Date	Time	Bottle Group(s)	
Location:	WIN/STOF	Gap Creek @ 37th St. East	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		A	
WIN ID:			Temp (C)	pH	Sample Depth	ft m	Sp. Conductance (umho/cm)			
Latitude			Salinity (ppt)	Comments						
			☐ dd ☐ dms		E. COLI DROPPED OUT 2 BENCHMARK					
Location	Field ID	FB 06262019	☐ Comp ☒ Grab	Collection (comp begin or grab)	Eastern Central	Composite end	Date	Time	Bottle Group(s)	
Field ID:	WIN/S		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		A	
LOCATION:		Field_Blank	Temp (C)	pH	Sample Depth	ft m	Sp. Conductance (umho/cm)			
Latitude			Salinity (ppt)	Comments						
			☐ dd ☐ dms		E. COLI DROPPED OUT 2 BENCHMARK					

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Sarah Meyer	06/26/2019 1700	FedEx	2	SR	6-27-19 9:25

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SW-BEA-ECQ					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-BACR PCR-HF183					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SW-BEA-ECQ					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____

SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: J Ashton & S Meyer

Sampling Agency: FDEP SW ROC

Location	Field ID/WIN G2SW0044	Matrix (type, e.g., Salt, <u>Fresh</u> , etc)	Diss. Oxygen <u>2.81</u>	Temp (C) <u>29.2</u>	pH <u>6.87</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>583</u>	Salinity (ppt) <u>0.28</u>	Comments <u>E. COLI DROPPED OFF 2 BENCHMARK</u>
Field	WIN	Site Name: Braden River @ Cypress Bend Park							
Lati									
Location	Field ID/WIN G2SW0015	Matrix (type, e.g., Salt, <u>Fresh</u> , etc)	Diss. Oxygen <u>1.06</u>	Temp (C) <u>26.2</u>	pH <u>7.15</u>	Sample Depth <u>0.1</u>	Sp. Conductance (umho/cm) <u>820</u>	Salinity (ppt) <u>0.40</u>	Comments <u>E. COLI DROPPED OFF 2 BENCHMARK</u>
Field	WIN	Site Name: Nonsense @ Tara Preserve							
Lati									
Location	Field ID/WIN G2SW0018	Matrix (type, e.g., Salt, <u>Fresh</u> , etc)	Diss. Oxygen <u>4.82</u>	Temp (C) <u>28.1</u>	pH <u>7.43</u>	Sample Depth <u>0.1</u>	Sp. Conductance (umho/cm) <u>666</u>	Salinity (ppt) <u>0.32</u>	Comments <u>E. COLI DROPPED OFF 2 BENCHMARK</u>
Field ID	WIN/ST	Site Name: Cedar Creek @ Saddlehorn							
Latitude									
Location	Field ID/WIN G2SW0017	Matrix (type, e.g., Salt, <u>Fresh</u> , etc)	Diss. Oxygen <u>No Flow</u>	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	Salinity (ppt)	Comments <u>E. COLI DROPPED OFF 2 BENCHMARK</u>
Field I	WIN/S	Site Name: Rattlesnake Slough @ Linden							
Lati									

Relinquished By: <u>Sarah Meyer</u>	Date/Time <u>06/26/2019</u>	Shipping Method <u>FedEx</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>SR</u>	Date/Time <u>6-27-19/9:25</u>
--	--------------------------------	---------------------------------	--	---------------------------	----------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	SW-BEA-ECQ						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-E8321-DI						
	W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4 3
	PCR-BACR						
	PCR-HF183						
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4 3
	SW-BEA-ECQ						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4 3

4 of 4

Page 3 of 3

Group: B Bottle Type: BG-500ML # of Bottles: 4 Preservative: ICE Enter Number of Bottles Sent to Lab ~~4~~ 3

W-E8321-DI

W-E8321-MS

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B35040

AR-2019-06-24-03

Project Name:

Client Information:	FDEP	
Address:	13051 N. TELECOM PKWY	
	TAMPA, FL 33604	33637
Phone #	813-470-5772	
Fax #		
Email	judy.gaston@dep.state.fl.us, DEP WILKED MICRO	
Laboratory Submission #	14061315	

Sample Name	Sample Type / Sample Matrix	Collection		Container			Preservative ⁴ Lab Preserved ☐	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
625W0044 BRADEN RIVER & CYPRESS CENS MARK	SW	06/26/2019	10 25	1	120ML	P	ICE	E. COLI	1
625W0015 NONSENSE & TARA PRESERVE	"	06/26/2019	10 40	"	"	"	"	E. COLI	2
625W0018 CELANA CREEK & SANDHOLM	"	06/26/2019	11 05	"	"	"	"	E. COLI	3
625W0017 LINDEN RATTLESNAKE SLOUGH & 7 th ST	"			"	"	"	"	E. COLI	4
625W0030 GAP CREEK & 45 th ST.	"	06/26/2019	12 05	"	"	"	"	E. COLI	4
625W0110 GAP CREEK & 37 th ST. E.	"	06/26/2019	11 35	"	"	"	"	E. COLI	5
FB 06262019 FIELD BLANK	"	06/26/2019	11 50	"	"	"	"	E. COLI	6

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 4°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.

- Investigator:
1. Each bottle has a label identifying sample ID, preservative preserved or contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collected By: Sarah Meyer	Date: 06/26/19	Time: 1205	Received By:	Date:	Time:
2	Relinquished By: Sarah Meyer	Date: 06/26/19	Time: 1239	Received By: [Signature]	Date: 6-26-19	Time: 1240

Laboratory Sample Acceptability:
pH < 7 Temperature: 5.8°C

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

Client Information:	
Address:	
Phone #	
Fax #	
Email	
Laboratory Submission #	19061315

Project Name:

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³	Lab Preserved ☐		
GZSWD11D-DUP GAP CREEK @ 37th ST. E.	SW	06/26/2019	11 40	1	120ML	P	ICE	E. COLI	7

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDA/NT), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Under "Preservative," list any preservatives that were added to the sample container.
5. Each bottle has a label identifying sample ID, preservative, and parameters for analysis.
6. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
7. All bottles not containing preservative may be stored with appropriate sample prior to collection.
8. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collected By: <i>Joshua Rippe</i>	Date: 06/26/19	Time: 12:05	Received By:	Date: 06-26-19	Time: 12:40
2	Relinquished By: <i>Joshua Rippe</i>	Date: 06/26/19	Time: 12:39	Received By: <i>[Signature]</i>	Date: 06-26-19	Time: 12:40

Laboratory Sample Acceptability:
pH < 2.0? Temperature: 5.8°C

Date of Request: 30-JAN-2019
 Created By: PASWATER_B On: 30-JAN-2019
 Modified By: WATTS_J On: 06-JUN-2019
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Cedar

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 06-JUN-2019
 Biology Request Reviewed By: JASROTIA_P On: 06-JUN-2019
 Sampling Kit Required: YES Ship on: 14-JUN-2019
 Sampling Kit Shipped: YES On: 12-JUN-2019
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 24-JUN-2019
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP - Gap Cr, Nonsense, Braden, Rattlesnake, Ceda

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L	
TURBIDITY Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)		
W-F Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO ₄ -IC Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: QPCR-P-500ML	Number of Bottles: 3	Preserved With: ICE
PCR-FILTER Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: ICE
SW-BEA-ECQ Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto	
Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
W-E8321-MS Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃ Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO ₂ NO ₃ Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-125ML Number of Bottles: 3 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 4 Samples:

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: QPCR-P-500ML Number of Bottles: 4 Preserved With: ICE
PCR-BACR Template: DEFAULT (SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-HF183 Template: DEFAULT (SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Type: P-250ML-WI-THI Number of Bottles: 4 Preserved With: ICE
SW-BEA-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

FedEx

Do Not Lift Using This Tag

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

SHIP DATE: 19JUN19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TEMPLE TERRACE, FL 336370926
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J1811180605018V

FedEx

TRK#
0221

4751 8780 7890

THU - 27 JUN 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 5211412 26JUN19 MCFA 553C1/D210/0C8A

551C1/D210/104C

Do Not Use This Tag

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

SHIP DATE: 19JUN19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TEMPLE TERRACE, FL 336370926
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

REF:

INU:
PO:

DEPT:

RMA: ||| |||| |||



FedEx
Express



J18111806050100

FedEx

TRK#
0221

4751 8780 7880

THU - 27 JUN 10:30A
PRIORITY OVERNIGHT

TO

36 TLHA

32399
FL-US
TLH



FID 5211412 26JUN19 MCFA 553C1/D210/0C8A

Part # 156148-434 RIT EXP 03/19 **