

Chemical Analysis Report

SW-DIST-2019-09-26-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Seffner Canal HA- SCI Exclusion**

Request ID: **RQ-2019-09-23-56**

Customer: **SW-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 11-OCT-2019 16:33



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SEFFNER CANAL

Collection Date/Time: 09/25/2019 17:00

Field ID: G2SW0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122638	EPA 180.1 Rev. 2.0	Turbidity	6.5		NTU	P371419	
	EPA 300.0 Rev. 2.1	Chloride	28		mg Cl/L	P371977	
		Sulfate	29		mg SO4/L	P371981	
	SM 2120 B	Color (true)	53		PCU	P371413	
	SM 2320 B-97	Total Alkalinity	38		mg CaCO3/L	P371887	
	SM 2540 C-97	TDS	169		mg/L	P371727	
	SM 2540 D-97	TSS	5	I	mg/L	P371564	
	SM 4500 F-C-97	Fluoride	0.30		mg F/L	P371890	
2122639	EPA 350.1 Rev. 2.0	Ammonia-N	0.087		mg N/L	P371868	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.60		mg N/L	P371544	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.5		mg N/L	P371449	
	EPA 365.1 Rev. 2.0	Total-P	0.44		mg P/L	P371555	
	SM 5310 B-00	Organic Carbon	8.0		mg C/L	P371642	
2122640	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.30		mg P/L	P371403	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 365.1 Rev. 2.0: Total-P: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371419

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371977

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371981

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371868

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371544

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371449

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371555

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371403

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P371413

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P371887

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P371727

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P371564

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P371890

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P371642

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371977

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371981

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371868

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371544

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.0		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371449

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371555

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371403

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P371413

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	100		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P371887

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 106

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P371890

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.7		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P371642

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	103		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371977

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122391	Chloride	97.2		P	90 - 110
2122638	Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371981

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122391	Sulfate	97.9		P	90 - 110
2122638	Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371868

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122669	Ammonia-N	94.9	94.9	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371449

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122537	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371403

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122417	O-Phosphate-P	96.2	97.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P371890

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123671	Fluoride	98.4	97.0	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P371642

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122537	Organic Carbon	104	104	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371419

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122479	Turbidity	11.3	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371977

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122391	Chloride	0.348	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371981

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122391	Sulfate	2.40	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371868

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122669	Ammonia-N	0.0630	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371544

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122452	Kjeldahl Nitrogen	2.19	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371449

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122537	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371555

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122890	Total-P	2.45	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371403

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122417	O-Phosphate-P	0.587	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P371413

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122535	Color (true)	2.98	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P371887

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123671	Total Alkalinity	0.0291	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P371727

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122629	TDS	0.331	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P371890

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123671	Fluoride	0.953	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P371642

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122537	Organic Carbon	0.496	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A94535

Included Lab Sample IDs: 2122640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.6	98.6	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A94538

Included Lab Sample IDs: 2122638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	100	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A94539

Included Lab Sample IDs: 2122638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94552

Included Lab Sample IDs: 2122639

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94622

Included Lab Sample IDs: 2122639

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.7	99.6	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A94634

Included Lab Sample IDs: 2122639

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	105	95.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94637

Included Lab Sample IDs: 2122639

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.0	103	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A94686

Included Lab Sample IDs: 2122638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.3	99.9	P/P	90 - 110
Sulfate	100	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94715

Included Lab Sample IDs: 2122639

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	99.9	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A94720

Included Lab Sample IDs: 2122638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A94720

Included Lab Sample IDs: 2122638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				11.3	
EPA 300.0 Rev. 2.1	Chloride	98.8	97.2	97.7	0.348	
	Sulfate	99.7	97.9	103	2.40	
EPA 350.1 Rev. 2.0	Ammonia-N	98.6	94.9	94.9		0.0630
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.0				2.19
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	102	102		0.0
EPA 365.1 Rev. 2.0	Total-P	99.0				2.45
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	96.2	97.0		0.587
SM 2120 B	Color (true)	100			2.98	
SM 2320 B-97	Total Alkalinity	103			0.0291	
SM 2540 C-97	TDS				0.331	
SM 4500 F-C-97	Fluoride	98.7	98.4	97.0		0.953
SM 5310 B-00	Organic Carbon	103	104	104		0.496

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2122638
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2122638
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2122638
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2122639
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2122639
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2122639
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2122639
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2122640
SM 2120 B / E31780	True Color measured at 450 nm	2122638
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2122638
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2122638
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2122638
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2122638
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2122639

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/26/2019			09/26/2019 16:38	Rosalyn Ballman	2122638
EPA 300.0 Rev. 2.1	09/26/2019			10/04/2019 12:51	Julia Storbeck	2122638
EPA 350.1 Rev. 2.0	09/26/2019			10/03/2019 11:51	Ping Hua	2122639
EPA 351.2 Rev. 2.0	09/26/2019	09/30/2019 13:30	Jhamieka S. Greenwood	10/01/2019 14:57	Julia Storbeck	2122639
EPA 353.2 Rev. 2.0	09/26/2019			09/27/2019 11:50	Beverly Y. Sanders	2122639
EPA 365.1 Rev. 2.0	09/26/2019	09/30/2019 14:39	Vijayalakshmi Reddy	10/01/2019 11:11	Lipi Saha	2122639
EPA 365.1 Rev. 2.0 dissolved	09/26/2019			09/26/2019 14:40	Ping Hua	2122640
SM 2120 B	09/26/2019			09/26/2019 15:32	Madeline Funaro	2122638
SM 2320 B-97	09/26/2019			10/03/2019 02:30	Dale L. Simmons	2122638
SM 2540 C-97	09/26/2019			09/27/2019 17:15	Rosalyn Ballman	2122638
SM 2540 D-97	09/26/2019			09/27/2019 17:15	Rosalyn Ballman	2122638
SM 4500 F-C-97	09/26/2019			10/03/2019 02:30	Dale L. Simmons	2122638
SM 5310 B-00	09/26/2019			09/30/2019 20:28	Madeline Funaro	2122639