

Reaves, Shawn D

From: Paswater, Benjamin
Sent: Thursday, October 31, 2019 11:41 AM
To: Reaves, Shawn D
Subject: RE: RQ-2019-10-28-07

Fresh

From: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Sent: Tuesday, October 29, 2019 9:04 AM
To: Paswater, Benjamin <Benjamin.Paswater@dep.state.fl.us>
Subject: RQ-2019-10-28-07
Importance: High

Ben,

Can you please verify the water matrix for this site?

Location		☐ Comp	Collection (cor
Field ID/WIN G2SW0091		☒ Grab	Date 10/2
		Matrix (type, e.g., Salt, Fr	
Site Name: Alafia R. @ Boat Ramp Dock		Temp (C)	pH
		☐ dd	Salinity (ppt)
		☐ dms	Corr

Thanks

Shawn D. Reaves
DEP-Lab Support
Envorinmental Specialist I
Office: 850-245-8082
Direct: 58082
Email: Shawn.Reaves@FloridaDEP.gov

From: [Watts, John](#)
To: [Ayres, Joshua](#); [Reaves, Shawn D](#)
Subject: RE: RQ-2019-10-28-07 | SW-DIST-2019-10-25-01
Date: Monday, October 28, 2019 10:54:33 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)

Expecting you two saw this.

John Watts
FDEP Laboratories
Environmental Administrator
245-8077

From: Paswater, Benjamin <Benjamin.Paswater@dep.state.fl.us>
Sent: Monday, October 28, 2019 7:27 AM
To: Watts, John <John.Watts@FloridaDEP.gov>; Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>
Cc: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Subject: RE: RQ-2019-10-28-07 | SW-DIST-2019-10-25-01

Hi John and Josh,

I messed up the count there on page 2 those numbers were wrong. Based on what Josh said its okay they're all in there. Just needed the: 9 total containers received; 4 PCR and 5 E8321 samples. Sorry for the trouble.

Thanks, Ben

From: Watts, John <John.Watts@FloridaDEP.gov>
Sent: Friday, October 25, 2019 2:23 PM
To: Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>; Paswater, Benjamin <Benjamin.Paswater@dep.state.fl.us>
Cc: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Subject: RE: RQ-2019-10-28-07 | SW-DIST-2019-10-25-01

It did say only 1 cooler was sent, so we appear to have received everything.

Requisition By: 	Date/Time: 10/24/19 4:00 PM	Shipping Method: FEDEX	Number of Coolers Shipped: 1
---	-----------------------------	------------------------	------------------------------

John Watts
FDEP Laboratories
Environmental Administrator
245-8077

From: Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>
Sent: Friday, October 25, 2019 1:55 PM
To: Paswater, Benjamin <Benjamin.Paswater@dep.state.fl.us>
Cc: Watts, John <John.Watts@FloridaDEP.gov>; Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Subject: RQ-2019-10-28-07 | SW-DIST-2019-10-25-01
Importance: High

Ben - Just wanted to let you know that we didn't receive all 7 sites listed on the submittal forms, only 5 sites received.

9 total containers received; 4 PCR and 5 E8321 samples.

Missing: PCR for G2SW0045 and G2SW0045_DUP
Missing: E8321 for G2SW0045_DUP and Field Blank

Group: A	Bottle Type: P-120ML-WC-THI SW-AEL-ECQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 to AEL
Group: A	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: QPCR-P-500ML PCR-BACR PCR-HF183	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-120ML-WC-THI SW-AEL-ECQ	# of Bottles: 10	Preservative: ICE	Enter Number of Bottles Sent to Lab	6 to AEL
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5

SW-AEL- ~~PCR~~ Entero

1 ENT
to AEL



JOSHUA AYRES
Environmental Specialist III
DEP Laboratories
Voice: 850.245.8206
joshua.Ayres@dep.state.fl.us

Login Checklist

RQ- 2019.10.28.07

Login Station ID: #1

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/28/19 0955

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
3-4				A 9		✓			1278 4007 9125

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO3 and Formalin preserved samples do **NOT** have a temperature requirement. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☒

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☒ No ☐ Init: J

Chlorine detected? (One container checked per Field ID) Yes ☐ No ☒ Init: J

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☐ No ☐ NA ☒ Init: J

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: J

Coolers Unpacked/Checked by: [Signature] Date: 10/28/19 NCRs (Y/N)? N

Event ID: SMP - Alafia, Alafia, 30 Mile, and Mc NCR #
SW-DIST-2019-10-25-01 (SMP)

Date Received: 25-OCT-2019 09:55

Samples with Incorrect pH Preservation

Field ID	Bottle TestID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle TestID(s)

Bottles Not Intact

Field ID	Bottle TestID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle TestID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_06_2018 EXP:01/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	N/A
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Request Number: RQ-2019-10-28-07

SMP - Alafia, Alafia, 30 Mile, and McDonalds

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 2

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☒ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 1020	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
F	Field ID/WIN G2SW0093	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.32	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
V	Site Name: McDonald Branch @ Thompson Rd	Temp (C) 23.5	pH 7.59	Sample Depth .08	☐ ft ☒ m	Sp. Conductance (umho/cm) 228.3
L		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 1100	Eastern Central	Composite end Date Time	Bottle Group(s)
Field	Field ID/WIN G2SW0045	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.45	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN	Site Name: Alafia R. @ Center Ave.	Temp (C) 24.9	pH 7.61	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 346.1
Latitu		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 1130	Eastern Central	Composite end Date Time	Bottle Group(s)
	Field ID/WIN G2SW0091	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Site Name: Alafia R. @ Boat Ramp Dock	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 1105	Eastern Central	Composite end Date Time	Bottle Group(s)
	Field ID: G2SW0045_DUP	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Location: Alafia River @ Center Ave	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
	WIN ID: G2SW0045	☐ dd ☐ dms	Salinity (ppt)	Comments DUP		

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Group: A Bottle Type: P-120ML-WC-THI # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 1 to AEL
 SW-AEL-ECQ

Group: A Bottle Type: BG-500ML # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1
 W-E8321-DI
 W-E8321-MS

Group: B Bottle Type: QPCR-P-500ML # of Bottles: 5 Preservative: ICE Enter Number of Bottles Sent to Lab 5
 PCR-BACR
 PCR-HF183

Group: B Bottle Type: P-120ML-WC-THI # of Bottles: 10 Preservative: ICE Enter Number of Bottles Sent to Lab 6 to AEL
 SW-AEL-ECQ

Group: B Bottle Type: BG-500ML # of Bottles: 5 Preservative: ICE Enter Number of Bottles Sent to Lab 5
 W-E8321-DI
 W-E8321-MS

SW-AEL- ~~ECQ~~ Entero

1 ENT
 to AEL

Request Number: RQ-2019-10-28-07

SMP - Alafia, Alafia, 30 Mile, and McDonalds

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 2

last revised Jan 25, 2018

Customer: SW-DIST

Project ID: SMP

Requester: Benjamin Paswater

Field Report Prepared By: BP

Collected By: BP KC FF

Sampling Agency: SWROC

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 1000	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID/WIN G2SW0046	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.39	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: Thirtymile Creek @ Nichols Rd.	Temp (C) 23.2	pH 7.88	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 452.7
☐ dd ☐ dms	Salinity (ppt)	Comments			

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24/19 Time 930	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN G2SW0047	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.11	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: Thirtymile Creek @ Train Tracks Mosiac	Temp (C) 23.0	pH 7.81	Sample Depth 0.9	☐ ft ☒ m	Sp. Conductance (umho/cm) 337.2
☐ dd ☐ dms	Salinity (ppt)	Comments			

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/24 Time 1110	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN BLANK	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: Field Blank	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
☐ dd ☐ dms	Salinity (ppt)	Comments Field Blank			

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: <i>[Signature]</i>	Date/Time: 10/24/19 4am	Shipping Method: Fed Ex	Number of Coolers Shipped: 1	Received By:	Date/Time:
-------------------------------------	-------------------------	-------------------------	------------------------------	--------------	------------

Group: A	Bottle Type: P-120ML-WC-THI SW-AEL-ECQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: A	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: QPCR-P-500ML PCR-BACR PCR-HF183	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
Group: B	Bottle Type: P-120ML-WC-THI SW-AEL-ECQ	# of Bottles: 10	Preservative: ICE	Enter Number of Bottles Sent to Lab	6 to AEL
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 5	Preservative: ICE	Enter Number of Bottles Sent to Lab	5

SW-AEL-ENT

2 to AEL 2



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	E-Coli	Enteroc					LABORATORY I.D. #
Address: 13061 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B5A496										
Phone: 813-470-5770		Project Address:										
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2019- 10-28-07										
Sampled By:		☐ ADaPT ☐ EQuIS ☐ Other										
Turn Around Time: ☒ STANDARD ☐ RUSH												
Page: 1 of 2												

SAMPLE ID	SAMPLE DESCRIPTION	Grab Sample	SAMPLING		MATRIX	NO. COUNT	PRE-SER-VATION					
			DATE	TIME								
Field ID/WIN G2SW0046 	Site Name: Thirtymile Creek @ Nichols Rd.		10/24/19	1000	SW	1						
Field ID/WIN G2SW0047 	Site Name: Thirtymile Creek @ Train Tracks Mosiac		1	930	1	1						
Field ID/WIN G2SW0091 	Site Name: Alafia R. @ Boat Ramp Dock		1130	1	1	1						

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)
 Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

CN: AD-051 Form last revised 04/30/2015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by:	Date: 10/24/19	Time: 12:53	Received by: Dayan Smith	Date: 10/24/19	Time: 12:53
------------------	-----------------------	--------------------	---------------------------------	-----------------------	--------------------

FOR DRINKING WATER USE:

PWS ID: _____



Advanced
Environmental Laboratories, Inc.

☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Tallahassee: 2839 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	ECOL				LABORATORY I.D. #
Address: 13061 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B5A496								
Phone: 813-470-5770		Project Address:								
Contact: Judy Ashton 813-470-5772		Special Instructions:								
Sampled By:		RQ-2019-10-28-07								
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADAPT ☐ EQUIS ☐ Other								
Page: 2 of 2										

SAMPLE ID	SAMPLE DESCRIPTION	Grab Cont	SAMPLING		MATRIX	NO. COUNT	PRE- SER- VATI- ON						
			DATE	TIME									
Field ID/WIN	BLANK		10/24/19	1110	SW	1							
Site Name: Field Blank													
Field ID:	G2SW0045_DUP												
Location: Alafia River @ Center Ave				1105		1							
WIN ID:													
Field ID/WIN	G2SW0045			1100		1							
Site Name: Alafia R. @ Center Ave.													
Field ID/WIN	G2SW0093												
Site Name: McDonald Branch @ Thompson Rd				1020		1							

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = Ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

JCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by: Date: 10/24/19 Time: 12:53 Received by: Date: 10/24/19 Time: 12:53

FOR DRINKING WATER USE: PWS ID: _____

Date of Request: 08-AUG-2019
 Created By: PASWATER_B On: 08-AUG-2019
 Modified By: JASROTIA_P On: 08-OCT-2019
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: SMP - Alafia, Alafia, 30 Mile, and McDonalds

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 08-OCT-2019
 Biology Request Reviewed By: JASROTIA_P On: 08-OCT-2019
 Sampling Kit Required: YES Ship on: 18-OCT-2019
 Sampling Kit Shipped: YES On: 14-OCT-2019
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 28-OCT-2019
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Alafia, Alafia, 30 Mile, and McDonalds

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
SW-AEL-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by AEL in Tampa
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 5 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 5	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: P-120ML-WC-THI	Number of Bottles: 10	Preserved With: ICE
SW-AEL-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by AEL in Tampa
Bottle Type: BG-500ML	Number of Bottles: 5	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.