



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?
Yes / No

WIN Station Name: L8 @ G-541

Date: 09/16/2019
(mm/dd/yyyy)

WIN/ Field ID: G3SE0017

WBID: 3233A

Latitude: 26.724122

County: Palm Beach

ORG ID: 21FLWPB

Longitude: 80.363171
(Decimal Degrees)

Receiving Body of Water: _____

RQ- 2019-09-02-60
(Decimal Degrees)

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
									☐ Sample Container ☐ Carboy ☐ Dipper ☐ Van Dorn ☐ Syringe ☐ Other ☒ Pole	Depth Measured with Equipment ID: <u>YSE</u> <u>Hodo</u>		
									Collection Method			
									☐ Wading ☒ From Shore ☐ Other	☐ Canoe/Kayak ☐ Electric Motor ☐ Gasoline Motor		
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded				Meter ID# <u>Hodo</u>				Matrix: <u>Fresh</u> / Marine / DI				
Photos: Yes ☒ No ☐ Flow: <u>No Flow</u> / Intestinal / Flowing / NA				Tide: Rising/ Falling/ Slack/ NA				Tide Times: High <u> </u> Low <u> </u>				
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)		
EST	1130	1.8	0.3	0.6	2.70	36.1	7.23	0.10	224.0	30.3		
CEN	1129		1.3		2.56	34.1	7.58	0.10	225.1	30.0		
Biological Samples Collected: None <u>HA</u> SCI <u>RPS</u> Algae ID <u>LVS</u> LVI Other: _____												
SBIO ID Numbers: SBIO-ID: _____ HA-ID: _____ RPS-ID: _____ Macrophyte-ID: _____ LIMS#: _____												
Parameter Suite	Parameter Methods				Preservation	Lot#	Expiration	pH Check				
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☐ H2SO4	SA9129100	05/20	☒ <2				
Metals	☒ W-ICPMS ☐ W-ICP				☒ Ice ☒ HNO3	NA9099030	04/20	☒ <2				
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 um Filter				☒ Ice							
Chlorophyll	☒ CHLSUITE-W				☒ Ice							
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice							
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice							
Macroinvertebrates	☐ MI-FW-QLDC				☐ Formalin							
Periphyton	☐ ALGAE-ID				☐ Ice							
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci				☐ Ice							
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD				☐ Ice							
Tracers	☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice							
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA				☐ Ice							
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				☐ Ice							

Notes:

Location: L-8 @ G-541

WIN ID/Field ID: _____



G3SE0017

Signature: _____

Date: 09/16/2019

LIMS EVENT ID: SE-DIST-2019-09-17-02

WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: KT 09/18/19

QC Station ID, Field Parameters in LIMS DMT: _____

Scan/Save Field Sheets KT 09/18/19

Migrate Data to WIN: _____

Verify Data in WIN: _____

(Initials/Date)

(Initials/Date)

(Initials/Date)

(Initials/Date)

Tracker 9/14¹⁷

visit: 80299

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>8050</u>		STORET STATION NUMBER: <u>G3SE0017</u>	DATE (MM/DD/YYYY): <u>09/16/2019</u>	RECEIVING BODY OF WATER:
REMARKS:	COUNTY: <u>Palm beach</u>	LOCATION: <u>L8 @ 6-541</u>	FIELD ID/NAME: <u>63SE0017</u>	


Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components Substrate Diversity <u>4</u>	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock) 20 19 18 17 16	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags) 15 14 13 12 11	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed 10 9 8 7 6	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered 5 <u>4</u> 3 2 1
Substrate Availability <u>1</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 <u>1</u>
Water Velocity <u>1</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 <u>1</u>
Habitat Smothering <u>4</u> ----- Primary Score <u>10</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). <u>10</u> 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 <u>4</u> 3 2 1
Secondary Habitat Components Artificial Channelization <u>1</u>	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks. 20 19 18 17 16	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered. 15 14 13 12 11	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area. 10 9 8 7 6	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks. 5 4 3 2 <u>1</u>
Bank Stability Right Bank <u>7</u> Left Bank <u>7</u>	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. 8 <u>7</u> 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank <u>1</u> Left Bank <u>1</u>	Width of vegetation greater than 18 m 10 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 <u>1</u>
Riparian Zone Vegetation Quality Right Bank <u>1</u> Left Bank <u>1</u> ----- Secondary Score <u>19</u>	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 <u>1</u>

29

TOTAL SCORE

Date: <u>09/16/2019</u>	Analyst: <u>Alex Miranda</u>	Signature: <u>[Signature]</u>
-------------------------	------------------------------	-------------------------------

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: L8 @ G-541

Date: 9/16/2019

Sampler: Alex Miranda

100 m: Latitude _____	Longitude _____
0 m: Latitude _____	Longitude _____
Substrates: Code key, draw proportionate habitat abundance. %	
☐ Snags	_____
☐ Roots/undercut banks	_____
☐ Leaf Packs (or mats)	_____
☐ Aquatic Macrophytes	_____
☒ Rocks	_____
☐ Pools	total # observed = _____ # range expected = _____
Average width _____ m	
Average depth <u>1.8</u> m	
Velocity measured at <u>30</u> meter mark.	
WQ & chemistry taken at _____ meter mark.	
Habitat Smothering: Note areas (on map) where sand or silt is smothering substrates, limiting habitability.	
Bank Stability: <u>+/-</u> Note areas (on map) with unstable, eroding banks.	
Riparian Buffer Width: Note areas (on map) where natural vegetation is altered or eliminated.	

Plants observed / other notes:



DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>L8 @ G541</u>					County: <u>Palm Beach</u>		Date: <u>09/16/19</u>		Investigators: <u>Drew Liddick</u> <u>Alexander Miranda</u>	
Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	STORET Station Number: <u>G3SE0017</u>

0	1			60	1		
	2				2		
	3				3		
	4				4		
	5	N			5	N	
	6				6		
	7				7		
	8				8		
	9				9		
10	1			70	1		
	2				2		
	3				3		
	4				4		
	5	N			5	N	
	6				6		
	7				7		
	8				8		
	9				9		
20	1			80	1		
	2				2		
	3				3		
	4				4		
	5	N			5	N	
	6				6		
	7				7		
	8				8		
	9				9		
30	1			90	1		
	2				2		
	3				3		
	4				4		
	5	N			5	N	
	6				6		
	7				7		
	8				8		
	9				9		
40	1			100	1		
	2				2		
	3				3		
	4				4		
	5	N			5	N	
	6				6		
	7				7		
	8				8		
	9				9		
50	1				1		
	2				2		
	3				3		
	4				4		
	5	N			5		
	6				6		
	7				7		
	8				8		
	9				9		

Secchi depth:	
Estimated?	

# points ranked 4-6	
total points assessed	
% points ranked 4-6	

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	
Habitat Assessment	
SCI/Biorecon	
Water sample	
RQ-	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm



Location:
WIN ID/Field ID:

Record "N" and check "Estimated" for points deep; presumed absent. Check "Estimated" if thickness es. be seen but not reached.
Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.
Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.
Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.


Waterbody: <u>L8 @ G-541</u>	Date: <u>9/16/14</u>	County: <u>Palm Beach</u>	Storet Number: <u>635E0017</u>
Analyst: <u>Alex Miranda; Drew Liddick</u>	Signature: <u>Alex Miranda</u>		
Comments: <u>Heavily Maintained; No veg present</u>			
Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1m ² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.			

HERBACEOUS SPECIES	Meter Mark									Specimen collected (check)		HERBACEOUS SPECIES	Meter Mark									Specimen collected (check)
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90				90-100	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	
Alternanthera philoxeroides												Micranthemum glomeratum										
Bacopa caroliniana												Micranthemum umbrosum										
Bacopa monneri												Myriophyllum aquaticum										
Bidens mitis												Najas guadelupensis										
Boehmeria cylindrica												Nuphar luteum										
Centella asiatica												Orontium aquaticum										
Ceratophyllum demersum												Panicum hemitomon										
Chara												Panicum repens										
Cicuta maculata												Panicum rigidulum										
Cladium jamaicense												Pistia stratioides										
Colocasia esculenta												Polygonum glabra										
Commelina diffusa												Polygonum hydropiperoides										
Commelina virginica												Polygonum punctatum										
Crinum americanum												Pontedaria cordata										
Diodia virginiana												Potamogeton illinoensis										
Eichhornia crassipes												Ruellia simplex										
Eleocharis (wispy viviparous)												Sacciolepis striata										
Hydrilla verticillata												Sagittaria kurziana										
Hydrocotyle												Sagittaria lancifolia										
Hygrophila polysperma												Sagittaria latifolia										
Hymenocallis												Salvinia minima										
Lachnanthes caroliniana												Samolus parviflora										
Landoltia punctata												Saururus cernuus										
Lemna												Sparganium americanum										
Limnophila sessiflora												Typha										
Ludwigia leptocarpa												Vallisneria americana										
Ludwigia palustris												Zizania aquatica										
Ludwigia peruviana																						
Ludwigia repens																						
Luziola fluitans																						
If no Dominant or Co-Dominant were selected, indicate with "X"			</																			


Revision Date: January 2017

Percent Cover Categories for macrophytes in a 10 m segment of a stream 5 m wide


5% Macrophyte Coverage




5% Macrophyte Coverage




10% Macrophyte Coverage




10% Macrophyte Coverage




25% Macrophyte Coverage



25% Macrophyte Coverage



50% Macrophyte Coverage



50% Macrophyte Coverage

