

March 05, 2019



Frances Moore
FDEP - Biology Program
Twin Towers Lab Complex A
2600 Blair Stone RD MS
Tallahassee, FL 32399

RE: Project: SMP-NORTH MIAMI
Pace Project No.: 35448200

Dear Frances Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on February 14, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

The report for 35448200 was revised to correct the sample ID for sample 003.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jeff Baylor
jeff.baylor@pacelabs.com
(386)672-5668
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

South Florida Certification IDs

3610 Park Central Blvd N, Pompano Beach, FL 33064

Florida Certification #: E86240

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Lab ID	Sample ID	Matrix	Date Collected	Date Received
35448200001	G4SE0027	Water	02/14/19 10:45	02/14/19 16:45
35448200002	G4SE0099	Water	02/14/19 11:30	02/14/19 16:45
35448200003	G4SE0119	Water	02/14/19 14:05	02/14/19 16:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35448200001	G4SE0027	Enterolert/Quanti-Tray	RBF	1	PASI-SF
35448200002	G4SE0099	Enterolert/Quanti-Tray	RBF	1	PASI-SF
35448200003	G4SE0119	Enterolert/Quanti-Tray	RBF	1	PASI-SF

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Sample: G4SE0027		Lab ID: 35448200001		Collected: 02/14/19 10:45		Received: 02/14/19 16:45		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Enterolert/Quanti-Tray Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray									
Enterococci	30.1	MPN/100mL	1.0	1.0	1	02/14/19 18:10	02/15/19 18:47		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Sample: G4SE0099		Lab ID: 35448200002		Collected: 02/14/19 11:30		Received: 02/14/19 16:45		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Enterolert/Quanti-Tray Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray									
Enterococci	28.1	MPN/100mL	1.0	1.0	1	02/14/19 18:10	02/15/19 18:47		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Sample: G4SE0119		Lab ID: 35448200003		Collected: 02/14/19 14:05		Received: 02/14/19 16:45		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Enterolert/Quanti-Tray Analytical Method: Enterolert/Quanti-Tray Preparation Method: Enterolert/Quanti-Tray									
Enterococci	>2419.8	MPN/100mL	1.0	1.0	1	02/14/19 18:10	02/15/19 18:47		1p

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

QC Batch: 517886 Analysis Method: Enterolert/Quanti-Tray

QC Batch Method: Enterolert/Quanti-Tray Analysis Description: Enterolert MPN

Associated Lab Samples: 35448200001, 35448200002, 35448200003

METHOD BLANK: 2797181 Matrix: Water

Associated Lab Samples: 35448200001, 35448200002, 35448200003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Enterococci	MPN/100mL	1.0 U	1.0	1.0	02/15/19 18:47	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: SMP-NORTH MIAMI
Pace Project No.: 35448200

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

LABORATORIES

PASI-SF Pace Analytical Services - South Florida

ANALYTE QUALIFIERS

U Compound was analyzed for but not detected.
1p J - All Quanti-Tray wells were positive. Result may be higher than reported. The reported value should be considered a minimum estimate since it is the maximum reportable number for this method based on the sample volume used. The true value would be greater than this number.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: SMP-NORTH MIAMI

Pace Project No.: 35448200

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
35448200001	G4SE0027	Enterolert/Quanti-Tray	517886	Enterolert/Quanti-Tray	517889
35448200002	G4SE0099	Enterolert/Quanti-Tray	517886	Enterolert/Quanti-Tray	517889
35448200003	G4SE0119	Enterolert/Quanti-Tray	517886	Enterolert/Quanti-Tray	517889

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



	Document Name	Document Revised
	Sample Condition Upon Receipt Form	May 30, 2018
	Document No F-FL-C-007 rev 13	Issuing Authority Pace Florida Quality Office

WO#: 35448200

UR)

Project # **PM: JSB**
 Project Manager: **CLIENT: DEPBUR**
 Client: *P*

Due Date: 02/25/19

Date and Initials of person:
 Examining contents: *P 02/14/19*
 Label: *J*
 Deliver: *N/A*
 pH: *N/A*

Thermometer Used: *T-330* Date: *02/14/19* Time: *1645* Initials: *P*

State of Origin: *P* ☐ For WV projects, all containers verified to ≤6 °C

Cooler #1 Temp. °C <i>7.7</i> (Visual) <i>+0.0</i> (Correction Factor) <i>7.7</i> (Actual)	☐ Samples on ice, cooling process has begun
Cooler #2 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)	☐ Samples on ice, cooling process has begun
Cooler #3 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)	☐ Samples on ice, cooling process has begun
Cooler #4 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)	☐ Samples on ice, cooling process has begun
Cooler #5 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)	☐ Samples on ice, cooling process has begun
Cooler #6 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)	☐ Samples on ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace ☐ Other _____

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground ☐ International Priority
☐ Other _____

Billing: ☐ Recipient ☐ Sender ☐ Third Party ☐ Credit Card ☐ Unknown

Tracking # _____

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No Seals intact: ☐ Yes ☐ No Ice: *Wet* Blue Dry None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None ☐ Other _____

Samples shorted to lab (If Yes, complete) Shorted Date: *02/14/19* Shorted Time: *1650* Qty: *3*

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature & Sampler Name COC	☒ Yes ☐ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☒ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☒ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked	☐ Yes ☐ No ☒ N/A	
All Containers needing preservation are found to be in compliance with EPA recommendation	☐ Yes ☐ No ☒ N/A	
Exceptions: VOA, Coliform, TOC, O&G, Carbamates		
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☒ No ☐ N/A	

Client Notification/ Resolution:

Person Contacted: _____ Date/Time: _____

Comments/ Resolution (use back for additional comments):

Project Manager Review: _____ Date: _____