

Biological Analysis Report

SE-DIST-2019-07-30-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP-Greasy**
Request ID: **RQ-2019-07-29-60**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 26-AUG-2019 17:26



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Chlorophyll/Grain Size/BOD.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: North New River @ Hiatus

Collection Date/Time: 07/29/2019 12:45

Field ID: G4SE0114

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106887	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.4	I	ug/L	P368660	
		Phaeophytin-a	0.90	U	ug/L	P368660	
		Chlorophyll-a, Uncorrected	2.5		ug/L	P368660	

Sample Location: C-42 @ Broward

Collection Date/Time: 07/29/2019 13:00

Field ID: G4SE0057

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106885	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.5		ug/L	P368471	
		Phaeophytin-a	0.98	U	ug/L	P368471	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P368471	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Holloway @ Peters

Collection Date/Time: 07/29/2019 13:30

Field ID: G4SE0107

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106886	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.3	I	ug/L	P368471	
		Phaeophytin-a	0.90	U	ug/L	P368471	
		Chlorophyll-a, Uncorrected	2.4		ug/L	P368471	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: North New River Canal (NNR-3)

Collection Date/Time: 07/29/2019 14:30

Field ID: G4SENNR3

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106888	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2	I	ug/L	P368660	
		Phaeophytin-a	0.90	U	ug/L	P368660	
		Chlorophyll-a, Uncorrected	2.3		ug/L	P368660	

Sample Location: North Fork Snake Creek @ Sunshine Reach

Collection Date/Time: 07/29/2019 12:30

Field ID: G4SE0116

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106889	SM 10200 H (mod.)	Chlorophyll-a, Corrected	7.0		ug/L	P368660	
		Phaeophytin-a	0.90	U	ug/L	P368660	
		Chlorophyll-a, Uncorrected	7.5		ug/L	P368660	

Sample Location: Snake Creek Canal (North Fork) @ Stirling

Collection Date/Time: 07/29/2019 12:50

Field ID: G4SE0049

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106890	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.8		ug/L	P368660	

Field ID: G4SE0049

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106890	SM 10200 H (mod.)	Phaeophytin-a	0.95	U	ug/L	P368660	
		Chlorophyll-a, Uncorrected	7.2		ug/L	P368660	

Sample Location: West Lake @ Sheridan

Collection Date/Time: 07/29/2019 13:25

Field ID: G4SE0037

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106891	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.3		ug/L	P368660	
		Phaeophytin-a	0.90	U	ug/L	P368660	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P368660	

Sample Location: North Fork New River @ Sistrunk

Collection Date/Time: 07/29/2019 14:15

Field ID: G4SEB064

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106883	SM 10200 H (mod.)	Chlorophyll-a, Corrected	16		ug/L	P368471	
		Phaeophytin-a	1.6	I	ug/L	P368471	
		Chlorophyll-a, Uncorrected	18		ug/L	P368471	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: New River @ NW 27th

Collection Date/Time: 07/29/2019 14:45

Field ID: G4SE0085

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106884	SM 10200 H (mod.)	Chlorophyll-a, Corrected	22		ug/L	P368471	
		Phaeophytin-a	3.6		ug/L	P368471	
		Chlorophyll-a, Uncorrected	25		ug/L	P368471	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Cypress @ 441 Margate

Collection Date/Time: 07/29/2019 15:20

Field ID: G4SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2106882	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.2		ug/L	P368471	
		Phaeophytin-a	1.5	I	ug/L	P368471	
		Chlorophyll-a, Uncorrected	10		ug/L	P368471	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P368471

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	U	ug/L
Chlorophyll-a, Uncorrected	0.65	U	ug/L
Phaeophytin-a	0.98	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P368660

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P368471

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	88.3		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P368660

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	90.2		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P368471

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2106874	Chlorophyll-a, Corrected	1.60	Sample	P	0 - 25
2106874	Chlorophyll-a, Uncorrected	3.47	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P368660

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2106998	Chlorophyll-a, Corrected	0.340	Sample	P	0 - 25
2106998	Chlorophyll-a, Uncorrected	0.895	Sample	P	0 - 25
2106998	Phaeophytin-a	3.84	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	88.3			1.60	
	Chlorophyll-a, Corrected	90.2			0.340	
	Chlorophyll-a, Uncorrected				3.47	
	Chlorophyll-a, Uncorrected				0.895	
	Phaeophytin-a				3.84	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2106882, 2106883, 2106884, 2106885, 2106886, 2106887, 2106888, 2106889, 2106890, 2106891

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/30/2019	07/30/2019 14:00	Peterson Janvier	08/05/2019 12:14	Yuliya Danyuk	2106882, 2106883, 2106884, 2106885, 2106886
	07/30/2019	07/30/2019 14:00	Peterson Janvier	08/06/2019 10:16	Yuliya Danyuk	2106887, 2106888, 2106889, 2106890, 2106891