

Biological Analysis Report

SE-DIST-2019-09-25-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP-Stuart**
Request ID: **RQ-2019-09-23-55**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Jacqueline Savage, Environmental Administrator

Date Certified: 23-OCT-2019 08:56

A handwritten signature in black ink that reads "Jackie Savage". The signature is written in a cursive, flowing style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Roebuck Creek @ mouth

Collection Date/Time: 09/24/2019 11:30

Field ID: G2SE0005

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122214	Enterolert/QT	Enterococci-Quanti-Tray	23.1	Q	MPN/100 mL	P371841	

Sample Location: Roebuck Creek @ Locks

Collection Date/Time: 09/24/2019 11:50

Field ID: G2SE0029

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122215	Enterolert/QT	Enterococci-Quanti-Tray	1203.3	Q	MPN/100 mL	P371841	

Sample Location: South Fork SLR @ Halpatickee Trail

Collection Date/Time: 09/24/2019 12:00

Field ID: G2SE0015

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122209	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.9		ug/L	P371779	
		Phaeophytin-a	0.90	U	ug/L	P371779	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P371779	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: South Fork SLR @ Gaines Ave

Collection Date/Time: 09/24/2019 12:30

Field ID: G2SE0039

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122208	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.8		ug/L	P371779	
		Phaeophytin-a	0.90	U	ug/L	P371779	
		Chlorophyll-a, Uncorrected	4.3		ug/L	P371779	
2122213	Enterolert/QT	Enterococci-Quanti-Tray	50.2	AQ	MPN/100 mL	P371841	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Warner Creek @ 24th

Collection Date/Time: 09/24/2019 13:00

Field ID: G2SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122212	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.9	I	ug/L	P371840	
		Phaeophytin-a	1.1	U	ug/L	P371840	
		Chlorophyll-a, Uncorrected	3.7		ug/L	P371840	
2122218	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	98.8	Q	MPN/100 mL	P371841	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Danforth Creek @ Martin Hwy

Collection Date/Time: 09/24/2019 14:00

Field ID: G2SE0018

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122210	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.9	A	ug/L	P371840	

Field ID: G2SE0018

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122210	SM 10200 H (mod.)	Phaeophytin-a	1.3	I	ug/L	P371840	
		Chlorophyll-a, Uncorrected	4.8	A	ug/L	P371840	
2122217	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	105.4	Q	MPN/100 mL	P371841	

Ref. Method and Comment:

SM 10200 H (mod.): Laboratory duplicate result is 1.3 I for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: Danforth Creek @ Martin Hwy

Collection Date/Time: 09/24/2019 14:10

Field ID: G2SE0018_DUP

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122211	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7		ug/L	P371840	
		Phaeophytin-a	1.2	I	ug/L	P371840	
		Chlorophyll-a, Uncorrected	4.6		ug/L	P371840	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Bessey Creek @ Murphy

Collection Date/Time: 09/24/2019 14:40

Field ID: G2SE0017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122216	Enterolert/QT	Enterococci-Quanti-Tray	137.6	Q	MPN/100 mL	P371841	

Quality Assurance Report Method Blank Results

Reference Method: Enterolert/QT

Batch ID: P371841

Component	Result	Code	Units
Enterococci-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SM 10200 H (mod.)

Batch ID: P371779

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P371840

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P371841

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SM 9223 Quanti-Tray
Batch ID: P371841

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P371779

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	100		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P371840

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Quality Assurance Report Precision

Reference Method: Enterolert/QT
Batch ID: P371841

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122213	Enterococci-Quanti-Tray	17.7	Sample	P	0 - 80

Reference Method: SM 10200 H (mod.)
Batch ID: P371779

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122050	Chlorophyll-a, Corrected	3.93	Sample	P	0 - 25
2122050	Chlorophyll-a, Uncorrected	3.88	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P371840

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122210	Chlorophyll-a, Corrected	2.96	Sample	P	0 - 25
2122210	Chlorophyll-a, Uncorrected	1.67	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P371841

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122373	Escherichia Coli-Quanti-Tray	51.2	Sample	P	0 - 80

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
Enterolert/QT SM 10200 H (mod.)	Enterococci-Quanti-Tray				17.7	
	Chlorophyll-a, Corrected	100			3.93	
	Chlorophyll-a, Corrected	101			2.96	
	Chlorophyll-a, Uncorrected				3.88	
	Chlorophyll-a, Uncorrected				1.67	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				51.2	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E31780	Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems	2122213, 2122214, 2122215, 2122216
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2122208, 2122209, 2122210, 2122211, 2122212
SM 9223 Quanti-Tray / E31780	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2122217, 2122218

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	09/25/2019	09/25/2019 13:30	Jessica Sherman	09/26/2019 16:31	Jessica Fetgatter	2122213, 2122214, 2122215, 2122216
SM 10200 H (mod.)	09/25/2019	09/25/2019 14:04	Yuliya Danyuk	10/02/2019 09:55	Carina A. Tull	2122208, 2122209
	09/25/2019	09/25/2019 14:04	Yuliya Danyuk	10/03/2019 09:54	Carina A. Tull	2122210, 2122211, 2122212
SM 9223 Quanti-Tray	09/25/2019	09/25/2019 13:53	Jessica Sherman	09/26/2019 10:54	Jessica Fetgatter	2122217, 2122218