



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 1 of 7

Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-01
Client Sample ID: G45E0110
Matrix: Water

Collection Date: 10/24/19 10:30
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
-----------	--------	----	-------	-----	-----	-----	--------	-----------	-------------	---------

Microbiology

E. Coli	126	B	CFU/100 ml	1	1	1	EPA 1603	10/24 13:40	10/25 13:50	KR
---------	-----	---	------------	---	---	---	----------	-------------	-------------	----

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 2 of 7

Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-02
Client Sample ID: G45E0122
Matrix: Water

Collection Date: 10/24/19 10:40
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
E. Coli	143	B	CFU/100 ml	1	1	1	EPA 1603	10/24 13:40	10/25 13:50	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 3 of 7
Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-03
Client Sample ID: G45E0126
Matrix: Water

Collection Date: 10/24/19 11:00
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
E. Coli	84	B	CFU/100 ml	1	1	1	EPA 1603	10/24 13:40	10/25 13:50	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 4 of 7
Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-04
Client Sample ID: G45EB0128
Matrix: Water

Collection Date: 10/24/19 11:10
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
E. Coli	25		CFU/100 ml	1	1	1	EPA 1603	10/24 13:40	10/25 13:50	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 5 of 7
Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-05
Client Sample ID: G45E0121
Matrix: Water

Collection Date: 10/24/19 12:10
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	28		CFU/100 ml	1	1	1	EPA 1600	10/24 13:40	10/25 13:50	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 6 of 7
Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Lab ID: 19J0909-06
Client Sample ID: G45E0113
Matrix: Water

Collection Date: 10/24/19 12:20
Received Date: 10/24/19 13:10
Collected By: Jordan Skaggs

Laboratory Analysis Report

Parameter	Result	QC	Units	Dil	MDL	PQL	Method	Date Ext.	Date Analy.	Analyst
Microbiology										
Enterococci	8		CFU/100 ml	1	1	1	EPA 1600	10/24 13:40	10/25 13:50	KR

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408



Report To:
Jordan Skaggs
DEP Bureau of Labs-Biology Section
2600 Blair Stone Road
Tallahassee FL, 32399

Page 7 of 7
Report Printed: 10/31/2019
Work Order # 19J0909
Project:
RQ-2019-10-14-50 SMP

Broward County

Notes and Definitions

U	Indicated that the compound was analyzed for but not detected. This shall be used to indicate that the specific component was not detected. The value associated with the qualifier shall be the laboratory method detection limit.
B	Results based upon colony counts outside the acceptable range.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the detection limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
V	Indicated that the analyte was detected in both the sample and the associated method blank.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Z	Too many colonies were present for accurate counting.

QC=Qualifier Codes as defined by DEP 62-160

Unless indicated, soil results are reported on actual (wet) weight basis.

Work performed by outside (subcontracted) labs denoted by SUB in Analyst Field.

Results relate only to this sample.

Suresh (Bobby) Supan - CSM

x 

Authorized CSM Signature (954) 978-6400
Florida-Spectrum Environmental Services, Inc.
Certification# E86006

All NELAP certified analysis are performed in accordance with Chapter 64E-1 Florida Administrative code, which has been determined to be equivalent to NELAC standards. Analysis certified by programs other than NELAP are designated with a "~".

Florida-Spectrum Environmental Services, Inc.
1460 W. McNab Road, Fort Lauderdale, FL 33309

Pembroke Laboratory
528 Gooch Rd.
Fort Mead, FL 33841

Big Lake Laboratory
610 Parrot Ave. N.
Okeechobee, FL 34972

Lakeland Laboratory
111 Easton Dr.
Lakeland, FL 33803

Savannah Laboratory
108 Airport Park Dr.
Garden City, GA 31408

SUBMISSION # 1910909				CHAIN OF CUSTODY RECORD				DUE DATE Requested RUSH RESERVATION # <i>Rush Surcharges apply</i>			
Logged into LIMS by: L		☒ 1460 W McNab Road Ft Lauderdale FL 33309 ☐ 1610 N. Parrot Ave. Unit B, Okeechobee, FL 34972 ☐ 108 Airport Park Dr., Garden City, GA 31408 ☐ 528 Gooch Road Fort Meade FL 33841 ☐ 111 E. Easton Dr., Lakeland, FL 33803		Tel: (954) 978-6400 Tel: (863) 763-3336 Tel: (912) 238-5050 Tel: (863) 285-8145 Tel: (863) 686-4271		Fax: (954) 978-2233 Fax: (863) 763-1544 Fax (912) 234-4815 Fax (863) 285-7030 Fax (863) 686-4389					
Report to: dep-overflowmicro@dep.state.fl.us				Report to Address: dep-overflowmicro@dep.state.fl.us							
Invoice to: dep-overflowmicro@dep.state.fl.us				Purchase Order # B524A3		Invoice to Address: dep-overflowmicro@dep.state.fl.us					
Project Name and/or Number RQ-2019-10-14-50 SMP				Site Location: Broward Co.							
Project Mgr: Jordan Skaggs		Phone: 772-579-3039		Fax:				Email: jordan.skaggs@floridaDEP.gov			
Sampler Name: Jordan Skaggs (printed)				Sampler Signature: [Signature]							

ORDER # Lab Control Number Shaded Areas For Laboratory Use Only	Sample ID	Date Sampled	Time Sampled	Matrix DW SW GW SED S EFF HW BIO SA OIL X	Bottle & Press Combo Codes	Number of Containers Received & NELAC Letter Suffixes # A-Z	Analysis Required								Field Tests				
							SE- FSE- EC	SE- FSE- ENT							T E M P -C	P H	C O N D	C H L O R	
1	01	G45E0110	10/24/19	10:30	SW		2	X											
2	02	G45E0122	10/24/19	10:40	SW		2	X											
3	03	G45E0120	10/24/19	11:00	SW		2	X											
4	04	G45EB128	10/24/19	11:10	SW		2	X											
5	05	G45E0121	10/24/19	12:10	SW		2	X	X										
6	06	G45E0113	10/24/19	12:20	SW		2		X										
7																			
8																			
9																			
10																			

Special Comments: "I waive NELAC protocol" (sign here) >				Total		SAMPLE CUSTODY AND TRANSFER SIGNATURES			
						DATE / TIME			
						1 Relinquished by: Jordan Skaggs (FDEP) 10/24/2019			
						1 Received by: [Signature] FBES 10/24/19 1300			
						2 Relinquished by:			
						2 Received by:			
						3 Relinquished by:			
						3 Received by:			

Sample Custody & Field Comments Temp as received 7.2 C Body Seals? Y N Field Time _____ hrs Charges _____		Bottle Type A-liter amber B-Bacteria bag/bottle F-500 ml L-liter bottle S-soil jar T-250 ml V-40 ml vial W-wide mouth X-other		Preservatives A-ascorbic acid C-HCL Cu-CuSO ₄ H-HNO ₃ M-MCAB N-NaOH NH ₄ -NH ₄ CL P-H ₃ PO ₄ S-H ₂ SO ₄ T-Na ₂ S ₂ O ₃ -H ₂ O U-Unpreserved P-H ₃ PO ₄ Z-zinc acetate	
--	--	---	--	---	--