

RQ-2019-10-28-15

Login Checklist

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/29/2019 @ 10:10

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.9°C				14		x			1190 3161 8292
2.3°C				11		X			1190 3161 8281

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☒

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐
 **Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐
 **Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☐ Init: Jyler

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☒ Init: Jyler

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: Jyler

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: Jyler

Coolers Unpacked/Checked by: Jyler Reynolds Date: 10/29/2019

NCRs (Y/N)? N

Event ID: SMP-Stuart
SE-DIST-2019-10-29-02 (SMP)

NCR #

Date Received: 29-OCT-2019 10:10

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018 EXP:04/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	N/A
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: SE-DIST

Project ID: SMP

Requester: Matt Sewell

Field Report Prepared By:

Collected By:


Jordan Skaggs, Drew Liddick

Sampling Agency:

21FLWPB

Location: Five-Mile Creek @ Edwards

WIN ID/Field ID:



G2SE0047

☐ dd Longitude
☐ dms

Latitude

Location: Five-Mile Creek @ Kirby Loop

WIN ID/Field ID:



G2SE0049

☐ dd Longitude
☐ dms

Latitude

Location: Five-mile Creek @ Okeechobee

WIN ID/Field ID:



G2SE0008

☐ dd Longitude
☐ dms

Latitude

Location: Bessey Creek @ Murphy

WIN ID/Field ID:



G2SE0017

☐ dd Longitude
☐ dms

Latitude

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/28/2019 Time 11:50	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 4.30	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 25.9	pH 7.76	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 1146
☐ dd ☐ dms	Salinity (ppt) 0.57	Comments		
☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/28/2019 Time 12:10	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 5.34	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 26.3	pH 7.57	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 1242
☐ dd ☐ dms	Salinity (ppt) 0.62	Comments		
☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/28/2019 Time 12:25	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.53	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 28.0	pH 7.75	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 1363
☐ dd ☐ dms	Salinity (ppt) 0.68	Comments		
☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/28/2019 Time 13:40	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) SALT		Diss. Oxygen 3.15	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 27.3	pH 7.79	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 2015
☐ dd ☐ dms	Salinity (ppt) 1.01	Comments		

Relinquished By: JS/FDEP	Date/Time 10/28/2019 16:15	Shipping Method Fedex	Number of Coolers Shipped: 2	Received By: Jylu R.	Date/Time 10/29/19 @ 10:10
-----------------------------	-------------------------------	--------------------------	---------------------------------	-------------------------	-------------------------------

Group: A	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ENT-24-QT				
Group: A	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
W-E8321-DI W-E8321-MS				
Group: B	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ECOLI-18QT				
Group: C	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ALKALINITY TURBIDITY W-BR-IC W-F W-TSS				
Group: C	Bottle Type: BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
CHLSUITE-W				
Group: C	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ECOLI-18QT				
Group: C	Bottle Type: P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab _____
W-ICP W-ICPMS				
Group: C	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC				
Group: C	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab _____
W-PO4-F				
Group: D	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
ALKALINITY TURBIDITY W-BR-IC				

Florida Department of Environmental Protection Central Laboratory Submittal Form

Customer: SE-DIST

Project ID: SMP

Requester: Matt Sewell

Field Report Prepared By:

Jordan Skaggs

Collected By:

Jordan Skaggs, Drew Liddich

Sampling Agency:

21FLWPB

Location: Danforth Creek @ Martin Hwy

WIN ID/Field ID:



G2SE0018

Latitude

☐ dd

Longitude

☐ dms

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <i>10/28/2019</i> Time <i>14:00</i>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2) <i>B</i>	
Matrix (type, e.g., Salt, Fresh, etc) <i>Fresh</i>		Diss. Oxygen <i>6.64</i>	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Temp (C) <i>27.7</i>	pH <i>7.75</i>	Sample Depth <i>0.1</i>	☐ ft ☒ m		Sp. Conductance (umho/cm) <i>506</i>
Salinity (ppt) <i>0.24</i>					Comments

Location: Warner Creek @ 24th

WIN ID/Field ID:



G2SE0038

Latitude

☐ dd

Longitude

☐ dms

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <i>10/28/2019</i> Time <i>14:25</i>	Eastern Central	Composite end Date Time	Bottle Group(s) <i>D</i>	
Matrix (type, e.g., Salt, Fresh, etc) <i>Fresh</i>		Diss. Oxygen <i>0.95</i>	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Temp (C) <i>30.8</i>	pH <i>7.19</i>	Sample Depth <i>0.1</i>	☐ ft ☒ m		Sp. Conductance (umho/cm) <i>323.9</i>
Salinity (ppt) <i>0.15</i>					Comments

Location: Warner Creek @ 24th

WIN ID/Field ID:



G2SE0038_DUP

Latitude

☐ dd

Longitude

☐ dms

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <i>10/28/2019</i> Time <i>14:30</i>	Eastern Central	Composite end Date Time	Bottle Group(s) <i>C</i>	
Matrix (type, e.g., Salt, Fresh, etc) <i>Fresh</i>		Diss. Oxygen <i>0.95</i>	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Temp (C) <i>30.8</i>	pH <i>7.19</i>	Sample Depth <i>0.1</i>	☐ ft ☒ m		Sp. Conductance (umho/cm) <i>323.9</i>
Salinity (ppt) <i>0.15</i>					Comments

Location

Field ID

WIN/STORET #

Latitude

☐ dd

Longitude

☐ dms

☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
Temp (C)	pH	Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Salinity (ppt)					Comments

Relinquished By:

JS (FDEP)

Date/Time

10/28/2019

Shipping Method

Fedex

Number of Coolers Shipped:

2

Received By:

Jyleu

Date/Time

10/29/19 @ 10:10

Group: A	Bottle Type: P-120ML-WC-THI ENT-24-QT	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: A	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-120ML-WC-THI ECOLI-18QT	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: P-1L ALKALINITY TURBIDITY W-BR-IC W-F W-TSS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: BP-1L CHLSUITE-W	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-120ML-WC-THI ECOLI-18QT	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D	Bottle Type: P-1L ALKALINITY TURBIDITY W-BR-IC	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>

Group: D	Bottle Type: W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: ECOLI-18QT	P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: ECOLI-18QT	P-120ML-WC-THI	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab

Date of Request: 01-OCT-2019
 Created By: SEWELL_M On: 01-OCT-2019
 Modified By: JASROTIA_P On: 11-OCT-2019
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP-Stuart

Send Coolers To:

Phone: (772) 448-5885
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Drew Liddick

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Drew Liddick

Program Module Number:

Priority: 3

Event Status: S

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 11-OCT-2019

Biology Request Reviewed By: JASROTIA_P On: 11-OCT-2019

Sampling Kit Required: YES Ship on: 18-OCT-2019

Sampling Kit Shipped: YES On: 14-OCT-2019

Sampling Kit Packed By: KLUG_K

Preservatives Needed: NO

Date to Receive Samples: 28-OCT-2019

Received By:

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments:**Sampler Comments:**

3211 Bottle Group A: G2SE0017
 3215 Bottle Group B: G2SE0018
 Bottle Group C: DUP
 3194W Bottle Group D: G2SE0038
 3194D Bottle Group E: x3
 **Take DUP @ G2SE0038

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems.
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE

Bottle Group C (Water) With 1 Samples:

Bottle Type: BP-1L CHLSUITE-W	Template: DEFAULT	Number of Bottles: 1 (SM 10200 H (mod.))	Preserved With: ICE Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-WC-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 2 (SM 9223 Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML W-ICP	Template: S-METALS	Number of Bottles: 1 (EPA 200.7 Rev. 4.4)	Preserved With: HNO3 Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron Manganese Zinc W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
Aluminum Antimony Arsenic Cadmium Chromium Copper Lead Nickel Selenium Silver Thallium			
Bottle Type: P-500ML W-NH3	Template: DEFAULT	Number of Bottles: 1 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H2SO4 Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML W-PO4-F	Template: DEFAULT	Number of Bottles: 1 (EPA 365.1 Rev. 2.0)	Preserved With: FILTER-ICE Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L ALKALINITY	Template: DEFAULT	Number of Bottles: 1 (SM 2320 B-97)	Preserved With: ICE Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0)	Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L CHLSUITE-W	Template: DEFAULT	Number of Bottles: 1 (SM 10200 H (mod.))	Preserved With: ICE Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-WC-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 2 (SM 9223 Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML W-ICP	Template: S-METALS	Number of Bottles: 1 (EPA 200.7 Rev. 4.4)	Preserved With: HNO3 Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron Manganese Zinc W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
Aluminum Antimony Arsenic Cadmium Chromium Copper			

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3
W-ICPMS Template: (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Lead
Nickel
Selenium
Silver
Thallium

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group E (Water) With 3 Samples:

Bottle Type: P-120ML-WC-THI Number of Bottles: 6 Preserved With: ICE
ECOLI-18QT Template: DEFAULT (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

