

Biological Analysis Report

SE-DIST-2019-12-13-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP-Kevin Run**
Request ID: **RQ-2019-12-09-10**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 07-JAN-2020 16:05



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: L-63N canal @ SR 70

Collection Date/Time: 12/12/2019 11:00

Field ID: G1SE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144017	SM 10200 H (mod.)	Chlorophyll-a, Corrected	72		ug/L	P376266	
		Phaeophytin-a	12		ug/L	P376266	
		Chlorophyll-a, Uncorrected	81		ug/L	P376266	
2144024	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	13.2	Q	MPN/100 mL	P375954	

Sample Location: Taylor Creek @ 70

Collection Date/Time: 12/12/2019 11:30

Field ID: G1SE0011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144018	SM 10200 H (mod.)	Chlorophyll-a, Corrected	40		ug/L	P376266	
		Phaeophytin-a	12		ug/L	P376266	
		Chlorophyll-a, Uncorrected	48		ug/L	P376266	
2144025	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	727.0	Q	MPN/100 mL	P375954	

Sample Location: Taylor Creek @ 70

Collection Date/Time: 12/12/2019 11:40

Field ID: FB_12122019

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144029	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1.0	UQ	MPN/100 mL	P375954	

Sample Location: Lemkin Creek @ 78

Collection Date/Time: 12/12/2019 12:40

Field ID: G1SE0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144016	SM 10200 H (mod.)	Chlorophyll-a, Corrected	19		ug/L	P376266	
		Phaeophytin-a	5.4		ug/L	P376266	
		Chlorophyll-a, Uncorrected	23		ug/L	P376266	
2144023	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	56.6	AQ	MPN/100 mL	P375954	
2144030	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P375820	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P375820	

Sample Location: Taylor Creek @ 98

Collection Date/Time: 12/12/2019 13:10

Field ID: G1SE0025

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144019	SM 10200 H (mod.)	Chlorophyll-a, Corrected	72	A	ug/L	P376266	
		Phaeophytin-a	17	A	ug/L	P376266	
		Chlorophyll-a, Uncorrected	85	A	ug/L	P376266	
2144026	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1203.3	Q	MPN/100 mL	P375954	

Sample Location: L-63 @ SE 59th Blvd.

Collection Date/Time: 12/12/2019 13:40

Field ID: G1SE0029

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144020	SM 10200 H (mod.)	Chlorophyll-a, Corrected	43		ug/L	P376266	

Field ID: G1SE0029

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144020	SM 10200 H (mod.)	Phaeophytin-a	4.4		ug/L	P376266	
		Chlorophyll-a, Uncorrected	48		ug/L	P376266	
2144027	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	387.3	Q	MPN/100 mL	P375954	

Sample Location: L-63 canal @ SE 86th Blvd.

Collection Date/Time: 12/12/2019 14:05

Field ID: G1SE0022

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2144021	SM 10200 H (mod.)	Chlorophyll-a, Corrected	54		ug/L	P376266	
		Phaeophytin-a	1.8	I	ug/L	P376266	
		Chlorophyll-a, Uncorrected	57		ug/L	P376266	
2144028	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	148.3	Q	MPN/100 mL	P375954	

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P376266

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P375954

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P375820

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4

Batch ID: P375820

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P376266

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	92.3		P	84 - 116

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P375820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	129	73.8	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P375820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	110	81.4	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P375820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2143849	HF183-qPCR	111		P	50 - 175
2143850	HF183-qPCR	103		P	50 - 175
2144030	HF183-qPCR	99.9		P	50 - 175
2144160	HF183-qPCR	88.3		P	50 - 175
2144161	HF183-qPCR	114		P	50 - 175
2144203	HF183-qPCR	126		P	50 - 175
2144204	HF183-qPCR	117		P	50 - 175
2144205	HF183-qPCR	114		P	50 - 175
2144206	HF183-qPCR	114		P	50 - 175
2144308	HF183-qPCR	113		P	50 - 175
2144309	HF183-qPCR	108		P	50 - 175
2144310	HF183-qPCR	133		P	50 - 175
2144311	HF183-qPCR	133	124	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P375820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2143849	BacR-qPCR	81.1		P	50 - 175
2143850	BacR-qPCR	95.2		P	50 - 175
2144030	BacR-qPCR	69.9		P	50 - 175
2144308	BacR-qPCR	95.1		P	50 - 175
2144309	BacR-qPCR	81.7		P	50 - 175
2144310	BacR-qPCR	103		P	50 - 175
2144311	BacR-qPCR	94.7	95.7	P/P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P376266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144019	Chlorophyll-a, Corrected	2.67	Sample	P	0 - 25
2144019	Chlorophyll-a, Uncorrected	1.56	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P376266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144019	Phaeophytin-a	6.35	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
 Batch ID: P375954

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144023	Escherichia Coli-Quanti-Tray	6.19	Sample	P	0 - 80

Reference Method: SOP-PCR-1.0
 Batch ID: P375820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144311	HF183-qPCR	7.21	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P375820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2144311	BacR-qPCR	1.06	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2144030
 Field Sample ID: G1SE0026

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	81.2	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	81.7	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	92.3						2.67	
	Chlorophyll-a, Uncorrected							1.56	
	Phaeophytin-a							6.35	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray							6.19	
SOP-PCR-1.0	HF183-qPCR	73.8	129	111	103	99.9			7.21
SOP-PCR-1.4	BacR-qPCR	81.4	110	88.3					
				81.1	95.2	69.9			1.06
				95.1					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2144016, 2144017, 2144018, 2144019, 2144020, 2144021
SM 9223 Quanti-Tray / E31780	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2144023, 2144024, 2144025, 2144026, 2144027, 2144028, 2144029
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2144030
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2144030

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	12/13/2019	12/13/2019 13:15	Jessica Fetgatter	12/20/2019 09:50	Yuliya Danyuk	2144016, 2144017, 2144018, 2144019, 2144020, 2144021
SM 9223 Quanti-Tray	12/13/2019	12/13/2019 16:51	Anthony Mirabito	12/14/2019 13:30	Jessica Fetgatter	2144023, 2144024, 2144025, 2144026, 2144027, 2144028, 2144029
SOP-PCR-1.0	12/13/2019	12/13/2019 15:30	Angela Smith	12/18/2019 09:46	Lauren Campbell	2144030
SOP-PCR-1.4	12/13/2019	12/13/2019 15:30	Angela Smith	12/18/2019 11:35	Lauren Campbell	2144030