



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Ochlockonee River Upstream of 27 Date: 10/08/2019

WIN/ Field ID: G1WA0090 WBID: 1297E Latitude: 30.5543

County: Gadsden ORG ID: 21FLWQA Longitude: -84.3832

Receiving Body of Water: Lake Talquin RQ: 2019-09-30-58

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Blake Spencer									
Evelyn Becerra									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	

Depth Measured with Equipment ID

Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry / Pooled / Low / Normal / High / Flooded Meter ID# 18J104543 Matrix: Fresh / Marine / DI

Photos: Yes / No Flow: No Flow / Intestinal / Flowing / NA Tide: Rising / Falling / Slack / NA Tide Times: High / Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
EST	1515	0.4	0.3	VOB	8.50	108.2	7.09	0.09	192.7	27.7
CEN										

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / ☒ W-NO2-NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP	☒ Ice ☒ H2SO4	SA9129100	5/09/20	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY / ☐ W-CI-IC / ☐ W-COLOR / ☐ W-SO4-IC / ☐ W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BaCR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-D1 ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-D1 ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes: Nutrients Limited Nutrients AGP

WIN ID / FILED ID → G1WA0090

Location: Ochlockonee River Upstream of 27

Signature: [Signature] Date: 10/8/19

LIMS EVENT ID: WQAP-2019-10-08-06 WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT: 10/9/19 QC Station ID, Field Parameters in LIMS DMT: 1118119

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data in WIN: (Initials/Date)

Streams AGP

Customer: WQAP

Project ID: SPPROJECTS

Requester: Julie K. Espy

Field Report Prepared By:

Collected By:

Sampling Agency: FREP

[illegible]

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	10/8/17 16/6	HA	2		10/8/15 16/10

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: WQAP

Requester: Julie K. Espy

Field Report Prepared By:

Project ID: SPPROJECTS

Collected By:

Sampling Agency:

Location		WIN ID / FILED ID →		G1WA0073		Little River 100 meters upstream of US 90		Latitude		Longitude		dd dms		dd dms		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		pH		Temp (C)		Salinity (ppt)		Comments		Sample Depth		Total Res. Chlorine (mg/L)	
WIN/STORET #		Collection (comp begin or grab)		Date		Time		Eastern Central		Composite end Date		Time		mg/L		% sat	
Latitude		Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)		118.8		A	
Location		WIN ID / FILED ID →		G1WA0091		Double Branch at CR159		Latitude		Longitude		dd dms		dd dms		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		pH		Temp (C)		Salinity (ppt)		Comments		Sample Depth		Total Res. Chlorine (mg/L)	
WIN/STORET #		Collection (comp begin or grab)		Date		Time		Eastern Central		Composite end Date		Time		mg/L		% sat	
Latitude		Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)		89.7		A	
Location		WIN ID / FILED ID →		G1WA0091		Double Branch at CR159		Latitude		Longitude		dd dms		dd dms		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		pH		Temp (C)		Salinity (ppt)		Comments		Sample Depth		Total Res. Chlorine (mg/L)	
WIN/STORET #		Collection (comp begin or grab)		Date		Time		Eastern Central		Composite end Date		Time		mg/L		% sat	
Latitude		Temp (C)		pH		Sample Depth		ft		m		Sp. Conductance (umho/cm)		118.8		A	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
<i>[Signature]</i>	10/18/19 16:16	HA	2	<i>[Signature]</i>	10/18/19 16:16

Group: A	Bottle Type: AA-AGP	OP-500ML	# of Bottles: 18	Preservative:	ICE	Enter Number of Bottles Sent to Lab	12
Group: A	Bottle Type: AA-LIM-NUT	BP-1L	# of Bottles: 18	Preservative:	ICE	Enter Number of Bottles Sent to Lab	12
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 9	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN	P-500ML	# of Bottles: 9	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	6
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 9	Preservative: FILTER-ICE		Enter Number of Bottles Sent to Lab	0

H2SO4
 LOT# SA912B100
 EXP: 05/07/2020

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 18J104543

RQ: 2019-09-30-59

Project: Little River SPP Projects

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	B. Spencer	10/8/19	0734	21.5	755.2	8.77	8.78	99.4	—	1.0623	P / F	L / F
ICV		10/8/19	0737	21.5	755.2	8.77	8.77	99.4	—	—	P / F	L / F
CCV		10/8/19	1643	22.4	754.0	8.62	8.70	100.2	—	—	P / F	L / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	B. Spencer	10/8/19	0740	190618F	06/2020	1000	1000	P / F	L / F
ICV		10/8/19	0744	190618F	06/2020	1000	1000	P / F	L / F
CCV		10/8/19	1647	2909C81	08/2021	100	102.1	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	B. Spencer	10/8/19	0749	190618B	12/2020	7.01	22.1	7.00	-45.3	P / F	L / F
Calibr.		10/8/19	0758	190618A	12/2020	4.00	22.3	4.00	127.3	P / F	L / F
Calibr.		10/8/19	0801	190618C	12/2020	10.03	22.4	10.03	-215.1	P / F	L / F
ICV		10/8/19	0804	190618C	12/2020	10.03	22.4	10.02	-215.1	P / F	L / F
CCV		10/8/19	1549	190618A	12/2020	4.00	22.8	4.13	120.0	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	B. Spencer	10/8/19	0806	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Cooler Packing Worksheet for Request: RQ-2019-09-30-58

Streams AGP

Ship Cooler On: 9/26/2019

Customer/Project: WQAP/SPPROJECTS

Assigned To: SHAIK_A

Requester: Julie K. Espy

Priority: 3

850-245-8416
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Julie Espy

Comments:

No preservatives needed.

Requested Analyses:

Bottle Group: A

of Sites: 9

Container ID: OP-500ML

Qty: 18 Preservation: ICE

Lot # B10Wagkef

Description: Opaque Plastic Bottle 500mL -
Biology AGP Analysis

Analysis

AA-AGP

Description

Potential algal growth determination.

Container ID: BP-1L

Qty: 18 Preservation: ICE

Lot # B10Wagkef

Description: Brown Plastic Bottle 1L

Analysis

AA-LIM-NUT

Description

Nutrient(s) limiting algal growth determination.

Container ID: BP-1L

Qty: 9 Preservation: ICE

Lot # 1259860

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 9 Preservation: ICE And H2SO4

Lot # 00075526

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Container ID: P-125ML

Qty: 9 Preservation: FILTER-ICE

Lot # 00075487

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: APJ

Number of Coolers: 4

Date: _____

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2019-09-30-58