



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Willacoochee Creek at 161

Date: 10/2/19
(mm/dd/yyyy)

WIN/ Field ID: G1WA0087

WBID: 410

Latitude: 30.5882

(Decimal Degrees)

County: GADSDEN

ORG ID: 21FLWQA

Longitude: -84.4957

(Decimal Degrees)

Receiving Body of Water: Lake Talquin

RQ- 2019-09-16-21

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
Curtis Musson									☒ Sample Container	☐ Van Dorn	☐ Pole	
Avril Wood-McGrath									☐ Carboy	☒ Syringe		
									☐ Dipper	☐ Other		
									Depth Measured with <u>seachi cord</u>			
									Equipment ID			
									Collection Method			
									☒ Wading	☐ Canoe/Kayak		
									☐ From Shore	☐ Electric Motor		
									☐ Other	☐ Gasoline Motor		
Water Level: Dry/ Pooled/ <u>Low</u> / Normal / High / Flooded				Meter ID# <u>18T104543</u>				Matrix: <u>Fresh</u> / Marine / DI				
Photos: Yes / <u>No</u>				Flow: No Flow / Intestinal / <u>Flowing</u> / NA				Tide: Rising/ Falling/ Slack/ <u>NA</u>				
Tide Times: High Low												
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)		
EST	16:14	0.3	0.15	VOR	7.57	92.7	7.05	0.03	65.7	25.6		
CEN												
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:												
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:												
Parameter Suite	Parameter Methods			Preservation	Lot#	Expiration	pH Check					
Preserved Nutrients	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP			☒ Ice ☒ H2SO4	<u>9010030</u>	<u>4/10/20</u>	<2					
Metals	☒ W-ICPMS ☒ W-ICP			☒ Ice ☒ HNO3	<u>9189080</u>	<u>7/10/20</u>	<2					
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter			☒ Ice								
Chlorophyll	☒ CHLSUITE-W			☒ Ice								
Physical/Aggregate (Fresh)	☒ Alkalinity / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-CL-IC / ☒ W-COLOR / ☒ W-SO4-IC / ☒ W-TDS			☒ Ice								
Physical/Aggregate (Marine)	☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY			☐ Ice								
Macroinvertebrates	☐ MI-FW-QLDC			☐ Formalin								
Periphyton	☐ ALGAE-ID			☐ Ice								
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci			☒ Ice								
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2			☐ Ice								
	☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD											
Tracers	☐ W-E8321-DI ☐ W-E8321-MS			☐ Ice								
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI			☐ Ice								
	☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA											
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C			☐ Ice								
Notes:				A WIN ID / FILED ID → G1WA0087								
Signature: <u>[Signature]</u>				Location: Willacoochee Creek at 161								
Date: <u>10/3/19</u>												

LIMS EVENT ID: WAS-SECT-2019-10-03-02 WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT: 10/15/19 QC Station ID, Field Parameters in LIMS DMT: Cm 1-2-2020

Scan/Save Field Sheets Cm 1-2-2020 Migrate Data to WIN: Verify Data in WIN:

(Initials/Date) (Initials/Date) (Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 18J104543

RQ- 2019-09-16-20
2019-09-16-21

Project: SMP

- Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Ami Wood-McGuth	10/2	6:38	21.2	757.3	8.880	8.88	99.7	—	—	P/F	L/F
ICV	↓	↓	6:58	22.3	757.3	8.673	8.67	99.7	—	—	P/F	L/F
CCV	↓	↓	17:32	30.0	755.0	7.559	7.61	100.6	—	—	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Ami Wood-McGuth	10/2	6:48	190618F	8/20	1000	1000	P/F	L/F
ICV	↓	↓		2908C81	8/21	100	100.5	P/F	L/F
CCV	↓	↓	17:36	2908C81	8/21	100	101.7	P/F	L/F
CCV			17:37	190618F	8/20	1000	1001	P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Ami Wood-McGuth	10/2	6:52	190618B	12/20	7.02	21.7	7.02	-46.7	P/F	L/F
Calibr.	↓	↓	6:53	190618A	12/20	4.00	21.3	4.00	127.5	P/F	L/F
Calibr.	↓	↓	6:54	190618C	12/20	10.05	21.2	10.02	-213.3	P/F	L/F
ICV	↓	↓	6:56	190618C	12/20	6.05	21.0	10.02	-215.6	P/F	L/F
CCV	↓	↓	17:47	190618A	12/20	4.00	23.0	4.20	114.3	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 $\pm$ 50; mV pH 4 Range +180 $\pm$ 50; mV pH 10 Range -180 $\pm$ 50;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air						P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: WAS-SECT

Requester: Curtis Musson

Field Report Prepared By: Curtis Musson

Project ID: SMP

Collected By: Curtis Musson

Sampling Agency: FDEP

Location		WIN ID / FILED ID →		Collection (comp begin or grab)		Eastern		Composite end		Bottle Group(s)	
Field ID		G2WA0005		Date 10.2.19 Time 8:47		Central		Date		(See pg 2)	
WIN/STORET #		Coon Creek		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine			
Latitude		100 meters upstream of CR 69		Temp (C)		pH		ft Sp. Conductance (umho/cm)		C	
Longitude				Salinity (ppt)		Comments					
dd		dms		dd		dms					
dd		dms									
Location		WIN ID / FILED ID →		Collection (comp begin or grab)		Eastern		Composite end		Bottle Group(s)	
Field ID		G2WA0010		Date 10.2.19 Time 12:47		Central		Date		B	
WIN/STORET #		Big Branch Downstream of Road 5		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine			
Latitude				Temp (C)		pH		ft Sp. Conductance (umho/cm)			
Longitude				Salinity (ppt)		Comments					
dd		dms		dd		dms					
dd		dms									
Location		WIN ID / FILED ID →		Collection (comp begin or grab)		Eastern		Composite end		Bottle Group(s)	
Field ID		G2WA0020		Date 10.2.20 Time 13:56		Central		Date		A	
WIN/STORET #		Wilson Mill Creek Upstream of SR 274		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine			
Latitude				Temp (C)		pH		ft Sp. Conductance (umho/cm)			
Longitude				Salinity (ppt)		Comments					
dd		dms		dd		dms					
dd		dms									
Location		WIN ID / FILED ID →		Collection (comp begin or grab)		Eastern		Composite end		Bottle Group(s)	
Field ID		G1WA0087		Date 10/2/2019 Time 16:14		Central		Date		A	
WIN/STORET #		Willacoochee Creek at 161		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		mg/L Total Res. Chlorine			
Latitude				Temp (C)		pH		ft Sp. Conductance (umho/cm)			
Longitude				Salinity (ppt)		Comments					
dd		dms		dd		dms					
dd		dms									

Relinquished By: <u>AMM</u>	Date/Time: <u>10/31/2019</u>	Shipping Method: <u>40</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>KK</u>	Date/Time: <u>10-3-19/2019</u>
-----------------------------	------------------------------	----------------------------	-------------------------------------	------------------------	--------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WQ-THL	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ECOLI-18QT						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	2
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

Cooler Packing Worksheet for Request: RQ-2019-09-16-21

Group 2

Ship Cooler On: 9/12/2019
Customer/Project: WAS-SECT/SMP

Assigned To: SHAIK_A
Requester: Curtis Musson
Priority: 3

850-245-8453
2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Comments:

Group A: Nutrients, Metals, E. coli x2
WBIDs 1075, 512 Stone & Willson Mill Creeks

Group B: Nutrients E. coli
WBID 1154 Big Branch

Group C: E. coli
WBID 885, Coon Creek

Packing Notes:
No FedEx Labels
No Trash Bags

1 - case of sulfuric acid/2 sets of labels

Requested Analyses:

Bottle Group: A

of Sites: 2

Container ID: P-1L

Qty: 2 Preservation: ICE

Lot # 00074436

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 2 Preservation: ICE

Lot # 1259820

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WO-THI

Qty: 2 Preservation: ICE

Lot # L19123

Description: 250 ml Sterilized no tablet

Analysis

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Container ID: P-500ML

Qty: 2 Preservation: HNO3

Lot # 00075097

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP

W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 2 Preservation: ICE And H2SO4

Lot # 00075097

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 2 Preservation: FILTER-ICE

Lot # 00074800

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 1

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 55074436

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 659820

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WO-THI

Qty: 1 Preservation: ICE

Lot # 619123

Description: 250 ml Sterilized no tablet

Analysis

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Container ID: P-500ML

Qty: 1 Preservation: ICE And H₂SO₄

Lot # 55075097

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH₃

W-NO₂NO₃

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 55074800

Description: Plastic Bottle 125 mL

Analysis

Description

Bottle Group: C**# of Sites: 1**

Container ID: P-250ML-WO-THI

Qty: 1

Preservation: ICE

Lot # 619123

Description: 250 ml Sterilized no tablet

Analysis

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Cooler Packed By: [Signature]Number of Coolers: 1Date: 9-12-19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID	_____	Exp	_____	Lot #	_____
ID	H2SO4	Exp	_____	Lot #	_____
ID	LOT# SA9129100	Exp	_____	Lot #	_____
ID	EXP: 05/09/2020	Exp	_____	Lot #	_____
ID	_____	Exp	_____	Lot #	_____

PLEASE RETURN ALL COOLERS FOR RQ-2019-09-16-21

Date of Request: 19-AUG-2019
 Created By: MUSSON_C On: 19-AUG-2019
 Modified By: JASROTIA_P On: 27-AUG-2019
 Customer: WAS-SECT
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: Group 2

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-AUG-2019
 Biology Request Reviewed By: JASROTIA_P On: 27-AUG-2019
 Sampling Kit Required: YES Ship on: 16-SEP-2019
 Sampling Kit Shipped: YES On: 16-SEP-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: YES
 Date to Receive Samples: 18-SEP-2019
 Received By:

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Nutrients, Metals, E. coli x2
 WBIDs 1075, 512 Stone & Willson Mill Creeks + RPS + LVS

 Group B: Nutrients E. coli
 WBID 1154 Big Branch

 Group C: E. coli
 WBID 885, Coon Creek

 Packing Notes:
 No FedEx Labels
 No Trash Bags

 1 - case of sulfuric acid/2 sets of labels

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY Template: DEFAULT	(SM 2320 B-97)	Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
Turbidity		
W-CL-IC Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
Chloride		
W-COLOR Template: DEFAULT	(SM 2120 B)	True Color measured at 450 nm
Color (true)		
W-F Template: DEFAULT	(SM 4500 F-C-97)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
Sulfate		
W-TDS Template: DEFAULT	(SM 2540 C-97)	Total Dissolved Solids in aqueous matrices
TDS		
W-TSS Template: DEFAULT	(SM 2540 D-97)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L W-TSS	Template: DEFAULT	Number of Bottles: 2 (SM 2540 D-97)	Preserved With: ICE Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS			
Bottle Type: BP-1L CHLSUITE-W	Template: DEFAULT	Number of Bottles: 2 (SM 10200 H (mod.))	Preserved With: ICE Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected			
Chlorophyll-a, Uncorrected			
Phaeophytin-a			
Bottle Type: P-250ML-WO-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 2 (SM 9223 Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Escherichia Coli-Quanti-Tray			
Bottle Type: P-500ML W-ICP	Template:	Number of Bottles: 2 (EPA 200.7 Rev. 4.4)	Preserved With: HNO3 Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium			
Calcium			
Iron			
Magnesium			
Potassium			
Sodium			
Zinc			
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
*Boron			
Aluminum			
Antimony			
Arsenic			
Cadmium			
Chromium			
Copper			
Lead			
Nickel			
Selenium			
Silver			
Thallium			

Bottle Type: P-500ML W-NH3	Template: DEFAULT	Number of Bottles: 2 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H2SO4 Ammonia in aqueous matrices as mg N/L
Ammonia-N			
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N			
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
Total-P			
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen			
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon			

Bottle Type: P-125ML W-PO4-F	Template: DEFAULT	Number of Bottles: 2 (EPA 365.1 Rev. 2.0)	Preserved With: FILTER-ICE Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P			

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML W-NH3	Template: DEFAULT	Number of Bottles: 1 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H2SO4 Ammonia in aqueous matrices as mg N/L
Ammonia-N			
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N			
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
Total-P			
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Escherichia Coli-Quanti-Tray		
Bottle Group C (Water) With 1 Samples:		
Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Escherichia Coli-Quanti-Tray		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.