



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Willapa Creek At 161

Date: 10/09/2019
(mm/dd/yyyy)

WIN ID/ Field ID: G1WA0087

WBID: 410

Latitude: 30.6375

County: Gadsden

ORG ID: 21FLWQA

(Decimal Degrees)

Longitude: -84.5008

(Decimal Degrees)

Receiving Body of Water: Little River

RQ - 2019-10-07-27

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Duplicate Collection	Blank Collection
Curtis Musson		X	X	X	X	X	X	X
Avril Wood-McGrath			X				X	

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☒ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with: <u>Meter 5 ft x 10</u>		
Equipment ID		
Collection Method		
☒ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ <u>Low</u> / Normal/ High/ Flooded	Meter ID# <u>18J104543</u>	Matrix: <u>Fresh</u> / Marine / DI
Photos: Yes / <u>No</u>	Flow: No Flow / Intestinal / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>
Tide Times: High <u>NA</u> Low <u>NA</u>		

Field Sample

(Bracket Sample Time)

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Sp COND (µmhos/cm)	Temp. (C°)
EST	12:44	0.3	0.15	VOB	8.02	94.1	6.89	0.03	67.1	23.3
CEN										

Biological Samples Collected: <u>None</u>	HA	SCI	RPS	Algae ID	LVS	LVI	Other:
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID:	Macrophyte-ID:	LIMS#:		

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	9189080	7/20	☒ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO3	9129100	5/20	☒ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☒ W-E3821-MS ☒ W-E32821-DI	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-MS ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-DI ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Contains: 1:1 HNO3
Lot No.: NA9189080
Expires: 07/08/20
See Safety Data Sheet (SDS)

Contains: 1:1 H2SO4
Lot No.: SA9129100
Expires: 05/09/20
See Safety Data Sheet (SDS)

Contains: 1:1 HNO3
Lot No.: NA9189080
Expires: 07/08/20
See Safety Data Sheet (SDS)

Contains: 1:1 H2SO4
Lot No.: SA9129100
Expires: 05/09/20
See Safety Data Sheet (SDS)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

DSS PD

RQ:

2019-10-07-27

Project:

Smp

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Ami wood-mcath	10/9	7:41	21.0		8.98	8.97	100.3	—	—	P/F	L/F
ICV	↓	↓	7:44	21.1		8.998	8.98	101.1	—	—	P/F	L/F
CCV	↓	↓	15:06	21.7		8.794	8.72	98.7	—	—	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Ami wood-mcath	10/9	7:48	190618B	6/20	1000	1001	P/F	L/F
ICV	↓	10/9	7:51	2908081	8/21	100	98.9	P/F	L/F
CCV	↓	10/9	15:08	190618B	6/20	1000	977	P/F	L/F
CCV	↓	10/9	15:10	2908081	8/21	100	101.0	P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Ami wood-mcath	10/9	7:53	190618B	12/20	7.02	27.2	7.01	-60.0	P/F	L/F
Calibr.	↓	↓	7:55	190618A	12/20	4.00	22.4	4.00	118.4	P/F	L/F
Calibr.	↓	↓	7:57	190618C	12/20	10.05	22.9	9.98	-216.3	P/F	L/F
ICV	↓	↓	8:00	190618C	12/20	10.05	22.4	9.99	-216.5	P/F	L/F
CCV	↓	↓	15:12	190618A	12/20	4.00	22.3	4.12	107.9	P/F	L/F
CCV	↓	↓	15:15	190618C	12/20	10.05	24.0	10.05	-222	P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air						P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Customer: WAS-SECT

Project ID: SMP

Requester: Curtis Musson

Field Report Prepared By:

Collected By:

Curtis Musson, April Wood-Mcgrath

Curtis Mussen

Sampling Agency: FDEP

[illegible]

Relinquished By: Curtis Messon	Date/Time 10-9-2019 2:51	Shipping Method DPO	Number of Coolers Shipped: 3	Received By: 	Date/Time 10/6/19 1454
-----------------------------------	-----------------------------	------------------------	---------------------------------	---	---------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					

Group: A	Bottle Type:	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W.					

Group: A	Bottle Type:	P-250ML-W/O-THI	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ECOLI-18QT					

Group: A	Bottle Type:	BG-500ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI					
	W-E8321-MS					

Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP					
	W-ICPMS					

Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					

Group: A	Bottle Type:	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					

Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					

**Florida Department of Environmental Protection
Central Laboratory Submittal Form**

Customer: WAS-SECT

Requester: Curtis Musson

Field Report Prepared By: Curtis Musson

Project ID: SMP

Collected By: Curtis Musson, April Wood-McGrath

Sampling Agency: FDEP

Location		WIN ID / FILED ID →		G1WA0006		McBride Mid		Longitude		dd dms		Latitude		dd dms		Bottle Group(s)	
Field ID																(See pg 2)	
WIN/STORET #																	
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		91.9		Total Res. Chlorine				Sample Depth		0.3		Sp. Conductance (umho/cm)	
Temp (C)		27.8		pH		7.04										44.2	
Salinity (ppt)		0.02		Comments												A	
Collection (comp begin or grab)		Date 10/9/19		Time 10:16													
Comp Grab		☒															
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		89.0		Total Res. Chlorine				Sample Depth		0.3		Sp. Conductance (umho/cm)	
Temp (C)		27.8		pH		6.60										43.9	
Salinity (ppt)		0.02		Comments												A	
Collection (comp begin or grab)		Date 10/9/19		Time 10:41													
Comp Grab		☒															
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		44.0		Total Res. Chlorine				Sample Depth		0.3		Sp. Conductance (umho/cm)	
Temp (C)		27.4		pH		5.84										45.6	
Salinity (ppt)		0.02		Comments												A	
Collection (comp begin or grab)		Date 10/9/19		Time 13:37													
Comp Grab		☒															
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		94.8		Total Res. Chlorine				Sample Depth		0.2		Sp. Conductance (umho/cm)	
Temp (C)		24.1		pH		6.94										120.6	
Salinity (ppt)		0.06		Comments												A	
Collection (comp begin or grab)		Date 10/9/2019		Time 13:37													
Comp Grab		☒															
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		94.8		Total Res. Chlorine				Sample Depth		0.2		Sp. Conductance (umho/cm)	
Temp (C)		24.1		pH		6.94										120.6	
Salinity (ppt)		0.06		Comments												A	
Collection (comp begin or grab)		Date 10/9/2019		Time 13:37													
Comp Grab		☒															
Matrix (type, e.g., Salt, Fresh, etc)		FRESH		Diss. Oxygen		94.8		Total Res. Chlorine				Sample Depth		0.2		Sp. Conductance (umho/cm)	
Temp (C)		24.1		pH		6.94										120.6	
Salinity (ppt)		0.06		Comments												A	

Relinquished By: Curtis Musson	Date/Time: 10-9-19 2:51	Shipping Method: Drop off	Number of Coolers Shipped: 3	Received By: [Signature]	Date/Time: 10/9/19 14:57
--------------------------------	-------------------------	---------------------------	------------------------------	--------------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WΘ-THI	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ECOLI-18QT					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI					
	W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-IICP					
	W-IICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					

Group: A	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: A	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: A	Bottle Type:	P-250ML-WO-THI	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ECOLI-18QT					
Group: A	Bottle Type:	BG-500ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	W-E8321-DI					
	W-E8321-MS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	HNO3	Enter Number of Bottles Sent to Lab
	W-ICP					
	W-ICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 6	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 6	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					

Group: B	Bottle Type: W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: ECOLI-18QT	P-250ML-WO-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 1	Preservative: HNO3 LOT# N49189280 F-EXP: 07/08/20	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4 H2SO4 LOT# SA9129100 EXP: 05/09/2020	Enter Number of Bottles Sent to Lab
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab

Cooler Packing Worksheet for Request: RQ-2019-10-07-27

Little River, Lake McBride

Ship Cooler On: 10/7/2019

Customer/Project: WAS-SECT/SMP

Assigned To: REYNOLDS_T

Requester: Curtis Musson

Priority: 3

850-245-8453

2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Comments:

No preservatives needed.

Group A: Nutrients, Metals, Tracers, E.coli
647Ex3, 424, 410 & 1 DUP

Group B: Nutrients, Metals, Tracers, E.coli
QC Blank

Notes:

No FedEx Labels

No Trash Bags

Requested Analyses:

Bottle Group: A

of Sites: 6

Container ID: P-1L

Qty: 6

Preservation: ICE

Lot # 00074723

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 6

Preservation: ICE

Lot # 1259820

Description: Brown Plastic Bottle 1L

Analysis

Description

Container ID: P-250ML-WO-THI

Qty: 6 Preservation: ICE

Lot # 6M01-TN

Description: 250 ml Sterilized no tablet

Analysis

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Container ID: BG-500ML

Qty: 6 Preservation: ICE

Lot # 00075246

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-E8321-DI

W-E8321-MS

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Container ID: P-500ML

Qty: 6 Preservation: HNO3

Lot # 00075526

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP

W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 6 Preservation: ICE And H2SO4

Lot # 00075526

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 6 Preservation: FILTER-ICE

Lot # 00074800

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B**# of Sites: 1****Container ID: P-1L****Qty: 1 Preservation: ICE****Lot #** 06674723**Description: Plastic Bottle 1L****Analysis**

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

DescriptionAlkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L**Qty: 1 Preservation: ICE****Lot #** 1259820**Description: Brown Plastic Bottle 1L****Analysis**

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WO-THI**Qty: 1 Preservation: ICE****Lot #** 6M07-TN**Description: 250 ml Sterilized no tablet****Analysis**

ECOLI-18QT

Description

Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Container ID: BG-500ML**Qty: 1 Preservation: ICE****Lot #** 08075246**Description: Brown Glass Bottle 500ML**

Affix BLUE dot to container.

Analysis

W-E8321-DI

W-E8321-MS

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Container ID: P-500ML**Qty: 1 Preservation: HNO₃****Lot #** 08075526**Description: Plastic Bottle 500 mL**

Affix RED nitric acid dot to container.

Analysis**Description**

W-ICP

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

W-ICPMS

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 1 Preservation: ICE And H2SO4

Lot # 00075526

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 00074800

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: Tyler

Number of Coolers: 3

Date: 10/07/19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2019-10-07-27