



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Lower Dianne Lake Middle

Date: 07/10/2019

WIN ID/ Field ID: G1WA0040

WBID: 546A

Latitude: 30.59355

(mm/dd/yyyy)

County: Leon

ORG ID: 21FLWQA

(Decimal Degrees)

Longitude: -84.23534

(Decimal Degrees)

Receiving Body of Water: Lake Iamonia

RQ - 2019-07-08-19

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Duplicate Collection	Blank Collection
Blake Spencer			X		X	X		
Will Lasley		X		X				

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with: <u>VSI ProASS</u>		
Equipment ID: _____		

Collection Method	
☐ Wading	☒ Canoe/Kayak
☐ From Shore	☒ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low/ <u>Normal</u> / High/ Flooded	Meter ID# <u>ProASS 18Y104543</u>	Matrix: <u>Fresh</u> Marine / DI
Photos: Yes / <u>No</u>	Flow: No Flow / Intestinal / Flowing / <u>NA</u>	Tide: Rising/ Falling/ Slack/ <u>NA</u>
Tide Times: High <u>NA</u> Low <u>NA</u>		

Field Sample

(Bracket Sample Time)

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Sp COND (umhos/cm)	Temp. (C°)
EST	1055	3.4	0.3	1.7	8.31	112.1	7.0	0.04	89.5	31.1
CEN	1057		2.9		3.42	45.7	6.8	0.04	90.0	30.5

Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:							
SBIO ID Numbers: SBIO-ID: _____ HA-ID: _____ RPS-ID: _____ Macrophyte-ID: _____ LIMS#: _____							
Parameter Suite	Parameter Methods			Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP			☒ Ice ☒ H2SO4	<u>SA8344070</u>	<u>12/10/19</u>	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP			☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter			☒ Ice			
Chlorophyll	☒ CHLSUITE-W			☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-CI-IC / ☒ W-COLOR / ☒ W-SO4-IC / ☒ W-TDS			☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY			☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC			☐ Formalin			
Periphyton	☐ ALGAE-ID			☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci			☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD			☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E32821-DI			☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-MS ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-DI ☐ W-CARB-AA			☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C			☐ Ice			

Contains: 1.1 H2SO4
Lot No. SA8344070
Expires 12/10/19
See Safety Data Sheet (SDS)

Contains: 1.1 H2SO4
Lot No. SA8344070
Expires 12/10/19
See Safety Data Sheet (SDS)

Place Preservation
(If Applicable)

Duplicate

Time Zone: EST CEN

Time: 1210 ✓

Location

WIN ID G1WA0004

Lake Arrowhead at boat dock
at Turtle Crk Ln near outlet

Field ID G1WA0004 DUP

WIN DMT Activity ID:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH ₃ / ☒ W-NO ₂ NO ₃ / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP	☒ Ice ☒ H ₂ SO ₄	SAB344070	12/10/19	☒ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☒ CHL SUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E-3821-MS ☐ W-CARB-AA	☐ Ice			

Field ID G1WA0004_DUP

Contains: 1:1 H2SO4
Lot No.: SAB344070
Expires: 12/10/19
See Safety Data Sheet (SDS)

Place Preservation (if A...)

NORTHWEST SCIENTIFIC
220 NORTH MAIN STREET
LAKE WAUWATOSA, WI 53126
TEL: 414-661-8611 FAX: 414-661-8617
CORRELATION: 1:1 H2SO4
7703-18-6
7703-18-4
This product is highly corrosive. Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid breathing dust or fumes. Use only outdoors or in a well-ventilated area. Wear appropriate protective clothing. Wash thoroughly after handling. Use only reducers or bleaches compatible with this product. Do not mix with other chemicals. Do not store in food containers. Do not eat, drink, or smoke while using. Do not get on face or neck. Do not get in eyes. If you get it in your eyes, wash them immediately with plenty of water for at least 15 minutes. If you get it on your skin, wash it off immediately with plenty of water. If you breathe the fumes, move to fresh air immediately. If you are pregnant or nursing, consult your doctor before using. Keep away from children. Store in a cool, dry place. Dispose of according to local regulations.

Blank

Time Zone: EST CEN

Time: 1225

Field ID:

Location

Lake Arrowhead at boat dock
at Turtle Crk Ln near outlet

DI Source: Lab Building C

Location:

FILED ID

FB_07102019

WIN DMT Blank Batch ID:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH ₃ / ☒ W-NO ₂ /NO ₃ / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP	☒ Ice ☒ H ₂ SO ₄	SA8344070	12/10/19	# < 2
Metals	☐ W-ICPMS ☐ W-ICP Field Filtered 0.45 µm Filter	☐ Ice ☐ HNO ₃			
Filtered Nutrients	☒ W-PO ₄ -F ☒	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-C-IC / ☒ W-COLOR / ☒ W-SO ₄ -IC / ☒ W-TDS	☒ Ice			
<i>Chlorophyll</i>	☒ Alkalinity / W-F / W-TSS / TURBIDITY CHLSUITE-W	☒ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-MS ☐ W-CARB-AA	☐ Ice			
Microbiology	☐ E.coli ☐ F. Coliform ☐ Enterococi	☐ Other			
Notes:					

CONTAINS: 1:1 H2SO4
Lot No.: SA8344070
Expires: 12/10/19
See Safety Data Sheet (SDS)

SULFURIC ACID <51%
GHS05
Signal Word: DANGER
Hazard Statements:
H272 May cause skin burns.
H302 Harmful if swallowed.
Precautionary Statements:
P273 Avoid release into the environment.
P501 Dispose of contents and container according to local regulations.

Notes:

Nutrients

WIN ID /
FILED ID ➔

G1WA0004

Location **Lake Arrowhead at boat dock**
at Turtle Crk Ln near outlet

Date:

Signature:

LIMS EVENT ID: WAS-SECT-2019-07-10-01

WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: 7/19/19
Scan/Save Field Sheets: _____ (Initials/Date)

QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data In WIN:

(Initials/Date)

(Initials/Date)

(Initials/Date)

Page 1 of 3
last revised Jan 25, 2018

Blake Spencer
END

Relinquished By: <i>[Signature]</i>	Date/Time 7/10/19 1402	Shipping Method <i>Hand Delivered</i>	Number of Coolers Shipped: 2	Received By: <i>[Signature]</i>	Date/Time 7/10/19 1713
-------------------------------------	---------------------------	--	---------------------------------	---------------------------------	---------------------------

Relinquished By: <i>[Signature]</i>	Date/Time 7/10/19 1402	Shipping Method <i>Hand Delivered</i>	Number of Coolers Shipped: 2	Received By: <i>[Signature]</i>	Date/Time 7/10/19 1713
-------------------------------------	---------------------------	--	---------------------------------	---------------------------------	---------------------------

Page 1 of 3
last revised Jan 25, 2018

Sampling Agency: FAEP

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
<i>Billie</i>	7/16/19 1402	Hand Delivered	2	<i>SK</i>	7-10-19 / 2:02

Group: A	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 5	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	5
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 5	Preservative: FILTER-ICE		Enter Number of Bottles Sent to Lab	5
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative: ICE		Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative: ICE		Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						

Group: B	Bottle Type: W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Pro DSS 195104542

RQ: 2019-07-08

Project: SMP

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	7/10/19	0719	20.9	755.6	8.9	8.88	99.5	—	—	P / F	L / F
ICV	Blake Spencer	7/10/19	0720	21.0	755.7	8.9	8.70	100.0	—	—	P / F	L / F
CCV	Blake Spencer	7/10/19	1341	26.3	78.1	8.01	8.28	102.7	—	—	P / F	L / F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	7/10/19	0724	190618F	06/2020	1000	1000	P / F	L / F
ICV	Blake Spencer	7/10/19	0725	190618F	06/2020	1000	998	P / F	L / F
CCV	Blake Spencer	7/10/19	1345	2808884	7/2020	100	101.5	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	7/10/19	0728	180621F	01/2020	7.01	22.2	7.01	-39.9	P / F	L / F
Calibr.	Blake Spencer	7/10/19	0730	190405B	10/2020	4.00	22.1	4.00	146.6	P / F	L / F
Calibr.	Blake Spencer	7/10/19	0733	180621F	01/2020	10.03	22.2	10.03	106.6	P / F	L / F
ICV	Blake Spencer	7/10/19	0735	180621F	01/2020	10.03	22.2	10.03	199.2	P / F	L / F
CCV	Blake Spencer	7/10/19	1450	190405B	10/2020	4.00	23.6	4.05	143.5	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	Blake Spencer	7/10/19	0737	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Cooler Packing Worksheet for Request: RQ-2019-07-08-19

Tallahassee Lakes

Ship Cooler On: 7/5/2019

Customer/Project: WAS-SECT/SMP

Assigned To: REYNOLDS_T

Requester: Curtis Musson

Priority: 3

850-245-8453
2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Comments:

No preservatives needed.

Group A: Nutrients x5

WBIDs: 546A, 546B, 564A, 564B, 647A

Group B: Nutrient QC Blank

Group C: Nutrient QC DUP

Packing Notes:

No FedEx Labels

No Trash Bags

Requested Analyses:

Bottle Group: A

of Sites: 5

Container ID: P-1L

Qty: 5 Preservation: ICE

Lot # 00073852

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 5 Preservation: ICE

Lot # 1248230

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 5 Preservation: ICE And H2SO4

Lot # 00073854

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 5 Preservation: FILTER-ICE

Lot # 00073850

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 1

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00073852

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 1248230

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 1 Preservation: ICE And H2SO4

Lot # 00073854

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 00073850

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: C

of Sites: 1

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00073852

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 1248230

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Description: Plastic Bottle 500 mL

Qty: 1 Preservation: ICE And H2SO4

Lot # 00073854

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Description: Plastic Bottle 125 mL

Qty: 1 Preservation: FILTER-ICE

Lot # 00073850

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: Tyler Reynolds

Number of Coolers: 2

Date: 07/01/19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2019-07-08-19