

Log-in Checklist

RQ- **2019 - 08 - 19 - 27**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: **09-16-2019 / 12:42**

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
					Yes	No	Yes	No	
2.1C		HNO ₃	Formalin	ADD 18 2.1		X			

* HNO3 and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. **An NCR still is required.**

Chain of Custody/ Field Sheet(s) Included? Yes **X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No **X**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No **X If yes, is it intact? Yes _____ No _____

Caps on tight? Yes **X No _____ **Containers intact? Yes **X** No _____

Sufficient Sample Volume: Yes **X No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No **X** Init: **ABS**

Chlorine detected? (One container checked per Field ID) Yes _____ No _____ Init: **ABS**

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH ≤ 2.0? Yes **X No _____ NA _____ Init: **ABS**

W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No **X NA _____ Init: **ABS**

Coolers Unpacked/Checked by: **ABS** Date: **09-16-2019** NCRs (Y/N)? **X**

Event ID: **WAS - SECT - 2019 - 16 - 01** NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle TestID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle TestID(s)

Bottles Not Intact

Field ID	Bottle TestID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle TestID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC 03 2018 EXP:04/29/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP:05/15/2020
pH Paper 0 – 3 Lot #	220416A EXP:07/30/2020
pH Paper 0 – 13 Lot #	215517 exp:jun 1 2020
Chlorine Test Strips Lot #	8212 2021 / 05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No **X**

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Little River

last revised Jan 25, 2018

Customer: WAS-SECT

Requester: Curtis Musson

Field Report Prepared By: Anil Wood-McGrath

Project ID: SMP

Collected By: Anil Wood-McGrath / Blake SpencerSampling Agency: FDEP

Location	WIN ID / FILED ID →  G1WA0088	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>9/16/2019</u> Time <u>10:14</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>96.4</u>	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L) _____	A
WIN/STORET #	Location  McBride South	Temp (C) <u>30.0</u>	pH <u>6.37</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>43.6</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.02</u>	Comments	
Location	WIN ID / FILED ID →  G1WA0006	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>9/16/2019</u> Time <u>10:47</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>93.3</u>	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L) _____	A
WIN/STORET #	Location  McBride Mid	Temp (C) <u>30.0</u>	pH <u>5.89</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>43.6</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.02</u>	Comments	
Location	WIN ID / FILED ID →  G1WA0089	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>9/16/19</u> Time <u>11:29</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>64.7</u>	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L) _____	A
WIN/STORET #	Location  McBride West	Temp (C) <u>29.8</u>	pH <u>5.43</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>44.4</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.02</u>	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By: <u>AMM</u>	Date/Time: <u>9/16/19</u>	Shipping Method: <u>HD</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>[Signature]</u>	Date/Time: <u>9/16/19 1242</u>
-----------------------------	---------------------------	----------------------------	-------------------------------------	---------------------------------	--------------------------------

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
ALKALINITY TURBIDITY W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W					
Group: A	Bottle Type: P-250ML-WO-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
ECOLI-18QT					
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: HNO3 HNO3 LOT# NA9099030 EXP: 04/09/20	Enter Number of Bottles Sent to Lab	3
W-ICP W-ICPMS					
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4 H2SO4 LOT# SA9010030 EXP: 04/10/2020	Enter Number of Bottles Sent to Lab	3
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F					

Date of Request: 29-JUL-2019
 Created By: MUSSON_C On: 29-JUL-2019
 Modified By: WATTS_J On: 16-SEP-2019
 Customer: WAS-SECT
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: Little River

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 30-JUL-2019
 Biology Request Reviewed By: JASROTIA_P On: 31-JUL-2019
 Sampling Kit Required: YES Ship on: 15-AUG-2019
 Sampling Kit Shipped: YES On: 12-AUG-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 16-SEP-2019
 Received By: SHAIK_A On: 16-SEP-2019

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Nutrients, Metals, E.coli x 3

Packing Notes:
 No FedEx labels
 No Trashbags

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI	Number of Bottles: 3	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		
Potassium		

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML		Number of Bottles: 3	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	
Sodium			
Zinc			
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
*Boron			
Aluminum			
Antimony			
Arsenic			
Cadmium			
Chromium			
Copper			
Lead			
Nickel			
Selenium			
Silver			
Thallium			
Bottle Type: P-500ML		Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML		Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.