

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: YSI #3

RQ- 2019-06-03-25

Project: Suwannee South

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification _____

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>0753</u>	<u>23.9</u>	<u>758.6</u>	<u>8.4</u>	<u>8.42</u>	<u>99.9</u>		<u>1.0523</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>0755</u>	<u>23.9</u>	<u>758.6</u>	<u>8.4</u>	<u>8.42</u>	<u>99.9</u>		<u>1.0523</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>1655</u>	<u>25.3</u>	<u>755.7</u>	<u>8.2</u>	<u>8.21</u>	<u>100</u>		<u>1.0523</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV											<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>0758</u>	<u>190430A</u>	<u>5/2020</u>	<u>1.000</u>	<u>1.000</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>0800</u>	<u>190319B</u>	<u>3/2020</u>	<u>100</u>	<u>104</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>1658</u>	<u>190430A</u>	<u>5/2020</u>	<u>1.000</u>	<u>999</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV								<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>0805</u>	<u>2811E61</u>	<u>11/2020</u>	<u>7.</u>	<u>24.3</u>	<u>6.99</u>	<u>-35.6</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
Calibr.			<u>0808</u>	<u>2904B00</u>	<u>3/2021</u>	<u>4.</u>	<u>24.5</u>	<u>4.00</u>	<u>145.3</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
Calibr.			<u>0810</u>	<u>2901B51</u>	<u>7/2020</u>	<u>10.</u>	<u>24.2</u>	<u>9.96</u>	<u>-204.8</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
ICV			<u>0812</u>	<u>2811E61</u>	<u>11/2020</u>	<u>7.0</u>	<u>24.1</u>	<u>7.01</u>	<u>-32.6</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV	<u>AKalmbacher</u>	<u>6-5-19</u>	<u>1700</u>	<u>2901B51</u>	<u>7/2020</u>	<u>10.0</u>	<u>24.4</u>	<u>9.93</u>	<u>-203.0</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>
CCV										<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 169.2, slope from 4 to 7 180.9 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: 6-4-2019

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	<u>AKalmbacher</u>	<u>6-5-2019</u>	<u>0803</u>	<u>0.00</u>	<u>0.001</u>	<u>P</u> / <u>F</u>	<u>L</u> / <u>F</u>

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

Duplicate

Time Zone: EST CEN		Time: _____		Field ID: _____	
(WIN ID_DUP)					
WIN DMT Activity ID: _____					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E-3821-MS ☐ W-CARB-AA	☐ Ice			

Place Preservative Sticker(s) Here
(If Available)

Blank

Time Zone: EST CEN		Time: _____		Field ID: _____	
(Blank Type_ODMMYYYY)					
DI Source: _____		Location: _____			
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank		Equipment ID: _____			
WIN DMT Blank Batch ID: _____					
Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Tracers	☐ W-E3821-MS ☐ W-E3821-DI	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-E3821-DI ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-E3821-MS ☐ W-CARB-AA	☐ Other			

Notes

Field ID:

Location: LITTLE WACCASASSA RIVER 0.5 MILE DOWN FROM BLUE SPRINGS

WIN ID:

23020032

LITTLE WACCASASSA RIVER 0.5 MILE DOWN FROM BLUE SPRINGS

Field ID:

FB 06052019

Signature: _____

Date: _____

LIMS EVENT ID: _____

WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____
(Initials/Date)

QC Station ID, Field Parameters in LIMS DMT: _____
(Initials/Date)

Scan/Save Field Sheets _____
(Initials/Date)

Migrate Data to WIN: _____
(Initials/Date)

Verify Data in WIN: _____
(Initials/Date)

Suwannee South

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish


Field Report Prepared By: A Kimbacher

Project ID: SMP

Collected By: B. Davis

Sampling Agency: FDEP/NE ROC

WIN ID/Field ID:  23020032 LITTLE WACCASASSA RIVER 0.5 MILE DOWN FROM BLUE SPRINGS Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-5-2019 Time	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) (See pg 2) A	
	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.03	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) 24.6	pH 7.83	Sample Depth 0.1	☐ ft ☒ m		Sp. Conductance (umho/cm) 208
	☐ dd ☐ dms Salinity (ppt) .10	Comments				
WIN ID/Field ID:  20030925 LAKE KANAPAHA ~300M N of 56TH Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-5-2019 Time	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) B	
	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 0.59	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) 22.2	pH 6.88	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 531
	☐ dd ☐ dms Salinity (ppt) 0.26	Comments				
WIN ID/Field ID:  22051013 Turtle Spring Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-5-2019 Time	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) B	
	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 1.14	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) 22.1	pH 7.16	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 419
	☐ dd ☐ dms Salinity (ppt) .20	Comments				
Field ID:  23020032 DUP Location: LITTLE WACCASASSA RIVER 0.5 MILE DOWN FROM BLUE SPRINGS WIN ID:  23020032 Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	☐ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)	
	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
	Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
	☐ dd ☐ dms Salinity (ppt)	Comments DID NOT COLLECT				

Relinquished By: 	Date/Time: 6-5-2019	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By:	Date/Time:
---	---------------------	------------------------	------------------------------	--------------	------------

1700

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Suwannee South

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: _____

Project ID: SMP

Collected By: N/A

Sampling Agency: _____

LITTLE WACCASASSA RIVER 0.5 MILE DOWN FROM BLUE SPRINGS		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)	
Field ID:  FB 06052019		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments		DID NOT COLLECT			
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____		Eastern Central		Composite end Date _____ Time _____		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: <u>[Signature]</u>	Date/Time: <u>6-5-2019</u>	Shipping Method: <u>FedEx</u>	Number of Coolers Shipped: <u>1</u>	Received By: _____	Date/Time: _____
-------------------------------------	----------------------------	-------------------------------	-------------------------------------	--------------------	------------------

1700

Group: B Bottle Type: P-500ML # of Bottles: 2 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 2

W-TKN
W-TOC

Group: B Bottle Type: P-125ML # of Bottles: 2 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 2

W-PO4-F

Group: C Bottle Type: P-1L # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 0

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: C Bottle Type: P-500ML # of Bottles: 1 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 0

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: C Bottle Type: P-125ML # of Bottles: 1 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 0

W-PO4-F



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?
Yes / No

WIN Station Name: Turtle Spring Head

Date: 6/5/2019

(mm/dd/yyyy)

WIN/ Field ID: 22051013

WBID: 3422M

Latitude: 29.84739

(Decimal Degrees)

County: Lafayette

ORG ID: 21FLA

Longitude: -82.89028

(Decimal Degrees)

Receiving Body of Water: Suwannee River

RQ-2019- 06-03-25

Sampling Team Members						WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment				
The Brian Davis											☒ Sample Container	☐ Van Dorn	☒ Pole		
Amy Kalmbacher						☒	☒	☒	☒		☐ Carboy	☐ Syringe			
											☐ Dipper	☐ Other			
											Depth Measured with <u>water</u>				
											Equipment ID <u>Orthokit 3</u>				
											Collection Method				
											☐ Wading	☐ Canoe/Kayak			
											☒ From Shore	☐ Electric Motor			
											☐ Other	☐ Gasoline Motor			
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded						Meter ID# <u>YSI # 3</u>			Matrix: <u>Fresh</u> Marine/ DI						
Photos: Yes / <u>No</u>		Flow: No Flow / Intestinal / <u>Flowing</u> / NA		Tide: Rising/ Falling/ Slack/ <u>NA</u>		Tide Times: High		Low							
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp (C°)					
EST	1135	2.6	0.3	2.6	1.14	13	7.16	.20	419	22.1					
CEN			2.0	5	1.02	11	7.10	.20	419	22.1					
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:															
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:															
Parameter Suite		Parameter Methods				Preservation		Lot#	Expiration	pH Check					
Preserved Nutrients		☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP				☒ Ice ☒ H2SO4		<u>SAB344070</u>	<u>12/2019</u>	<u>FX</u>	<2				
Metals		☐ W-ICPM5 ☐ W-ICP				☐ Ice ☐ HNO3					☐ <2				
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter				☒ Ice		<u>R8KA17522</u>							
Chlorophyll		☒ CHLSUITE-W				☒ Ice									
Physical/Aggregate (Fresh)		☒ Alkalinity / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-CL-IC / ☒ W-COLOR / ☒ W-SO4-IC / ☒ W-TDS				☒ Ice									
Physical/Aggregate (Marine)		☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY				☐ Ice									
Macroinvertebrates		☐ ME-FW-QLDC				☐ Formalin									
Periphyton		☐ ALGAE-ID				☐ Ice									
Microbiology		☐ E Coli ☐ F Coli ☐ Enterococci				☐ Ice									
Molecular		☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD				☐ Ice									
Tracers		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice									
Pesticides		☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA				☐ Ice									
Phytoplankton		☐ DTY-QN-C ☐ PKD-QN-C				☐ Ice									
Notes:															
WIN ID/Field ID: <u>22051013</u>															
Turtle Spring															
Signature: <u>A. Kalmbacher</u>										Date: <u>6-5-2019</u>					

Contains: 1:1 H2SO4
Lot No.: SAB344070
Expires: 12/10/19
See Safety Data Sheet (SDS)

Place Preservation (If A)

SULFURIC ACID <51%
DANGER
H314 Causes severe skin burns and eye irritation.
H335 May irritate the respiratory system.
P280 Wear protective gloves/eye protection/clothing.
P303+P361+P353 In case of contact with skin, wash thoroughly with plenty of water.
P308+P313 In case of exposure, call a POISON CENTER or doctor immediately.
P501 Dispose of contents and container in accordance with local, state, and federal regulations.
UN3373 Corrosive, liquid, acidic
Hazard Class: Corrosive
Hazard Label: C+
Hazard Statement: H314 Causes severe skin burns and eye irritation.
Hazard Code: 332
Hazard Symbol: C+
Hazard Pictogram: C+
Hazard Precautionary Statement: P280 Wear protective gloves/eye protection/clothing.
Hazard Response Statement: P303+P361+P353 In case of contact with skin, wash thoroughly with plenty of water.
Hazard Disposal Statement: P501 Dispose of contents and container in accordance with local, state, and federal regulations.
Hazard Environmental Statement: P501 Dispose of contents and container in accordance with local, state, and federal regulations.
Hazard Environmental Statement: P501 Dispose of contents and container in accordance with local, state, and federal regulations.

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data In WIN: _____

(Initials/Date) (Initials/Date) (Initials/Date)

(Initials/Date) (Initials/Date) (Initials/Date)

