

RQ-2019-05-06-35

Data Management (to be completed by field personnel)

- ☒ Date sampled Date: 5/6/19 initials: SS
- ☒ Entered into MAT Date: 5/9/19 initials: SS
- ☒ In SMP Tracker Date: 5/8/19 initials: SS
- ☒ RQ Sheet – from LIMS (display/print request)

Ready for folder system (top)

LIMS processing (to be completed by field/office personnel)

- ☒ Field Sheets scanned into local folder and
initialed/dated on Field Sheets Date: 5/10/19 initials: SS
- ☐ New Field IDs created (when appropriate) Date: _____ initials: _____ ☒ NA
- ☐ Field parameters entered into LIMS Date: _____ initials: _____
- ☐ Date submitted for QA/QC Date: _____ initials: _____
- ☐ Create entry in SMP Station Creation File if new station is used

Digital Archiving

- ☐ Digital field Sheets put into archive Date: _____ initials: _____
- ☐ Photos put into archive Date: _____ initials: _____ ☐ NA
- ☐ Lab results put into archive (CB/WB) Date: _____ initials: _____

WINS processing (Cheryl/Whitney)

- ☐ Field parameters QA/QC in LIMS Date: _____ initials: _____
- ☐ Data migrated to WINS Date: _____ initials: _____
- ☐ Update "Data Tracker" in SMP Tracker

Notes:

Date of Request: 15-APR-2019
 Created By: KING_M On: 15-APR-2019
 Modified By: JASROTIA_P On: 17-APR-2019
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: NWROC
 Sampling Event: 98 WHALER RUN

Send Coolers To:

Phone: 850-595-8300
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael king

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 17-APR-2019
 Biology Request Reviewed By: JASROTIA_P On: 17-APR-2019
 Sampling Kit Required: YES Ship on: 26-APR-2019
 Sampling Kit Shipped: YES On: 25-APR-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 06-MAY-2019
 Received By: REAVES_S On: 07-MAY-2019

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Marinewater
 (WBID 881 906 917A 937) Nutrients, Contract Lab Bacteria - Fecal & Entero
 Group B: Marinewater
 (WBID 731) Nutrients, Contract Lab Bacteria - Entero

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
Bromide		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by UWF Laboratory in Pensacola
Enterococci-Quanti-Tray		
NW-UWF-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method by UWF Laboratory in Pensacola

Bottle Group A (Water) With 4 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method by UWF Laboratory in Pensacola
Fecal Coliforms-Membrane Filter		
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
Bromide		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by UWF Laboratory in Pensacola
Enterococci-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / ☒ No

WIN Station Name: Destin Harbor across from AJ's Restaurant

Date: 05/06/2019
(mm/dd/yyyy)

WIN/ Field ID: G3NW0127

WBID: 917A

Latitude: 30.39189

County: Okaloosa

ORG ID: 21FLPNS

Longitude: -86.50919
(Decimal Degrees)

Receiving Body of Water: Gulf of Mexico

RQ-2018- 05-06-35
(Decimal Degrees)

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
M. Clark									
S. Slade									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with _____		
Equipment ID _____		

Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☒ Gasoline Motor

Water Level: Dry/ Pooled/ Low / ☒ Normal / High / Flooded
Photos: Yes / ☒ No
Flow: No Flow / Intestinal / Flowing ☒ NA
Meter ID# 155077
Matrix: Fresh / ☒ Marine / DI
Tide: ☒ Rising / Falling/ Slack/ NA
Tide Times: High 11:12am Low 8:51pm 5/4/19

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
EST	1045	3.8	0.3	3.8	7.48	102.8	8.01	22.43	35548	25.2
CEN			3.3	LOB	7.29	104.0	8.02	33.05	50391	23.8

Biological Samples Collected: ☒ None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	8197090	7/16/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 um Filter	☒ Ice	15159045		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☒ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Place Preservative Sticker(s) Here
(If Available)

Ref:	Date: 22Apr19	SHIPPING:	0.00
Dep:	Wgt: 35.00 LBS	SPECIAL:	0.00
	DV:	HANDLING:	0.00
		TOTAL:	0.00

Sign: PRIORITY OVERNIGHT Master 4751 8779 0207
TRACK: 4751 8779 0207

Field/WIN ID: G3NW0127

Location: Destin Harbor across from AJ's Restaurant

Signature: *[Signature]* Date: 5/6/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID in UMS DMT: QC Station ID, Field Parameters in UMS DMT:

Scan/Save Field Sheets 88 5/10/19 Migrate Data to WIN: Verify Data in WIN:

(Initials/Date) (Initials/Date) (Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Joes Bayou

Date: 05/16/19
(mm/dd/yyyy)

WIN/ Field ID: G3NW0182

WBID: 906

Latitude: 30.406945

County: Okaloosa

ORG ID: 21FLPNS

Longitude: -86.486463

Receiving Body of Water: Choctawhatchee Bay

RQ-2018- 05-06-35

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
<u>M. Clark</u>									
<u>S. Slack</u>									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	

Depth Measured with _____
Equipment ID _____

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low Normal / High / Flooded Meter ID# 15077 Matrix: Fresh / Marine / DI
Photos: Yes / No Flow: No Flow / Intestinal / Flowing / NA Tide: Rising / Falling / Slack / NA Tide Times: High 1112 Low 2051 5/4/19

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT _h)	Sp COND (µmhos/cm)	Temp. (C°)
EST	<u>26.1</u> ¹⁰¹⁵		<u>0.3</u>		<u>7.35</u>	<u>100.2</u>	<u>7.87</u>	<u>18.35</u>	<u>29660</u>	<u>26.1</u>
<u>CEN</u>		<u>3.1</u>	<u>2.8</u>	<u>2.3</u>	<u>6.43</u>	<u>88.9</u>	<u>7.93</u>	<u>20.48</u>	<u>32780</u>	<u>26.2</u>

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H ₂ SO ₄	<u>8197090</u>	<u>7/16/19</u>	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	<u>15159049</u>		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☒ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CAR8-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

No. _____
Ref: _____ Date: 22Apr19 SHIPPING: 0.00
Dep: _____ Wgt: 35.00 LBS SPECIAL: 0.00
DV: _____ 0.00 HANDLING: 0.00
TOTAL: 0.00
SVCS: PRIORITY OVERNIGHT Master 4751 8779 0207
TRACK: 4751 8779 0218

Field/WIN ID



G3NW0182

Location

Joes Bayou

Date: 5/16/19

Signature: [Signature]

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____

Scan/Save Field Sheets 5/10/19 Migrate Data to WIN: _____ Verify Data In WIN: _____
(Initials/Date) (Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / ☒ No

WIN Station Name: Hogtown Bayou Center

Date: 05/06/19
(mm/dd/yyyy)

WIN/ Field ID: G3NW0181

WBID: 881A

Latitude: 30.39935

County: Walton

ORG ID: 21FLPNS

Longitude: -86.23197801

Receiving Body of Water: Choctawhatchee Bay

RQ-2018-05-06-35

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
S. Hilde M. Clark									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with _____		
Equipment ID _____		

Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / ☒ Normal / High / Flooded

Meter ID# 155077

Matrix: Fresh / ☒ Marine / DI

Photos: Yes / ☒ No

Flow: No Flow / Intestinal / Flowing ☒ NA

Tide: Rising / ☒ Falling / Slack/ NA

Tide Times: High 1130 Low 2316

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1215	1.9	0.3	1.1	6.48	90.4	7.63	18.34	29728	22.4
☒ CEN			1.4		6.89	94.5	7.69	18.45	29857	22.5

Biological Samples Collected: ☒ None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4	8197090	7/14/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	15159049		
Chlorophyll	☒ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Notes:

Field/WIN ID: G3NW0181

Location: Hogtown Bayou Center

Signature: Date: 5/16/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT: QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets 5/16/19 Migrate Data to WIN: Verify Data in WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / ☒ No

WIN Station Name: Mack Bayou

Date: 05/06/2019
(mm/dd/yyyy)

WIN/ Field ID: G3NW0128

WBID: 937

Latitude: 30.40073

County: Okaloosa

ORG ID: 21FLPNS

Longitude: -86.30338
(Decimal Degrees)

Receiving Body of Water: Choctawhatchee Bay

RQ-2018- 05-06-35
(Decimal Degrees)

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
S. Sigde									
M. Clark									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with _____		
Equipment ID _____		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded
Photos: Yes ☒ No ☐ Flow: No Flow / Intestinal / Flowing NA
Meter ID# 158077 Matrix: Fresh ☒ Marine ☐ Tide: Rising ☒ Falling ☐ Slack/ NA Tide Times: High 11:50 Low 20:15

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT _h)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1245	2.3	0.3	0.9	5.93	83.0	7.52	30.2	30222	22.4
CEN			1.8		5.68	78.3	7.48	19.72	30253	26.6

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4	8197090	7/16/19	☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	15159049		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E.Coli ☒ F.Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Notes:

Field/WIN ID: G3NW0128

Location: Mack Bayou

Signature: *[Signature]* Date: 5/6/19

LIMS EVENT ID: WIN Import ID: QC Station ID, Field Parameters In LIMS DMT: Enter Field Parameters, Verify Station ID In LIMS DMT: Scan/Save Field Sheets 28 5/10/19 Migrate Data to WIN: Verify Data in WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Alaqua Bayou Center

Date: 05/06/19
(mm/dd/yyyy)

WIN/ Field ID: G3NW0180

WBID: 731

Latitude: 30.48653

County: Walton

ORG ID: 21FLPNS

Longitude: -86.202739
(Decimal Degrees)

Receiving Body of Water: Choctawhatchee Bay

RQ-2019-

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
<u>J. Hodge</u> <u>m. Clark</u>										☒ Sample Container	☐ Van Dorn	☐ Pole
										☐ Carboy	☒ Syringe	
										☐ Dipper	☐ Other	
										Depth Measured with		
										Equipment ID		
										Collection Method		
										☐ Wading	☐ Canoe/Kayak	
										☐ From Shore	☐ Electric Motor	
										☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 155077

Matrix: Fresh / Marine DI

Photos: Yes / No

Flow: No Flow / Intestinal / Flowing NA

Tide: Rising/ Falling / Slack/ NA

Tide Times: High 1130 Low 2316

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1315	1.3	0.3	1.3	6.91	91.9	7.64	10.91	1849	27.4
<u>CEN</u>				<u>VOB</u>						

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	8197090	7/16/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice	15159049		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QIDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Notes:

Field/WIN ID



G3NW0180

Location:

Alaqua Bayou Center

Signature:

J. Hodge

Date:

5/10/19 5/6/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT:

QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets

SS 5/10/19

Migrate Data to WIN:

Verify Data In WIN:

(Initials/Date)

(Initials/Date)

(Initials/Date)

(Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 155072

RQ: 2019-05-06-35

Project: SMP

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification _____

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	MC/SS	5/6/19	7:40	23.9	761.2	8.42	8.43	100.0	-	-	(P) F	(L) F
ICV	MC/SS	5/6/19	7:45	24.0	761.2	8.42	8.42	99.8	-	-	(P) F	(L) F
CCV	MC/SS	5/6/19	17:15	24.4	761.4	8.06	8.00	99.3			(P) F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	MC/SS	5/6/19	7:47	180617C	5/19	5,000	4996	(P) F	(L) F
ICV	MC	5/6/19	7:49	19016B	1/20	100,000	99900	(P) F	(L) F
CCV	MC/SS	5/6/19	17:16	180517D	5/19	10,000	10120	(P) F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	MC/SS	5/6/19	7:53	2811803	10/20	7.00	22.7	1.00	-23.3	(P) F	(L) F
Calibr.	MC	5/6/19	7:58	4712966	11/20	4.	25.1	4.01	152.2	(P) F	(L) F
Calibr.	MC	5/6/19	8:00	2804620	10/19	10.	22.9	10.03	198.5	(P) F	(L) F
ICV	MC/SS	5/6/19	8:02	4712966	11/20	4	25.2	4.03	149.3	(P) F	(L) F
CCV	MC/SS	5/6/19	17:24	2804620	10/19	10	21.5	10.10	-200.1	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 175.2, slope from 4 to 7 175.5 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 1/11/19

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	MC	5/6/19	8:03	0.000	0.000	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: